

Author Index, Volumes 139–148

- Abad, M., *see* Pazos, A.J. et al.
- Abaurrea-Equisoain, M.A. and M.V. Ostos-Garrido
Enterocytes in the anterior intestine of *Oncorhynchus mykiss*: Cytological characteristics related to osmoregulation 139 (1996) 109
- Abedini, S., *see* Namdari, R. et al.
- Abollo, E., *see* Pascual, S. et al.
- Acosta, C.P., *see* Pazos, A.J. et al.
- Adeyeye, E.I., N.J. Akinyugha, M.E. Fesobi and V.O. Tenabe
Determination of some metals in *Clarias gariepinus* (Cuvier and Valenciennes), *Cyprinus carpio* (L.) and *Oreochromis niloticus* (L.) fishes in a polyculture fresh water pond and their environments 147 (1996) 205
- Aguila, P., *see* Toro, J.E. et al.
- Aidar, E., *see* Lourenço, S.O. et al.
- Akamatsu, S., *see* Nagai, K. et al.
- Akinyugha, N.J., *see* Adeyeye, E.I. et al.
- Aksnes, A., T. Hjertnes and J. Opstvedt
Comparison of two assay methods for determination of nutrient and energy digestibility in fish 140 (1996) 343
- Aksnes, A., T. Hjertnes and J. Opstvedt
Effect of dietary protein level on growth and carcass composition in Atlantic halibut (*Hippoglossus hippoglossus* L.) 145 (1996) 225
- Alanärä, A.
The use of self-feeders in rainbow trout (*Oncorhynchus mykiss*) production. 145 (1996) 1
- Alava, V.R. and A. Kanazawa
Effect of dietary fatty acids on growth of milkfish *Chanos chanos* fry in brackish water . 144 (1996) 363
- Albentosa, M., A. Pérez-Camacho, U. Labarta and M.J. Fernández-Reiriz
Evaluation of live microalgal diets for the seed culture of *Ruditapes decussatus* using physiological and biochemical parameters. 148 (1996) 11
- Alix, J.H., *see* Wikfors, G.H. et al.
- Allan, G.L., *see* Brown, M.R. et al.
- Allen, Jr., S.K., *see* Guo, X. et al.
- Alliot, E., *see* Nehr, O. et al.
- Almendros, G., *see* Gonzalez-Vila, F.J. et al.
- Alpasan, L.G., *see* Duray, M.N. et al.
- Álvarez, R., *see* Martínez, I.P. et al.
- Alveal, K., H. Romo, C. Werlinger and E.C. Oliveira
Mass cultivation of the agar-producing alga *Gracilaria chilensis* (Rhodophyta) from spores 148 (1997) 77
- Amat, F., *see* Barata, C. et al.
- Amat, F., *see* McEvoy, L.A. et al.
- Anderson, T.A., *see* Appleford, P. et al.
- Anderson, T.A., *see* Sheikh-Eldin, M. et al.

- Andrades, J.A., J. Becerra and P. Fernández-Llebrez
Skeletal deformities in larval, juvenile and adult stages of cultured gilthead sea bream (*Sparus aurata* L.) 141 (1996) 1
- Anfossi, P., see Malvisi, J. et al.
- Angel, D., see Neori, A. et al.
- Aoki, T., see Miyata, M. et al.
- Appleford, P. and T.A. Anderson
Apparent digestibility of tuna oil for common carp, *Cyprinus carpio* - effect of inclusion level and adaptation time 148 (1997) 143
- AQUACOP, see Cousin, M. et al.
- Arai, K., M. Ikeno and R. Suzuki
Erratum to "Production of androgenetic diploid loach *Misgurnus anguillicaudatus* using spermatozoa of natural tetraploids" [Aquaculture 137 (1995) 131] 143 (1996) 223
- Arias, C., see Pascual, S. et al.
- Arimoto, M., J. Sato, K. Maruyama, G. Mimura and I. Furusawa
Effect of chemical and physical treatments on the inactivation of striped jack nervous necrosis virus (SJNNV) 143 (1996) 15
- Arnoux, A., see Vacelet, E. et al.
- Aviles, J.G.G. and S.A. Shepherd
Growth and survival of the blue abalone *Haliotis fulgens* in barrels at Cedros Island, Baja California, with a review of abalone barrel culture 140 (1996) 169
- Azevedo, C., see Glenn, E.P. et al.
- Baardvik, B.M., see Jørgensen, E.H. et al.
- Bacon, J.R., C.M. Gempesaw II, W.W. Lussier and J.W. Dunn
Economic viability and animal health regulation effects on a large scale trout hatchery 143 (1996) 245
- Baillie, H.J., see Dunstan, G.A. et al.
- Ballestrazzi, R. and D. Lanari
Growth, body composition and nutrient retention efficiency of growing sea bass (*Dicentrarchus labrax* L.) fed fish oil or fatty acid Ca salts 139 (1996) 101
- Banzoussi, B., see De Graaf, G. et al.
- Barata, C., F. Hontoria and F. Amat
Estimation of the biomass production of *Artemia* with regard to its use in aquaculture: temperature and strain effects 142 (1996) 171
- Barbarino, E., see Lourenço, S.O. et al.
- Barki, A., T. Levi, A. Shrem and I. Karplus
Ration and spatial distribution of feed affect survival, growth, and competition in juvenile red-claw crayfish, *Cherax quadricarinatus*, reared in the laboratory 148 (1997) 169
- Barrett, S.M., see Brown, M.R. et al.
- Barrett, S.M., see Dunstan, G.A. et al.
- Basciano, G., see Micale, V. et al.
- Bautista-Teruel, M.N., see Millamena, O.M. et al.
- Becerra, J., see Andrades, J.A. et al.
- Beddow, T.A., L.G. Ross and J.A. Marchant
Predicting salmon biomass remotely using a digital stereo-imaging technique 146 (1996) 189
- Bell, J.D., see Foyle, T.P. et al.
- Bell, M.V., J.R. Dick, M. Thrush and J.C. Navarro
Decreased 20:4n-6/20:5n-3 ratio in sperm from cultured sea bass, *Dicentrarchus labrax*, broodstock compared with wild fish 144 (1996) 189
- Benzie, J.A.H. and S.T. Williams
Limitations in the genetic variation of hatchery produced batches of the giant clam, *Tridacna gigas* 139 (1996) 225
- Beraldo, P., see Tibaldi, E. et al.
- Berg, A.J., T. Sigholt, A. Seland and A. Danielsberg
Effect of stocking density, oxygen level, light regime and swimming velocity on the incidence of sexual maturation in adult Atlantic salmon (*Salmo salar*) 143 (1996) 43

- Berge, G.M. and T. Storebakken
Fish protein hydrolysate in starter diets for Atlantic salmon (*Salmo salar*) fry 145 (1996) 205
- Bergeron, P., see Fr  chette, M. et al.
- Bj  rnsson, B. and S.V. Tryggv  ttir
Effects of size on optimal temperature for growth and growth efficiency of immature Atlantic halibut (*Hippoglossus hippoglossus* L.) 142 (1996) 33
- Blancheton, J.-P., see Nehr, O. et al.
- Blankenship, L., see Godin, D.M. et al.
- Blazer, V.S., see Klinger, R.E.C. et al.
- Blom, J.H. and K. Dabrowski
Ascorbic acid metabolism in fish: is there a maternal effect on the progeny? 147 (1996) 215
- Boettcher, A.A., C. Dyer, J. Casey and N.M. Targett
Hydrogen peroxide induced metamorphosis of queen conch, *Strombus gigas*: Tests at the commercial scale 148 (1997) 247
- Boeuf, G., see Seddiki, H. et al.
- Bola  os, A., see Rodr  guez, C. et al.
- Boonsaeng, V., see Wongteerasupaya, C. et al.
- Borgsteede, F.H.M., see Haenen, O.L.M. et al.
- Borlinghaus, M., see Halwart, M. et al.
- Boujard, T., M. Jourdan, M. Kentouri and P. Divanach
Diel feeding activity and the effect of time-restricted self-feeding on growth and feed conversion in European sea bass 139 (1996) 117
- Boujard, T., see Paspatis, M. et al.
- Boulo, V., see Noel, T. et al.
- Bourdillon, A., see Chatain, B. et al.
- Bourget, E., see Harvey, M. et al.
- Bourget, E., see Miron, G. et al.
- Bourget, E., see Pearce, C.M. et al.
- Bowden, T.J., see Bricknell, I.R. et al.
- Boyd, C.E., see Neori, A. et al.
- Bra  a, F., see Ojanguren, A.F. et al.
- Breine, J.J., see Nguenga, D. et al.
- Bricknell, I.R., D.W. Bruno, T.J. Bowden and P. Smith
Fat cell necrosis syndrome in Atlantic halibut, *Hippoglossus hippoglossus* L. 144 (1996) 65
- Britz, P.J.
Effect of dietary protein level on growth performance of South African abalone, *Haliotis midae*, fed fishmeal-based semi-purified diets. 140 (1996) 55
- Britz, P.J.
The suitability of selected protein sources for inclusion in formulated diets for the South African abalone, *Haliotis midae*. 140 (1996) 63
- Britz, P.J., see Knauer, J. et al.
- Brown, J., see Metusalach, 142 (1996) 99
- Brown, J.A., see Evans, R.P. et al.
- Brown, M.R., S.M. Barrett, J.K. Volkman, S.P. Nearhos, J.A. Nell and G.L. Allan
Biochemical composition of new yeasts and bacteria evaluated as food for bivalve aquaculture 143 (1996) 341
- Brown, P.B., see Riche, M. et al.
- Bruno, D.W., see Bricknell, I.R. et al.
- Bunn, S.E., see Preston, N.P. et al.
- Burke, C.M., see Soltani, M. et al.
- Bury, N.R., see Fuentes, J. et al.
- Cacci, T., C.B. Carlson, T.E. Toth and S.A. Smith
In vitro embryogenesis of *Macrobrachium rosenbergii* larvae following in vivo fertilization 147 (1996) 169

- Cahu, C.L., *see* Zambonino Infante, J.L. et al.
- Camara, M.R., *see* Coutteau, P. et al.
- Capinpin Jr, E.C. and K.G. Corre
 Growth rate of the Philippine abalone, *Haliotis asinina* fed an artificial diet and macroalgae 144 (1996) 81
- Capone, D.G., D.P. Weston, V. Miller and C. Shoemaker
 Antibacterial residues in marine sediments and invertebrates following chemotherapy in aquaculture 145 (1996) 55
- Carefoot, T.H., *see* Taylor, B.E. et al.
- Carline, R.F., *see* Likongwe, J.S. et al.
- Carlson, C.B., *see* Caceci, T. et al.
- Carmona-Osalde, C., M.A. Olvera-Novoa, M. Rodríguez-Serna and A. Flores-Nava
 Estimation of the protein requirement for bullfrog (*Rana catesbeiana*) tadpoles, and its effect on metamorphosis ratio 141 (1996) 223
- Carr, W.H., J.N. Sweeney, L. Nunan, D.V. Lightner, H.H. Hirsch and J.J. Reddington
 The use of an infectious hypodermal and hematopoietic necrosis virus gene probe serodiagnostic field kit for the screening of candidate specific pathogen-free *Penaeus vannamei* broodstock 147 (1996) 1
- Carr, W.H., *see* Godin, D.M. et al.
- Carroll, S., *see* Fuentes, J. et al.
- Casey, J., *see* Boettcher, A.A. et al.
- Castell, L.L., W. Naviti and F. Nguyen
 Detectability of cryptic juvenile *Trochus niloticus* Linnaeus in stock enhancement experiments. 144 (1996) 91
- Cauty, C., *see* Tacon, P. et al.
- Cech Jr., J.J., *see* Crocker, C.E. et al.
- Cejas, J., *see* Ibeas, C. et al.
- Cejas, J.R., *see* Rodríguez, C. et al.
- Cerenius, L., *see* Diéguez-Urbeondo, J. et al.
- Chaparro, O.R., *see* Wilson, J.A. et al.
- Chatain, B., L. Debas and A. Bourdillon
 A photographic larval fish counting technique: comparison with other methods, statistical appraisal of the procedure and practical use 141 (1996) 83
- Chatzifotis, S., T. Takeuchi and T. Seikai
 The effect of dietary carnitine supplementation on growth of red sea bream (*Pagrus major*) fingerlings at two levels of dietary lysine 147 (1996) 235
- Chavez, R.C., *see* Tan-Fermin, J.D. et al.
- Chen, J.-C. and C.-T. Kou
 Nitrogenous excretion in *Macrobrachium rosenbergii* at different pH levels 144 (1996) 155
- Chen, J.-C. and T.-T. Kou
 Effects of temperature on oxygen consumption and nitrogenous excretion of juvenile *Macrobrachium rosenbergii* 145 (1996) 295
- Chen, J.-C., K.-W. Chen and J.-M. Chen
 Effects of saponin on survival, growth, molting and feeding of *Penaeus japonicus* juveniles 144 (1996) 165
- Chen, J.-M., *see* Chen, J.-C. et al.
- Chen, K.-W., *see* Chen, J.-C. et al.
- Chennubhotla, V.S.K., *see* Kaladharan, P. et al.
- Chikafumbwa, F.J.K.
 The use of napier grass (*Pennisetum purpureum*) and maize (*Zea mays*) bran as low-cost tilapia aquaculture inputs. 146 (1996) 101
- Chou, B.-S. and S.-Y. Shiau
 Optimal dietary lipid level for growth of juvenile hybrid tilapia, *Oreochromis niloticus* × *Oreochromis aureus* 143 (1996) 185

- Chou, Y.-H., *see* Leu, M.-Y. et al.
- Coetzee, P.S., *see* Nel, R. et al.
- Comps, M., M. Trindade and Cl. Delsert
Investigation of fish encephalitis viruses (FEV) expression in marine fishes using
DIG-labelled probes 143 (1996) 113
- Conget, P., M. Fernández, G. Herrera and J.J. Minguell
Cryopreservation of rainbow trout (*Oncorhynchus mykiss*) spermatozoa using pro-
grammable freezing 143 (1996) 319
- Coote, T.A., P.W. Hone, R. Kenyon and G.B. Maguire
The effect of different combinations of dietary calcium and phosphorus on the growth of
juvenile *Haliotis laevis* 145 (1996) 267
- Cordero, B., *see* Fábregas, J. et al.
- Cornelissen, J.B.J.W., *see* Haenen, O.L.M. et al.
- Corre, K.G., *see* Capinpin Jr, E.C. et al.
- Cotner, J.B., *see* Suplee, M.W. et al.
- Cousin, M., G. Cuzon, J. Guillaume and AQUACOP
Digestibility of starch in *Penaeus vannamei*: in vivo and in vitro study on eight samples
of various origin 140 (1996) 361
- Coutteau, P., M.R. Camara and P. Sorgeloos
The effect of different levels and sources of dietary phosphatidylcholine on the growth,
survival, stress resistance, and fatty acid composition of postlarval *Penaeus van-*
namei 147 (1996) 261
- Cox, D., *see* Marsden, M.J. et al.
- Coyle, S.D., *see* Tidwell, J.H. et al.
- Coyne, R., *see* Kerry, J. et al.
- Coyne, R., *see* Vaughan, S. et al.
- Crespo, S., *see* Padrós, F. et al.
- Crocker, C.E. and J.J. Cech Jr.
The effects of hypercapnia on the growth of juvenile white sturgeon, *Acipenser*
transmontanus 147 (1996) 293
- Cross, T., *see* Galvin, P. et al.
- Cui, Y., *see* Lin, J.-H. et al.
- Culloty, S.C. and M.F. Mulcahy
Season-, age-, and sex-related variation in the prevalence of bonamiasis in flat oysters
(*Ostrea edulis* L.) on the south coast of Ireland 144 (1996) 53
- Cuzon, G., *see* Cousin, M. et al.
- D'Abramo, L.R., *see* Tidwell, J.H. et al.
- Dabrowski, K., *see* Blom, J.H. et al.
- Dagdagan, D., *see* Ostrowski, A.C. et al.
- Daly, P., *see* Tully, O. et al.
- Daniels, W.H., *see* Tidwell, J.H. et al.
- Danielsberg, A., *see* Berg, A.J. et al.
- Dashorst, M., *see* Norton, J.H. et al.
- Dato-Cajegas, C.R.S. and A. Yakupitiyage
The need for dietary mineral supplementation for Nile tilapia, *Oreochromis niloticus*,
cultured in a semi-intensive system 144 (1996) 227
- Davis, P.J., *see* Evans, R.P. et al.
- Davison, P.J., *see* Neori, A. et al.
- Deady, S., *see* Tully, O. et al.
- DeAnda, D., *see* Qin, J. et al.
- Debas, L., *see* Chatain, B. et al.
- DeBrosse, G.A., *see* Guo, X. et al.

- De Graaf, G., F. Galemoni and B. Banzoussi
 Recruitment control of Nile tilapia, *Oreochromis niloticus*, by the African catfish, *Clarias gariepinus* (Burchell 1822), and the African snakehead, *Ophiocephalus obscurus*. I. A biological analysis 146 (1996) 85
- Deguchi, Y., see Sugita, H. et al.
- de la Noüe, J., see Gawlicka, A. et al.
- della Rocca, G., see Malvisi, J. et al.
- Del Rio, J.C., see Gonzalez-Vila, F.J. et al.
- Delsert, Cl., see Comps, M. et al.
- Desbruyères, E., see Dosdat, A. et al.
- De Silva, S.S., see Sheikh-Eldin, M. et al.
- Diana, J.S., see Yi, Y. et al.
- Dick, J.R., see Bell, M.V. et al.
- Diéguez-Urbeondo, J., L. Cerenius and K. Söderhäll
 Physiological characterization of *Saprolegnia parasitica* isolates from brown trout 140 (1996) 247
- Diemar, J.A., see Nell, J.A. et al.
- Dineen, T., see Pursell, L. et al.
- Divanach, P., see Boujard, T. et al.
- Dobson, D.P., see Roth, M. et al.
- Dobson, G. and C.L. Lee
 Improved method of determining the sex of the marine topshell, *Trochus niloticus* (Mollusca: Gastropoda) for spawning 139 (1996) 329
- Donaldson, E.M., see Taylor, B.E. et al.
- Donlon, J., see Mai, K. et al.
- Donovan, D.A., see Taylor, B.E. et al.
- Doroshov, S.I., see Van Eenennaam, A.L. et al.
- Dosdat, A., F. Servais, R. Métailler, C. Huelvan and E. Desbruyères
 Comparison of nitrogenous losses in five teleost fish species 141 (1996) 107
- Dubost, N., G. Masson and J.-C. Moreteau
 Temperate freshwater fouling on floating net cages: method of evaluation, model and composition 143 (1996) 303
- Dunn, J.W., see Bacon, J.R. et al.
- Dunstan, G.A., H.J. Baillie, S.M. Barrett and J.K. Volkman
 Effect of diet on the lipid composition of wild and cultured abalone 140 (1996) 115
- Duray, M.N., C.B. Estudillo and L.G. Alpasan
 The effect of background color and rotifer density on rotifer intake, growth and survival of the grouper (*Epinephelus suillus*) larvae 146 (1996) 217
- Dvir, O., see Neori, A. et al.
- Dyer, C., see Boettcher, A.A. et al.
- Easterling, M.R., see Ellner, S. et al.
- Echevarria, C., see Klinger, R.E.C. et al.
- Eddy, F.B., see Fuentes, J. et al.
- Elema, M.O., K.A. Hoff and H.G. Kristensen
 Bioavailability of oxytetracycline from medicated feed administered to Atlantic salmon (*Salmo salar* L.) in seawater 143 (1996) 7
- Eliassen, R., see Jørgensen, E.H. et al.
- Ellner, S., A. Neori, M.D. Krom, K. Tsai and M.R. Easterling
 Simulation model of recirculating mariculture with seaweed biofilter: development and experimental tests of the model 143 (1996) 167
- Ellner, S.P., see Neori, A. et al.
- Ernst, S., see Sievers, G. et al.
- Estévez, J.M., see Pascual, S. et al.
- Estudillo, C.B., see Duray, M.N. et al.
- Evans, L.H., see Sudaryono, A. et al.

- Evans, R.P., C.C. Parrish, J.A. Brown and P.J. Davis
 Biochemical composition of eggs from repeat and first-time spawning captive Atlantic halibut (*Hippoglossus hippoglossus*) 139 (1996) 139
- Fábregas, J., A. Otero, E. Morales, B. Cordero and M. Patiño
Tetraselmis suecica cultured in different nutrient concentrations varies in nutritional value to *Artemia* 143 (1996) 197
- Fan, L., see Wang, J.-Q. et al.
- Fast, A.W., see Qin, J. et al.
- Fast, A.W., see Qin, J. et al.
- Fernandez, F., see Guinea, J. et al.
- Fernández-Llebrez, P., see Andrades, J.A. et al.
- Fernández, M., see Conget, P. et al.
- Fernández-Palacios, H., M. Izquierdo, L. Robaina, A. Valencia, M. Salhi and D. Montero
 The effect of dietary protein and lipid from squid and fish meals on egg quality of broodstock for gilthead seabream (*Sparus aurata*) 148 (1997) 233
- Fernández-Reiriz, M.J., see Albentosa, M. et al.
- Fesobi, M.E., see Adeyeye, E.I. et al.
- Fields, R.C., see Oakes, F.R. et al.
- Fiogbé, E.D., P. Kestemont, C. Mélard and J.C. Micha
 The effects of dietary crude protein on growth of the Eurasian perch *Perca fluviatilis* . . 144 (1996) 239
- Fitzsimmons, K., see Glenn, E.P. et al.
- Fjalestad, K.T., H.J.S. Larsen and K.H. Røed
 Antibody response in Atlantic salmon (*Salmo salar*) against *Vibrio anguillarum* and *Vibrio salmonicida* O-antigens: Heritabilities, genetic correlations and correlations with survival 145 (1996) 77
- Flegel, T.W., see Wongteerasupaya, C. et al.
- Fleming, A.E. and P.W. Hone
 Abalone Aquaculture. 140 (1996) 1
- Fleming, A.E., R.J. Van Bameveld and P.W. Hone
 The development of artificial diets for abalone: A review and future directions 140 (1996) 5
- Flores-Nava, A., see Carmona-Osalde, C. et al.
- Forteach, G.N.R., see Pankhurst, N.W. et al.
- Foyle, T.P., J.D. Bell, M. Gervis and I. Lane
 Survival and growth of juvenile fluted giant clams, *Tridacna squamosa*, in large-scale grow-out trials in the Solomon Islands 148 (1997) 85
- Frazer, A.W., see Heasman, M.P. et al.
- Fréchette, M., P. Bergeron and P. Gagnon
 On the use of self-thinning relationships in stocking experiments 145 (1996) 91
- Freedman, A., see Friedlander, M. et al.
- Freeman, L.C., see Marsden, M.J. et al.
- Frerichs, G.N.
 In vitro culture of embryonic cells from the freshwater prawn *Macrobrachium rosenbergii* 143 (1996) 227
- Friedlander, M., N. Weintraub, A. Freedman, J. Sheer, Z. Snovsky, J. Shapiro and G.Wm. Kissil
 Fish as potential biocontrollers of *Gracilaria* (Rhodophyta) culture 145 (1996) 113
- Fuentes, J., N.R. Bury, S. Carroll and F.B. Eddy
 Drinking in Atlantic salmon presmolts (*Salmo salar* L.) and juvenile rainbow trout (*Oncorhynchus mykiss* Walbaum) in response to cortisol and sea water challenge . . 141 (1996) 129
- Furusawa, I., see Arimoto, M. et al.
- Gabaudan, J., see Verlhac, V. et al.
- Gaffney, P.M., V.P. Rubin, D. Hedgecock, D.A. Powers, G. Morris and L. Hereford
 Genetic effects of artificial propagation: signals from wild and hatchery populations of red abalone in California. 143 (1996) 257

- Gagné, N., *see* Harvey, M. et al.
- Gagnon, P., *see* Fréchette, M. et al.
- Galemoni, F., *see* De Graaf, G. et al.
- Gall, G.A.E., *see* Su, G.-S. et al.
- Galvin, P., D. McGregor and T. Cross
 Erratum to "A single locus PCR amplified minisatellite region as a hypervariable genetic marker in gadoid species" [Aquaculture 137 (1995) 31] 143 (1996) 219
- García-Esquivel, Z., *see* Viana, M.T. et al.
- García-Ruiz, R. and G.H. Hall
 Phosphorus fractionation and mobility in the food and faeces of hatchery reared rainbow trout (*Onchorhynchus mykiss*) 145 (1996) 183
- García-Vázquez, E., *see* Morán, P. et al.
- Gatlin III, D.M., *see* Gaylord, T.G. et al.
- Gawlicka, A., L. McLaughlin, S.S.O. Hung and J. de la Noüe
 Limitations of carrageenan microbound diets for feeding white sturgeon, *Acipenser transmontanus*, larvae 141 (1996) 245
- Gaylord, T.G. and D.M. Gatlin III
 Determination of digestibility coefficients of various feedstuffs for red drum (*Sciaenops ocellatus*) 139 (1996) 303
- Gempesaw II, C.M., *see* Bacon, J.R. et al.
- Gervis, M., *see* Foyle, T.P. et al.
- Gestal, C., *see* Pascual, S. et al.
- Gesteira, T.C.V., *see* Nunes, A.J.P. et al.
- Gilroy, D., *see* Kerry, J. et al.
- Gingerich, W.H., *see* Meinertz, J.R. et al.
- Giorgetti, G., *see* Malvisi, J. et al.
- Gissis, A., *see* Mylonas, C.C. et al.
- Glenn, E.P., D. Moore, K. Fitzsimmons and C. Azevedo
 Spore culture of the edible red seaweed, *Gracilaria parvispora* (Rhodophyta) 142 (1996) 59
- Goddard, S., *see* Nunes, A.J.P. et al.
- Godin, D.M., W.H. Carr, G. Hagino, F. Segura, J.N. Sweeney and L. Blankenship
 Evaluation of a fluorescent elastomer internal tag in juvenile and adult shrimp *Penaeus vannamei* 139 (1996) 243
- Goggin, C.L.
 Effect of *Perkinsus olseni* (Protozoa, Apicomplexa) on the weight of *Tridacna crocea* (Mollusca, Bivalvia) from Lizard Island, Great Barrier Reef 141 (1996) 25
- Golez, N.V., *see* Peñaflorida, V.D. et al.
- Gómez, T., *see* Ibeas, C. et al.
- Gonzalez, J. and I. Meneses
 Differences in the early stages of development of gametophytes and tetrasporophytes of *Chondracanthus chamissoi* (C.Ag.) Kützinger from Puerto Aldea, northern Chile . . . 143 (1996) 91
- Gonzalez-Vila, F.J., A. Mancha, G. Almendros, F. Martin and J.C. Del Rio
 Changes in the physico-chemical characteristics and lipid composition in sediments from productive aquaculture ponds after a short-term shrimp growth experiment 144 (1996) 121
- Gooley, G., *see* Sheikh-Eldin, M. et al.
- Gordin, H., *see* Neori, A. et al.
- Gorfine, H.K., *see* King, R.H. et al.
- Gosh, P., *see* Wikfors, G.H. et al.
- Goswami, U.C., *see* Storebakken, T. et al.
- Grant, A., *see* Treasurer, J.W. et al.
- Grisdale-Helland, B., *see* Helland, S.J. et al.
- Groff, J.M., *see* LaPatra, S.E. et al.
- Guerra, A., *see* Saavedra, C. et al.
- Guillaume, J., *see* Cousin, M. et al.

- Guinea, J. and F. Fernandez
Effect of feeding frequency, feeding level and temperature on energy metabolism in *Sparus aurata* 148 (1997) 125
- Gunasekera, R.M., K.F. Shim and T.J. Lam
Effect of dietary protein level on spawning performance and amino acid composition of eggs of Nile tilapia, *Oreochromis niloticus* 146 (1996) 121
- Gunasekera, R.M., K.F. Shim and T.J. Lam
Influence of protein content of broodstock diets on larval quality and performance in Nile tilapia, *Oreochromis niloticus* (L.) 146 (1996) 245
- Guo, M.-x., see Thompson, P.A. et al.
- Guo, X., G.A. DeBrosse and S.K. Allen, Jr.
All-triploid Pacific oysters (*Crassostrea gigas* Thunberg) produced by mating tetraploids and diploids 142 (1996) 149
- Gydemo, R.
Signal crayfish, *Pacifastacus leniusculus*, as a vector for *Psorospermium haeckeli* to noble crayfish, *Astacus astacus* 148 (1996) 1
- Haenen, O.L.M., T.A.M. van Wijngaarden, M.H.T. van der Heijden, J. Höglund, J.B.J.W. Cornelissen, L.A.M.G. van Leengoed, F.H.M. Borgsteede and W.B. van Muiswinkel
Effects of experimental infections with different doses of *Anguillicola crassus* (Nematoda, Dracunculioidea) on European eel (*Anguilla anguilla*). 141 (1996) 41
- Hagen, N.T.
Tagging sea urchins: a new technique for individual identification 139 (1996) 271
- Hagino, G., see Godin, D.M. et al.
- Hall, G.H., see Garcia-Ruiz, R. et al.
- Halwart, M., M. Borlinghaus and G. Kaule
Activity pattern of fish in rice fields 145 (1996) 159
- Harada, K., T. Miyasaki, S. Kawashima and H. Shiota
Studies on the feeding attractants for fishes and shellfishes. XXVI. Probable feeding attractants in allspice *Pimenta officinalis* for black abalone *Haliotis discus* 140 (1996) 99
- Hardy, R.W., see Kim, J. et al.
- Harrison, P.J., see Thompson, P.A. et al.
- Hart, P., see Nichols, D.S. et al.
- Hart, P.R. and G.J. Purser
Weaning of hatchery-reared greenback flounder (*Rhombosolea tapirina* Günther) from live to artificial diets: Effects of age and duration of the changeover period 145 (1996) 171
- Hart, P.R., W.G. Hutchinson and G.J. Purser
Effects of photoperiod, temperature and salinity on hatchery-reared larvae of the greenback flounder (*Rhombosolea tapirina* Günther, 1862) 144 (1996) 303
- Harvey, M., E. Bourget and N. Gagné
Spat settlement of the giant scallop, *Placopecten magellanicus* (Gmelin, 1791), and other bivalve species on artificial filamentous collectors coated with chitinous material 148 (1997) 277
- Hatcher, B.G., see Kleinman, S. et al.
- Heasman, M.P., W.A. O'Connor and A.W. Frazer
Temperature and nutrition as factors in conditioning broodstock of the commercial scallop *Pecten fumatus* Reeve 143 (1996) 75
- Heasman, M.P., see Nell, J.A. et al.
- Hecht, T., see Knauer, J. et al.
- Hecht, T., see White, H.I. et al.
- Hedgecock, D., see Gaffney, P.M. et al.
- Helland, S.J., B. Grisdale-Helland and S. Nerland
A simple method for the measurement of daily feed intake of groups of fish in tanks . . . 139 (1996) 157
- Hendrickx, M.E., J. Salgado-Barragán and M.A. Meda-Martínez
Abundance and diversity of macrofauna (fish and decapod crustaceans) in *Penaeus vannamei* culture ponds in Western Mexico. 143 (1996) 61

- Hennigar, A.W., *see* Kleinman, S. et al.
 Hereford, L., *see* Gaffney, P.M. et al.
 Herráez, M.P., *see* Martínez, I.P. et al.
 Herrera, G., *see* Conget, P. et al.
 Hiney, M., *see* Kerry, J. et al.
 Hirose, K., *see* Ohta, H. et al.
 Hirsch, H.H., *see* Carr, W.H. et al.
 Hjertnes, T., *see* Aksnes, A. et al.
 Ho, J.M., *see* Ng, W.J. et al.
 Hoff, K.A., *see* Elema, M.O. et al.
 Höglund, J., *see* Haenen, O.L.M. et al.
 Hole, R., *see* Verlhac, V. et al.
 Hone, P.W., *see* Coote, T.A. et al.
 Hone, P.W., *see* Fleming, A.E. et al.
 Honjo, T., *see* Nagai, K. et al.
 Hontoria, F., *see* Barata, C. et al.
 Hontoria, F., *see* McEvoy, L.A. et al.
 Hosokawa, H., *see* Masumoto, T. et al.
 Howe, G.E., *see* Schreier, T.M. et al.
 Huelvan, C., *see* Dosdat, A. et al.
 Hung, S.S.O., *see* Gawlicka, A. et al.
 Hung, S.S.O., *see* Lin, J.-H. et al.
 Huntingford, F.A., *see* Kadri, S. et al.
 Hutchinson, W.G., *see* Hart, P.R. et al.
 Ibeas, C., J. Cejas, T. Gómez, S. Jerez and A. Lorenzo
 Influence of dietary $n-3$ highly unsaturated fatty acids levels on juvenile gilthead
 seabream (*Sparus aurata*) growth and tissue fatty acid composition 142 (1996) 221
 Ikeno, M., *see* Arai, K. et al.
 Inglis, V., *see* Miyata, M. et al.
 Innes-Taylor, N., *see* Little, D.C. et al.
 Inostroza, R., *see* Sievers, G. et al.
 Inoue, K., *see* Kinoshita, M. et al.
 Ishimura, M., *see* Nagai, K. et al.
 Ito, Y., *see* Masumoto, T. et al.
 Iwai, T., *see* Ostrowski, A.C. et al.
 Izawa, T., *see* Ohta, H. et al.
 Izquierdo, M., *see* Fernández-Palacios, H. et al.
 Izquierdo, M.S., *see* Kolkovski, S. et al.
 Izquierdo, M.S., *see* Rodríguez, C. et al.
 Jalabert, B., *see* Tacon, P. et al.
 Jarayabhand, P. and N. Paphavasit
 A review of the culture of tropical abalone with special reference to Thailand 140 (1996) 159
 Jeong, H.D., *see* Park, K.H. et al.
 Jerez, S., *see* Ibeas, C. et al.
 Ji, M.F., *see* Nie, Z.Q. et al.
 Jobling, M., *see* Jørgensen, E.H. et al.
 Jónasson, J.
 Selection experiments on Atlantic salmon ranching. II. Variation among release sites
 and strains for return rate, body weight and ratio of grilse to total return 144 (1996) 277
 Jones, G.R., *see* LaPatra, S.E. et al.
 Jones, T.C. and R.J.G. Lester
 Factors influencing populations of the ectosymbiont *Diceratocephala boschmai* (Platy-
 helminthes; Temnocephalida), on the redclaw crayfish *Cherax quadricarinatus*
 maintained under laboratory conditions 143 (1996) 233

- Jørgensen, E.H., B.M. Baardvik, R. Eliassen, and M. Jobling
Food acquisition and growth of juvenile Atlantic salmon (*Salmo salar*) in relation to spatial distribution of food 143 (1996) 277
- Jourdan, M., see Boujard, T. et al.
- Juinio-Meñez, M.A. and J. Ruinata
Survival, growth and food conversion efficiency of *Panulirus ornatus* following eye-stalk ablation 146 (1996) 225
- Kadri, S., D.F. Mitchell, N.B. Metcalfe, F.A. Huntingford and J.E. Thorpe
Differential patterns of feeding and resource accumulation in maturing and immature Atlantic salmon, *Salmo salar* 142 (1996) 245
- Kadri, S., F.A. Huntingford, N.B. Metcalfe and J.E. Thorpe
Social interactions and the distribution of food among one-sea-winter Atlantic salmon (*Salmo salar*) in a sea-cage 139 (1996) 1
- Kagawa, H., see Ohta, H. et al.
- Kaladharan, P., K. Vijayakumaran and V.S.K. Chennubhotla
Optimization of certain physical parameters for the mariculture of *Gracilaria edulis* (Gmelin) Silva in Minicoy lagoon (Laccadive Archipelago) 139 (1996) 265
- Kanazawa, A., see Alava, V.R. et al.
- Kanazawa, A., see Millamena, O.M. et al.
- Karplus, I., see Barki, A. et al.
- Karunasagar, I., S.K. Otta and I. Karunasagar
Biofilm formation by *Vibrio harveyi* on surfaces 140 (1996) 241
- Karunasagar, I., see Karunasagar, I. et al.
- Kaule, G., see Halwart, M. et al.
- Kaviraj, A., see Saha, N.C. et al.
- Kawashima, S., see Harada, K. et al.
- Kellaway, D.M., see Preston, N.P. et al.
- Kentouri, M., see Boujard, T. et al.
- Kenyon, R., see Coote, T.A. et al.
- Kerr, M., see King, R.H. et al.
- Kerry, J., M. Slattery, S. Vaughan and P. Smith
The importance of bacterial multiplication in the selection, by oxytetracycline-HCl, of oxytetracycline-resistant bacteria in marine sediment microcosms 144 (1996) 103
- Kerry, J., R. Coyne, D. Gilroy, M. Hiney and P. Smith
Spatial distribution of oxytetracycline and elevated frequencies of oxytetracycline resistance in sediments beneath a marine salmon farm following oxytetracycline therapy 145 (1996) 31
- Kerry, J., see Pursell, L. et al.
- Kestemont, P., see Fiogbé, E.D. et al.
- Kho, K., see Ng, W.J. et al.
- Kim, J., K.C. Massee and R.W. Hardy
Adult *Artemia* as food for first feeding coho salmon (*Oncorhynchus kisutch*) 144 (1996) 217
- King, R.H., C.J. Rayner, M. Kerr, H.K. Gorfine and P.E. McShane
The composition and amino acid balance of abalone (*Haliotis rubra*) tissue 140 (1996) 109
- Kingsbury, S.K., see Tucker, C.S. et al.
- Kinoshita, M., H. Toyohara, M. Sakaguchi, K. Inoue, S. Yamashita, M. Satake, Y. Wakamatsu and K. Ozato
A stable line of transgenic medaka (*Oryzias latipes*) carrying the CAT gene 143 (1996) 267
- Kissil, G.Wm., see Friedlander, M. et al.
- Klebanov, Y., see Mylonas, C.C. et al.
- Kleinman, S., B.G. Hatcher, R.E. Scheibling, L.H. Taylor and A.W. Hennigar
Shell and tissue growth of juvenile sea scallops (*Placopecten magellanicus*) in suspended and bottom culture in Lunenburg Bay, Nova Scotia 142 (1996) 75

- Klinger, R.E.C., V.S. Blazer and C. Echevarria
Effects of dietary lipid on the hematology of channel catfish, *Ictalurus punctatus* 147 (1996) 225
- Knauer, J. and P.C. Southgate
Nutritional value of a spray-dried freshwater alga, *Spongiococcum excentricum*, for Pacific oyster (*Crassostrea gigas*) spat 146 (1996) 135
- Knauer, J., P.J. Britz and T. Hecht
Comparative growth performance and digestive enzyme activity of juvenile South African abalone, *Haliotis midae*, fed on diatoms and a practical diet 140 (1996) 75
- Kolkovski, S., A. Tandler and M.S. Izquierdo
Effects of live food and dietary digestive enzymes on the efficiency of microdiets for seabass (*Dicentrarchus labrax*) larvae 148 (1997) 313
- Komaru, A., see Wada, K.T. et al.
- Kou, C.-T., see Chen, J.-C. et al.
- Kou, T.-T., see Chen, J.-C. et al.
- Kristensen, H.G., see Elema, M.O. et al.
- Krom, M.D., see Ellner, S. et al.
- Krom, M.D., see Neori, A. et al.
- Kruse, C., B. Strehlow, H. Schmidt and P.K. Müller
Presence of trypsin in distinctive body segments of leptocephalus larvae of Anguilliformes 142 (1996) 237
- Kubitza, F. and L.L. Lovshin
Effects of initial weight and genetic strain on feed training largemouth bass *Micropterus salmoides* using ground fish flesh and freeze dried krill as starter diets 148 (1997) 179
- Kubitza, F. and L.L. Lovshin
The use of freeze-dried krill to feed train largemouth bass (*Micropterus salmoides*): feeds and training strategies 148 (1997) 299
- Kubitza, F., L.L. Lovshin and R.T. Lovell
Identification of feed enhancers for juvenile largemouth bass *Micropterus salmoides* . . 148 (1997) 191
- Kurokawa, T. and T. Suzuki
Formation of the diffuse pancreas and the development of digestive enzyme synthesis in larvae of the Japanese flounder *Paralichthys olivaceus* 141 (1996) 267
- Kuz'mina, V.V.
Influence of age on digestive enzyme activity in some freshwater teleosts. 148 (1996) 25
- Labarta, U., see Albentosa, M. et al.
- Labbé, C. and G. Maisse
Influence of rainbow trout thermal acclimation on sperm cryopreservation: relation to change in the lipid composition of the plasma membrane. 145 (1996) 281
- Lahnsteiner, F., T. Weismann and R. Patzner
Cryopreservation of semen of the grayling (*Thymallus thymallus*) and the Danube salmon (*Hucho hucho*). 144 (1996) 265
- Lam, T.J., see Gunasekera, R.M. et al.
- Lan, C.-W., see Shiau, S.-Y. et al.
- Lanari, D., see Ballestrazzi, R. et al.
- Lane, I., see Foyle, T.P. et al.
- Lanfer Marquez, U.M., see Lourenço, S.O. et al.
- Langdon, C.J. and A.M. Robinson
Aquaculture potential of the Suminoe oyster (*Crassostrea ariakensis*, Fugita 1913) . . . 144 (1996) 321
- Lansky, T.M., see Norton, J.H. et al.
- LaPatra, S.E., K.A. Lauda, G.R. Jones, W.D. Shewmaker, J.M. Groff and D. Routledge
Susceptibility and humoral response of brown trout \times lake trout hybrids to infectious hematopoietic necrosis virus: a model for examining disease resistance mechanisms . 146 (1996) 179
- Larsen, H.J.S., see Fjalestad, K.T. et al.
- Lauda, K.A., see LaPatra, S.E. et al.
- Law, F.C.P., see Namdari, R. et al.

- Le Coz, J.R., see Soudant, P. et al.
- Lee, C.L., see Dobson, G. et al.
- Lee, G.W.Y. and M.K. Litvak
 - Weaning of metamorphosed winter flounder (*Pleuronectes americanus*) reared in the laboratory: comparison of two commercial artificial diets on growth, survival and conversion efficiency. 144 (1996) 251
- Le Gall, M.M., see Zambonino Infante, J.L. et al.
- Le Menn, F., see Tacon, P. et al.
- Lester, R.J.G., see Jones, T.C. et al.
- Leu, M.-Y. and Y.-H. Chou
 - Induced spawning and larval rearing of captive yellowfin porgy, *Acanthopagrus latus* (Houttuyn) 143 (1996) 155
- Levi, T., see Barki, A. et al.
- Lewin, R.A., see Wikfors, G.H. et al.
- Li, M.H. and E.H. Robinson
 - Comparison of chelated zinc and zinc sulfate as zinc sources for growth and bone mineralization of channel catfish (*Ictalurus punctatus*) fed practical diets. 146 (1996) 237
- Li, M.H., H.R. Robinette and E.H. Robinson
 - Efficacy of dicalcium and defluorinated rock phosphates as dietary phosphorus sources for channel catfish (*Ictalurus punctatus*) 147 (1996) 107
- Lightner, D.V., see Carr, W.H. et al.
- Likongwe, J.S., T.D. Stecko, J.R. Stauffer, Jr. and R.F. Carline
 - Combined effects of water temperature and salinity on growth and feed utilization of juvenile Nile tilapia *Oreochromis niloticus* (Linnaeus) 146 (1996) 37
- Liljedahl, L.-E., see Su, G.-S. et al.
- Lin, C.K., see Shrestha, M.K. et al.
- Lin, C.K., see Yi, Y. et al.
- Lin, J.-H., Y. Cui, S.S.O. Hung and S.-Y. Shiau
 - Effect of feeding strategy and carbohydrate source on carbohydrate utilization by white sturgeon (*Acipenser transmontanus*) and hybrid tilapia (*Oreochromis niloticus* × *O. aureus*) 148 (1997) 201
- Little, D.C., P. Surintaraseree and N. Innes-Taylor
 - Fish culture in rainfed rice fields of northeast Thailand. 140 (1996) 295
- Litvak, M.K., see Lee, G.W.Y. et al.
- Lobos, C., see Sievers, G. et al.
- Loch, D.D., J.L. West and D.G. Perlmutter
 - The effect of trout farm effluent on the taxa richness of benthic macroinvertebrates . . . 147 (1996) 37
- López, L.M., see Viana, M.T. et al.
- Lorenzen, K.
 - A simple von Bertalanffy model for density-dependent growth in extensive aquaculture, with an application to common carp (*Cyprinus carpio*). 142 (1996) 191
- Lorenzo, A., see Ibeas, C. et al.
- Lorenzo, A., see Rodríguez, C. et al.
- Lourenço, S.O., U.M. Lanfer Marquez, J. Mancini-Filho, E. Barbarino and E. Aidar
 - Changes in biochemical profile of *Tetraselmis gracilis* I. Comparison of two culture media 148 (1997) 153
- Lovell, R.T., see Kubitz, F. et al.
- Lovshin, L.L., see Kubitz, F. et al.
- Ludwig, G.M.
 - Comparison of channel catfish, *Ictalurus punctatus*, and fathead minnow, *Pimephales promelas*, production and water quality among a polyculture and two monoculture systems 144 (1996) 177
- Lui, H., see Wang, J.-Q. et al.
- Lussier, W.W., see Bacon, J.R. et al.

- Lysaght, S., *see* Tully, O. et al.
- MacDonald, B.A., *see* Miron, G. et al.
- Magnus, Y., *see* Mylonas, C.C. et al.
- Maguire, G.B., *see* Coote, T.A. et al.
- Mai, K., J.P. Mercer and J. Donlon
- Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. V. The role of polyunsaturated fatty acids of macroalgae in abalone nutrition 139 (1996) 77
- Maisse, G., *see* Labbé, C. et al.
- Malvisi, J., G. della Rocca, P. Anfossi and G. Giorgetti
- Tissue distribution and residue depletion of oxytetracycline in sea bream (*Sparus aurata*) and sea bass (*Dicentrarchus labrax*) after oral administration 147 (1996) 159
- Mancha, A., *see* Gonzalez-Vila, F.J. et al.
- Mancini-Filho, J., *see* Lourenço, S.O. et al.
- Marchant, J.A., *see* Beddow, T.A. et al.
- Marsden, M.J., L.C. Freeman, D. Cox and C.J. Secombes
- Non-specific immune responses in families of Atlantic salmon, *Salmo salar*, exhibiting differential resistance to furunculosis 146 (1996) 1
- Marsh, L.S., *see* Singh, S. et al.
- Martin, F., *see* Gonzalez-Vila, F.J. et al.
- Martín, J.B., *see* Ruiz-Azcona, P. et al.
- Martínez, I.P., R. Álvarez and M.P. Herráez
- Growth and metamorphosis of *Rana perezi* larvae in culture: effects of larval density . . 142 (1996) 163
- Marty, Y., *see* Soudant, P. et al.
- Maruyama, K., *see* Arimoto, M. et al.
- Massee, K.C., *see* Kim, J. et al.
- Masson, G., *see* Dubost, N. et al.
- Masumoto, T., T. Ruchimat, Y. Ito, H. Hosokawa and S. Shimeno
- Amino acid availability values for several protein sources for yellowtail (*Seriola quinqueradiata*) 146 (1996) 109
- Matsuyama, Y., *see* Nagai, K. et al.
- Maxime, V., *see* Seddiki, H. et al.
- Maximovich, N.V., A.A. Sukhotin and Yu.S. Minichev
- Long-term dynamics of blue mussel (*Mytilus edulis* L.) culture settlements (the White Sea) 147 (1996) 191
- Mayer, R.J., *see* Norton, J.H. et al.
- McEvoy, L.A., J.C. Navarro, F. Hontoria, F. Amat and J.R. Sargent
- Two novel *Artemia* enrichment diets containing polar lipid 144 (1996) 339
- McGoogan, B.B. and R.C. Reigh
- Apparent digestibility of selected ingredients in red drum (*Sciaenops ocellatus*) diets . . 141 (1996) 233
- McGregor, D., *see* Galvin, P. et al.
- McLaughlin, L., *see* Gawlicka, A. et al.
- McLean, E., *see* Taylor, B.E. et al.
- McMeekin, T.A., *see* Nichols, D.S. et al.
- McShane, P.E., *see* King, R.H. et al.
- Meda-Martínez, M.A., *see* Hendrickx, M.E. et al.
- Medina, A., Y. Vila, G. Mourente and A. Rodríguez
- A comparative study of the ovarian development in wild and pond-reared shrimp, *Penaeus kerathurus* (Forskåll, 1775) 148 (1996) 63
- Medrano, J.F., *see* Van Eenennaam, A.L. et al.
- Meinertz, J.R., G.R. Stehly and W.H. Gingerich
- Pharmacokinetics of benzocaine in rainbow trout (*Oncorhynchus mykiss*) after intraarterial dosing 148 (1996) 39
- Mélard, C., *see* Fiogbé, E.D. et al.

- Mendez, E., *see* Viana, M.T. et al.
- Meneses, I., *see* Gonzalez, J. et al.
- Mercer, J.P., *see* Mai, K. et al.
- Merican, Z.O. and K.F. Shim
Qualitative requirements of essential fatty acids for juvenile *Penaeus monodon*. 147 (1996) 275
- Métailier, R., *see* Dosdat, A. et al.
- Metcalfe, N.B., *see* Kadri, S. et al.
- Metusalach, J., Synowiecki, J. Brown and F. Shahidi
Deposition and metabolism of dietary canthaxanthin in different organs of Arctic charr
(*Salvelinus alpinus* L.). 142 (1996) 99
- Mialhe, E., *see* Noel, T. et al.
- Miao, H.-Z., *see* Tong, S.-l. et al.
- Micale, V., F. Perdichizzi and G. Basciano
Aspects of the reproductive biology of the sharpsnout seabream *Diplodus puntazzo*
(Cetti, 1777). I. Gametogenesis and gonadal cycle in captivity during the third year
of life 140 (1996) 281
- Micha, J.C., *see* Fiogbé, E.D. et al.
- Millamena, O.M., M.N. Bautista-Teruel and A. Kanazawa
Methionine requirement of juvenile tiger shrimp *Penaeus monodon* Fabricius 143 (1996) 403
- Miller, V., *see* Capone, D.G. et al.
- Mimura, G., *see* Arimoto, M. et al.
- Minguell, J.J., *see* Conget, P. et al.
- Minichev, Yu.S., *see* Maximovich, N.V. et al.
- Miron, G., J.E. Ward, B.A. MacDonald and E. Bourget
Direct observations of particle kinematics within a scallop (*Placopecten magellanicus*)
spat collector by means of video endoscopy. 147 (1996) 71
- Mita, J., *see* Sugita, H. et al.
- Mitchell, D.F., *see* Kadri, S. et al.
- Miyasaki, T., *see* Harada, K. et al.
- Miyata, M., V. Inglis and T. Aoki
Rapid identification of *Aeromonas salmonicida* subspecies *salmonicida* by the poly-
merase chain reaction 141 (1996) 13
- Molal, J., *see* Soudant, P. et al.
- Moksness, E., *see* Pavlov, D.M. et al.
- Monahan, S., *see* Ostrowski, A.C. et al.
- Montaño, M. and J.C. Navarro
Fatty acids of wild and cultured *Penaeus vannamei* larvae from Ecuador 142 (1996) 259
- Montero, D., *see* Fernández-Palacios, H. et al.
- Moore, D., *see* Glenn, E.P. et al.
- Morales, E., *see* Fábregas, J. et al.
- Morán, P., A.M. Pendás and E. García-Vázquez
Mitochondrial DNA variation in wild and hatchery brown trout (*Salmo trutta* L.)
populations from Spain. 141 (1996) 59
- Moreteau, J.-C., *see* Dubost, N. et al.
- Morris, G., *see* Gaffney, P.M. et al.
- Mourente, G., *see* Medina, A. et al.
- Mourente, G., *see* Tocher, D.R. et al.
- Mulcahy, M.F., *see* Culloty, S.C. et al.
- Müller, P.K., *see* Kruse, C. et al.
- Munday, B.L., *see* Soltani, M. et al.
- Murakawa, P., *see* Ostrowski, A.C. et al.
- Mylonas, C.C., Y. Magnus, A. Gissis, Y. Klebanov and Y. Zohar
Application of controlled-release, GnRHa-delivery systems in commercial production of
white bass × striped bass hybrids (sunshine bass), using captive broodstocks 140 (1996) 265

- Nagai, K., Y. Matsuyama, T. Uchida, M. Yamaguchi, M. Ishimura, A. Nishimura, S. Akamatsu and T. Honjo
 Toxicity and LD₅₀ levels of the red tide dinoflagellate *Heterocapsa circularisquama* on juvenile pearl oysters 144 (1996) 149
- Nagayama, T., see Samet, M. et al.
- Nakamura, K., see Samet, M. et al.
- Namdari, R., S. Abedini and F.C.P. Law
 Tissue distribution and elimination of oxytetracycline in seawater chinook and coho salmon following medicated-feed treatment 144 (1996) 27
- Nash, G.L., see Wongteerasupaya, C. et al.
- Navarro, J.C., see Bell, M.V. et al.
- Navarro, J.C., see McEvoy, L.A. et al.
- Navarro, J.C., see Montañó, M. et al.
- Naviti, W., see Castell, L.L. et al.
- Ndiaye, P., see Tacon, P. et al.
- Nearhos, S.P., see Brown, M.R. et al.
- Nehr, O., J.-P. Blancheton and E. Alliot
 Development of an intensive culture system for sea bass (*Dicentrarchus labrax*) larvae in sea enclosures 142 (1996) 43
- Nel, R., P.S. Coetzee and G. Van Niekerk
 The evaluation of two treatments to reduce mud worm (*Polydora hoplura* Claparède) infestation in commercially reared oysters (*Crassostrea gigas* Thunberg) 141 (1996) 31
- Nell, J.A., A.K. Sheridan and I.R. Smith
 Progress in a Sydney rock oyster, *Saccostrea commercialis* (Iredale and Roughley), breeding program 144 (1996) 295
- Nell, J.A., J.A. Diemar and M.P. Heasman
 Food value of live yeasts and dry yeast-based diets fed to Sydney rock oyster *Saccostrea commercialis* spat 145 (1996) 235
- Nell, J.A., see Brown, M.R. et al.
- Nell, J.A., see Sheridan, A.K. et al.
- Neori, A., M.D. Krom, S.P. Ellner, C.E. Boyd, D. Popper, R. Rabinovitch, P.J. Davison, O. Dvir, D. Zuber, M. Ucko, D. Angel and H. Gordin
 Seaweed biofilters as regulators of water quality in integrated fish-seaweed culture units 141 (1996) 183
- Neori, A., see Ellner, S. et al.
- Nerland, S., see Helland, S.J. et al.
- Ng, W.J., K. Kho, S.L. Ong, T.S. Sim and J.M. Ho
 Ammonia removal from aquaculture water by means of fluidised technology 139 (1996) 55
- Nguenga, D., J.J. Breine, G.G. Teugels and F. Ollevier
 Artificial propagation of the African catfish *Heterobranchius longifilis* (Siluroidei; Clariidae): Description of a simple technique to avoid sacrificing male broodfish for the obtention of milt 143 (1996) 215
- Nguyen, F., see Castell, L.L. et al.
- Nichols, D.S., P. Hart, P.D. Nichols and T.A. McMeekin
 Enrichment of the rotifer *Brachionus plicatilis* fed an Antarctic bacterium containing polyunsaturated fatty acids 147 (1996) 115
- Nichols, P.D., see Nichols, D.S. et al.
- Nicolas, J.-L., see Noel, T. et al.
- Nie, Z.Q., M.F. Ji and J.P. Yan
 Preliminary studies on increased survival and accelerated growth of overwintering juvenile abalone, *Haliotis discus hannai* Ino 140 (1996) 177
- Nishimura, A., see Nagai, K. et al.
- Noel, T., J.-L. Nicolas, V. Boulo, E. Mialhe and Ph. Roch
 Development of a colony-blot ELISA assay using monoclonal antibodies to identify *Vibrio* P1 responsible for "brown ring disease": in the clam *Tapes philippinarum* 146 (1996) 171

- Norton, J.H., M. Dashorst, T.M. Lansky and R.J. Mayer
An evaluation of some relaxants for use with pearl oysters 144 (1996) 39
- Nunan, L., see Carr, W.H. et al.
- Nunes, A.J.P., S. Goddard and T.C.V. Gesteira
Feeding activity patterns of the Southern brown shrimp *Penaeus subtilis* under semi-intensive culture in NE Brazil 144 (1996) 371
- Oakes, F.R. and R.C. Fields
Infestation of *Haliotis rufescens* shells by a sabellid polychaete 140 (1996) 139
- Oakes, F.R. and R.D. Ponte
The abalone market: Opportunities for cultured abalone 140 (1996) 187
- Obach, A., see Verlhac, V. et al.
- O'Connor, W.A., see Heasman, M.P. et al.
- Ohta, H. and T. Izawa
Diluent for cool storage of the Japanese eel (*Anguilla japonica*) spermatozoa 142 (1996) 107
- Ohta, H., H. Kagawa, H. Tanaka, K. Okuzawa and K. Hirose
Changes in fertilization and hatching rates with time after ovulation induced by 17, 20 β -dihydroxy-4-pregnen-3-one in the Japanese eel, *Anguilla japonica*. 139 (1996) 291
- Ojanguren, A.F., F.G. Reyes-Gavilán and F. Braña
Effects of egg size on offspring development and fitness in brown trout, *Salmo trutta* L. 147 (1996) 9
- Okuzawa, K., see Ohta, H. et al.
- Oliveira, E.C., see Alveal, K. et al.
- Ollevier, F., see Nguenga, D. et al.
- Olvera-Novoa, M.A., see Carmona-Osalde, C. et al.
- Omondi, J.G. and J.R. Stark
In vitro carbohydrate digestibility tests in the Indian white shrimp, *Penaeus indicus* . . . 139 (1996) 315
- Ong, S.L., see Ng, W.J. et al.
- Opstvedt, J., see Aksnes, A. et al.
- Ostos-Garrido, M.V., see Abaurrea-Equisoain, M.A. et al.
- Ostrowski, A.C., T. Iwai, S. Monahan, S. Unger, D. Dagdagan, P. Murakawa, A. Schivell and C. Pigao
Nursery production technology for Pacific threadfin (*Polydactylus sexfilis*). 139 (1996) 19
- Otero, A., see Fábregas, J. et al.
- Otta, S.K., see Karunasagar, I. et al.
- Ottesen, O.H. and H.K. Strand
Growth, development, and skin abnormalities of halibut (*Hippoglossus hippoglossus* L.) juveniles kept on different bottom substrates 146 (1996) 17
- Ozato, K., see Kinoshita, M. et al.
- Padrós, F. and S. Crespo
Ontogeny of the lymphoid organs in the turbot *Scophthalmus maximus*: a light and electron microscope study 144 (1996) 1
- Pagador, R.R., see Tan-Fermin, J.D. et al.
- Pankhurst, N.W., G.J. Purser, G. Van Der Kraak, P.M. Thomas and G.N.R. Forteath
Effect of holding temperature on ovulation, egg fertility, plasma levels of reproductive hormones and in vitro ovarian steroidogenesis in the rainbow trout *Oncorhynchus mykiss*. 146 (1996) 277
- Panyim, S., see Wongteerasupaya, C. et al.
- Paphavasit, N., see Jarayabhand, P. et al.
- Park, K.H. and H.D. Jeong
Enhanced resistance against *Edwardsiella tarda* infection in tilapia (*Oreochromis niloticus*) by administration of protein-bound polysaccharide 143 (1996) 135
- Parrish, C.C., see Evans, R.P. et al.
- Pascual, S., C. Gestal, J.M. Estévez, H. Rodríguez, M. Soto, E. Abollo and C. Arias
Parasites in commercially-exploited cephalopods (Mollusca, Cephalopoda) in Spain: an updated perspective 142 (1996) 1

- Paspatis, M. and T. Boujard
 A comparative study of automatic feeding and self-feeding in juvenile Atlantic salmon (*Salmo salar*) fed diets of different energy levels. 145 (1996) 245
- Patiño, M., see Fábregas, J. et al.
- Patterson, G.W., see Wikfors, G.H. et al.
- Patzner, R., see Lahnsteiner, F. et al.
- Pavlov, D.M. and E. Moksness
 Repeat sexual maturation of wolffish (*Anarhichas lupus* L.) broodstock 139 (1996) 249
- Pazos, A.J., G. Román, C.P. Acosta, M. Abad and J.L. Sánchez
 Stereological studies on the gametogenic cycle of the scallop, *Pecten maximus*, in suspended culture in Ria de Arousa (Galicia, NW Spain). 142 (1996) 119
- Pearce, C.M. and E. Bourget
 Settlement of larvae of the giant scallop, *Placopecten magellanicus* (Gmelin), on various artificial and natural substrata under hatchery-type conditions 141 (1996) 201
- Peñaflores, V.D. and N.V. Golez
 Use of seaweed meals from *Kappaphycus alvarezii* and *Gracilaria heteroclada* as binders in diets for juvenile shrimp *Penaeus monodon* 143 (1996) 393
- Pendás, A.M., see Morán, P. et al.
- Perdichizzi, F., see Micale, V. et al.
- Péres, A., see Zambonino Infante, J.L. et al.
- Pérez, J.A., see Rodríguez, C. et al.
- Pérez-Camacho, A., see Albetosa, M. et al.
- Perlmutter, D.G., see Loch, D.D. et al.
- Peyraud, C., see Seddiki, H. et al.
- Phillips, R.B. and K.M. Reed
 Application of fluorescence in situ hybridization (FISH) techniques to fish genetics: a review 140 (1996) 197
- Pigao, C., see Ostrowski, A.C. et al.
- Pinosa, M., see Tibaldi, E. et al.
- Po, H., see Wang, J.-Q. et al.
- Ponte, R.D., see Oakes, F.R. et al.
- Popper, D., see Neori, A. et al.
- Pote, J.W., see Tucker, C.S. et al.
- Potgieter, B., see White, H.I. et al.
- Powers, D.A., see Gaffney, P.M. et al.
- Pratanpipat, P., see Wongteerasupaya, C. et al.
- Preston, N.P., D.M. Smith, D.M. Kellaway and S.E. Bunn
 The use of enriched ^{15}N as an indicator of the assimilation of individual protein sources from compound diets for juvenile *Penaeus monodon*. 147 (1996) 249
- Pursell, L., T. Dineen, J. Kerry, S. Vaughan and P. Smith
 The biological significance of breakpoint concentrations of oxytetracycline in media for the examination of marine sediment microflora 145 (1996) 21
- Purser, G.J., see Hart, P.R. et al.
- Purser, G.J., see Pankhurst, N.W. et al.
- Qian, P.-Y., C.Y. Wu, M. Wu and Y.K. Xie
 Integrated cultivation of the red alga *Kappaphycus alvarezii* and the pearl oyster *Pinctada martensi* 147 (1996) 21
- Qin, J. and A.W. Fast
 Size and feed dependent cannibalism with juvenile snakehead *Channa striatus*. 144 (1996) 313
- Qin, J., A.W. Fast, D. DeAnda and R.P. Weidenbach
 Growth and survival of larval snakehead (*Channa striatus*) fed different diets 148 (1997) 105
- Quazuguel, P., see Zambonino Infante, J.L. et al.
- Quéré, C., see Soudant, P. et al.
- Rabinovitch, R., see Neori, A. et al.

- Rach, J.J., see Schreier, T.M. et al.
- Rae, G.H., see Roth, M. et al.
- Rayner, C.J., see King, R.H. et al.
- Reddington, J.J., see Carr, W.H. et al.
- Reed, K.M., see Phillips, R.B. et al.
- Reigh, R.C., see McGoogan, B.B. et al.
- Reyes-Gavilán, F.G., see Ojanguren, A.F. et al.
- Richards, R.H., see Roth, M. et al.
- Riche, M. and P.B. Brown
- Availability of phosphorus from feedstuffs fed to rainbow trout, *Oncorhynchus mykiss*. . . 142 (1996) 269
- Rivero, L.E. and M.T. Viana
- Effect of pH, water stability and toughness of artificial diets on the palatability for juvenile abalone *Haliotis fulgens* 144 (1996) 353
- Robaina, L., see Fernández-Palacios, H. et al.
- Robert, R., see Soudant, P. et al.
- Robinette, H.R., see Li, M.H. et al.
- Robinson, A.M., see Langdon, C.J. et al.
- Robinson, E.H., see Li, M.H. et al.
- Roch, Ph., see Noel, T. et al.
- Rodríguez, A., see Medina, A. et al.
- Rodríguez, C., J.A. Pérez, M.S. Izquierdo, J.R. Cejas, A. Bolaños and A. Lorenzo
- Improvement of the nutritional value of rotifers by varying the type and concentration of oil and the enrichment period 147 (1996) 93
- Rodríguez, H., see Pascual, S. et al.
- Rodríguez-Serna, M., see Carmona-Osalde, C. et al.
- Rodríguez-Sierra, R., see Ruiz-Azcona, P. et al.
- Røed, K.H., see Fjalestad, K.T. et al.
- Román, G., see Pazos, A.J. et al.
- Romo, H., see Alveal, K. et al.
- Ross, L.G., see Beddow, T.A. et al.
- Roth, M., R.H. Richards, D.P. Dobson and G.H. Rae
- Field trials on the efficacy of the organophosphorus compound azamethiphos for the control of sea lice (Copepoda: Caligidae) infestations of farmed Atlantic salmon (*Salmo salar*). 140 (1996) 217
- Routledge, D., see LaPatra, S.E. et al.
- Rubin, V.P., see Gaffney, P.M. et al.
- Ruchimat, T., see Masumoto, T. et al.
- Ruinata, J., see Juinio-Meñez, M.A. et al.
- Ruiz-Azcona, P., R. Rodríguez-Sierra and J.B. Martín
- Culture of coquina clam, *Donax trunculus*, larvae 139 (1996) 151
- Saavedra, C. and A. Guerra
- Allozyme heterozygosity, founder effect and fitness traits in a cultivated population of the European oyster, *Ostrea edulis* 139 (1996) 203
- Saha, N.C. and A. Kaviraj
- Acute and chronic toxicity of tannic acid and spent bark of cinchona to tilapia *Oreochromis mossambicus*. 145 (1996) 119
- Sakaguchi, M., see Kinoshita, M. et al.
- Salgado-Barragán, J., see Hendrickx, M.E. et al.
- Salhi, M., see Fernández-Palacios, H. et al.
- Samain, J.F., see Soudant, P. et al.
- Samet, M., K. Nakamura and T. Nagayama
- Tolerance and respiration of the prawn (*Penaeus japonicus*) under cold air conditions . . 143 (1996) 205
- Samuelsen, O.B., see Smith, P. et al.
- Sánchez, J.L., see Pazos, A.J. et al.

- Sargent, J.R., *see* McEvoy, L.A. et al.
 Sargent, J.R., *see* Tocher, D.R. et al.
 Satake, M., *see* Kinoshita, M. et al.
 Sato, J., *see* Arimoto, M. et al.
 Scheibling, R.E., *see* Kleinman, S. et al.
 Schivell, A., *see* Ostrowski, A.C. et al.
 Schmidt, H., *see* Kruse, C. et al.
 Schmitt, A.S.C. and R.F. Uglow
 Effects of temperature change rate on nitrogen effluxes of *Macrobrachium rosenbergii* (DeMan) 140 (1996) 373
 Schreier, T.M., J.J. Rach and G.E. Howe
 Efficacy of formalin, hydrogen peroxide, and sodium chloride on fungal-infected rainbow trout eggs 140 (1996) 323
 Schüep, W., *see* Verlhac, V. et al.
 Searcy-Bernal, R.
 Boundary layers and abalone postlarval culture: Preliminary studies 140 (1996) 129
 Secombes, C.J., *see* Marsden, M.J. et al.
 Seddiki, H., G. Boeuf, V. Maxime and C. Peyraud
 Effects of growth hormone treatment on oxygen consumption and sea water adaptability in Atlantic salmon parr and pre-smolts 148 (1996) 49
 Segura, F., *see* Godin, D.M. et al.
 Seikai, T., *see* Chatzifotis, S. et al.
 Seland, A., *see* Berg, A.J. et al.
 Serrini, G., Z. Zhang and R.P. Wilson
 Dietary riboflavin requirement of fingerling channel catfish (*Ictalurus punctatus*) 139 (1996) 285
 Servais, F., *see* Dosdat, A. et al.
 Shahidi, F., *see* Metusalach, 142 (1996) 99
 Shapiro, J., *see* Friedlander, M. et al.
 Sheer, J., *see* Friedlander, M. et al.
 Sheikh-Eldin, M., S.S. De Silva, T.A. Anderson and G. Gooley
 Comparison of fatty acid composition of muscle, liver, mature oocytes, and diets of wild and captive Macquarie perch, *Macquaria australasica*, broodfish 144 (1996) 201
 Shepherd, S.A., *see* Aviles, J.G.G. et al.
 Sheridan, A.K., I.R. Smith and J.A. Nell
 Reducing the impact of environmental variation in a growth rate improvement program for the Sydney rock oyster *Saccostrea commercialis* 143 (1996) 145
 Sheridan, A.K., *see* Nell, J.A. et al.
 Shewmaker, W.D., *see* LaPatra, S.E. et al.
 Shiao, S.-Y. and C.-W. Lan
 Optimum dietary protein level and protein to energy ratio for growth of grouper (*Epinephelus malabaricus*) 145 (1996) 259
 Shiao, S.-Y., *see* Chou, B.-S. et al.
 Shiao, S.-Y., *see* Lin, J.-H. et al.
 Shibuya, K., *see* Sugita, H. et al.
 Shim, K.F., *see* Gunasekera, R.M. et al.
 Shim, K.F., *see* Merican, Z.O. et al.
 Shimeno, S., *see* Masumoto, T. et al.
 Shimooka, H., *see* Sugita, H. et al.
 Shiota, H., *see* Harada, K. et al.
 Shoemaker, C., *see* Capone, D.G. et al.
 Shpigel, M. and B. Spencer
 Performance of diploid and triploid Manila clams (*Tapes philippinarum*, Adams and Reeve) at various levels of tidal exposure in the UK and in water from fish ponds at Eilat, Israel 141 (1996) 159

- Shrem, A., *see* Barki, A. et al.
- Shrestha, M.K. and C.K. Lin
Phosphorus fertilization strategy in fish ponds based on sediment phosphorus saturation level. 142 (1996) 207
- Shrimpton, J.M.
Relationship between size, gill corticosteroid receptors, $\text{Na}^+ - \text{K}^+$ ATPase activity and smolting in juvenile coho salmon (*Oncorhynchus kisutch*) in autumn and spring . . . 147 (1996) 127
- Sievers, G., C. Lobos, R. Inostroza and S. Ernst
The effect of the isopod parasite *Ceratothoa gaudichaudii* on the body weight of farmed *Salmo salar* in southern Chile 143 (1996) 1
- Sigholt, T., *see* Berg, A.J. et al.
- Silina, A.V.
Mortality of late juvenile and adult stages of the scallop *Mizuhopecten yessoensis* (Jay) . 141 (1996) 97
- Sim, T.S., *see* Ng, W.J. et al.
- Singh, S. and L.S. Marsh
Modelling thermal environment of a recirculating aquaculture facility 139 (1996) 11
- Slattery, M., *see* Kerry, J. et al.
- Smith, B.C., *see* Wikfors, G.H. et al.
- Smith, D.M., *see* Preston, N.P. et al.
- Smith, I.R., *see* Nell, J.A. et al.
- Smith, I.R., *see* Sheridan, A.K. et al.
- Smith, P. and O.B. Samuelson
Estimates of the significance of out-washing of oxytetracycline from sediments under Atlantic salmon sea-cages 144 (1996) 17
- Smith, P.
Is sediment deposition the dominant fate of oxytetracycline used in marine salmonid farms: a review of available evidence 146 (1996) 157
- Smith, P., *see* Bricknell, I.R. et al.
- Smith, P., *see* Kerry, J. et al.
- Smith, P., *see* Pursell, L. et al.
- Smith, P., *see* Vaughan, S. et al.
- Smith, P.T.
Physical and chemical characteristics of sediments from prawn farms and mangrove habitats on the Clarence River, Australia 146 (1996) 47
- Smith, S.A., *see* Caceci, T. et al.
- Snovsky, Z., *see* Friedlander, M. et al.
- Söderhäll, K., *see* Diéguez-Urbeondo, J. et al.
- Soltani, M., B.L. Munday and C.M. Burke
The relative susceptibility of fish to infections by *Flexibacter columnaris* and *Flexibacter maritimus* 140 (1996) 259
- Song, Y.-L., *see* Sung, H.-H. et al.
- Sorgeloos, P., *see* Coutteau, P. et al.
- Soto, M., *see* Pascual, S. et al.
- Soudant, P., Y. Marty, J. Moal, R. Robert, C. Quéré, J.R. Le Coz and J.F. Samain
Effect of food fatty acid and sterol quality on *Pecten maximus* gonad composition and reproduction process 143 (1996) 361
- Southgate, P.C., *see* Knauer, J. et al.
- Spencer, B., *see* Shpigel, M. et al.
- Stark, J.R., *see* Omondi, J.G. et al.
- Stauffer, Jr., J.R., *see* Likongwe, J.S. et al.
- Stecko, T.D., *see* Likongwe, J.S. et al.
- Stehly, G.R., *see* Meinertz, J.R. et al.
- Steyn, G.J., *see* van Heerden, E. et al.

- Storebakken, T. and U.C. Goswami
 Plasma carotenoid concentration indicates the availability of dietary astaxanthin for Atlantic salmon, *Salmo salar* 146 (1996) 147
- Storebakken, T., see Berge, G.M. et al.
- Strand, H.K., see Ottesen, O.H. et al.
- Strehlow, B., see Kruse, C. et al.
- Strüssmann, C.A., F. Takashima and K. Toda
 Sex differentiation and hormonal feminization in pejerrey *Odontesthes bonariensis* 139 (1996) 31
- Su, G.-S., L.-E. Liljedahl and G.A.E. Gall
 Effects of inbreeding on growth and reproductive traits in rainbow trout (*Oncorhynchus mykiss*) 142 (1996) 139
- Su, G.-S., L.-E. Liljedahl and G.A.E. Gall
 Genetic and environmental variation of body weight in rainbow trout (*Oncorhynchus mykiss*) 144 (1996) 71
- Sudaryono, A., E. Tsvetnenko and L.H. Evans
 Digestibility studies on fisheries by-product based diets for *Penaeus monodon* 143 (1996) 331
- Sugita, H., J. Mita and Y. Deguchi
 Effect of ozone treatment on amylases in seawater 141 (1996) 77
- Sugita, H., K. Shibuya, H. Shimooka and Y. Deguchi
 Antibacterial abilities of intestinal bacteria in freshwater cultured fish 145 (1996) 195
- Sukhotin, A.A., see Maximovich, N.V. et al.
- Sung, H.-H. and Y.-L. Song
 Tissue location of *Vibrio* antigen delivered by immersion to tiger shrimp (*Penaeus monodon*) 145 (1996) 41
- Suplee, M.W. and J.B. Cotner
 Temporal changes in oxygen demand and bacterial sulfate reduction in inland shrimp ponds 145 (1996) 141
- Surintaraseree, P., see Little, D.C. et al.
- Suzuki, R., see Arai, K. et al.
- Suzuki, T., see Kurokawa, T. et al.
- Sweeney, J.N., see Carr, W.H. et al.
- Sweeney, J.N., see Godin, D.M. et al.
- Synowiecki, J., see Metusalach, 142 (1996) 99
- Tacon, P., P. Ndiaye, C. Cauty, F. Le Menn and B. Jalabert
 Relationships between the expression of maternal behaviour and ovarian development in the mouthbrooding cichlid fish *Oreochromis Niloticus*. 146 (1996) 261
- Takagi, M., see Taniguchi, N. et al.
- Takashima, F., see Strüssmann, C.A. et al.
- Takeuchi, T., see Chatzifotis, S. et al.
- Tan-Fermin, J.D., R.R. Pagador and R.C. Chavez
 LHRHa and pimozone-induced spawning of Asian catfish *Clarias macrocephalus* (Gunther) at different times during an annual reproductive cycle. 148 (1997) 323
- Tan, S.-H. and T.-M. Wong
 Effect of salinity on hatching, larval growth, survival and settling in the tropical oyster *Crassostrea belcheri* (Sowerby) 145 (1996) 129
- Tanaka, H., see Ohta, H. et al.
- Tandler, A., see Kolkovski, S. et al.
- Taniguchi, N., M. Yamasaki, M. Takagi and A. Tsujimura
 Genetic and environmental variances of body size and morphological traits in communally reared clonal lines from gynogenetic diploid ayu, *Plecoglossus altivelis* 140 (1996) 333
- Targett, N.M., see Boettcher, A.A. et al.
- Taylor, B.E., D.A. Donovan, E. McLean, E.M. Donaldson and T.H. Carefoot
 Effect of recombinant vertebrate growth hormones on growth of adult abalone, *Haliotis kamtschatkana* 140 (1996) 153

- Taylor, L.H., see Kleinman, S. et al.
- Teichert-Coddington, D.R.
 - Effect of stocking ratio on semi-intensive polyculture of *Colossoma macropomum* and *Oreochromis niloticus* in Honduras, Central America 143 (1996) 291
- Tenabe, V.O., see Adeyeye, E.I. et al.
- Teugels, G.G., see Nguenga, D. et al.
- Thomas, P.M., see Pankhurst, N.W. et al.
- Thomassin, B., see Vacelet, E. et al.
- Thompson, P.A., M.-x. Guo and P.J. Harrison
 - Nutritional value of diets that vary in fatty acid composition for larval Pacific oysters (*Crassostrea gigas*) 143 (1996) 379
- Thompson, R.J., see Wilson, J.A. et al.
- Thorpe, J.E., see Kadri, S. et al.
- Thrush, M., see Bell, M.V. et al.
- Tibaldi, E., P. Beraldo, L.A. Volpelli and M. Pinosa
 - Growth response of juvenile dentex (*Dentex dentex* L.) to varying protein level and protein to lipid ratio in practical diets 139 (1996) 91
- Tidwell, J.H., C.D. Webster and S.D. Coyle
 - Effects of dietary protein level on second year growth and water quality for largemouth bass (*Micropterus salmoides*) raised in ponds. 145 (1996) 213
- Tidwell, J.H., L.R. D'Abramo, C.D. Webster, S.D. Coyle and W.H. Daniels
 - A standardized comparison of semi-intensive pond culture of freshwater prawns *Macrobrachium rosenbergii* at different latitudes: production increases associated with lower water temperatures 141 (1996) 145
- Tocher, D.R., G. Mourente and J.R. Sargent
 - The use of silages prepared from fish neural tissues as enrichers for rotifers (*Brachionus plicatilis*) and *Artemia* in the nutrition of larval marine fish 148 (1997) 213
- Toda, K., see Strüssmann, C.A. et al.
- Tong, S.-I. and H.-Z. Miao
 - Attempts to initiate cell cultures from *Penaeus chinensis* tissues 147 (1996) 151
- Toro, J.E., P. Aguila and A.M. Vergara
 - Spatial variation in response to selection for live weight and shell length from data on individually tagged Chilean native oysters (*Ostrea chilensis* Philippi, 1845) 146 (1996) 27
- Toth, T.E., see Caceci, T. et al.
- Toyohara, H., see Kinoshita, M. et al.
- Treasurer, J.W. and A. Grant
 - The efficacy of hydrogen peroxide for the treatment of farmed Atlantic salmon, *Salmo salar* L. infested with sea lice (Copepoda: Caligidae) 148 (1997) 265
- Trindade, M., see Comps, M. et al.
- Tryggvadóttir, S.V., see Björnsson, B. et al.
- Tsai, K., see Ellner, S. et al.
- Tsujimura, A., see Taniguchi, N. et al.
- Tsvetnenko, E., see Sudaryono, A. et al.
- Tucker, C.S., S.K. Kingsbury, J.W. Pote and C.L. Wax
 - Effects of water management practices on discharge of nutrients and organic matter from channel catfish (*Ictalurus punctatus*) ponds 147 (1996) 57
- Tully, O., P. Daly, S. Lysaght, S. Deady and S.J.A. Varian
 - Use of cleaner-wrasse (*Centrolabrus exoletus* (L.) and *Ctenolabrus rupestris* (L.)) to control infestations of *Caligus e. ngatus* Nordmann on farmed Atlantic salmon . . . 142 (1996) 11
- Uchida, T., see Nagai, K. et al.
- Ucko, M., see Neori, A. et al.
- Uglow, R.F., see Schmitt, A.S.C. et al.
- Unger, S., see Ostrowski, A.C. et al.

- Uno, K.
Pharmacokinetic study of oxytetracycline in healthy and vibriosis-infected ayu (*Plecoglossus altivelis*) 143 (1996) 33
- Vacelet, E., A. Arnoux and B. Thomassin
Particulate material as an indicator of pearl-oyster excess in the Takapoto lagoon (Tuamotu, French Polynesia) 144 (1996) 133
- Valencia, A., see Fernández-Palacios, H. et al.
- Van Barneveld, R.J., see Fleming, A.E. et al.
- van der Heijden, M.H.T., see Haenen, O.L.M. et al.
- Van Der Kraak, G., see Pankhurst, N.W. et al.
- Van Eenennaam, A.L., J.P. Van Eenennaam, J.F. Medrano and S.I. Doroshov
Rapid verification of meiotic gynogenesis and polyploidy in white sturgeon (*Acipenser transmontanus* Richardson) 147 (1996) 177
- Van Eenennaam, J.P., see Van Eenennaam, A.L. et al.
- van Heerden, E., J.H.J. van Vuren and G.J. Steyn
Effect of excreta, blood and vitellus contamination on fertilisation success of *Oncorhynchus mykiss* 141 (1996) 173
- van Leengoed, L.A.M.G., see Haenen, O.L.M. et al.
- van Muiswinkel, W.B., see Haenen, O.L.M. et al.
- Van Niekerk, G., see Nel, R. et al.
- van Rijn, J.
The potential for integrated biological treatment systems in recirculating fish culture—A review 139 (1996) 181
- van Vuren, J.H.J., see van Heerden, E. et al.
- van Wijngaarden, T.A.M., see Haenen, O.L.M. et al.
- Varian, S.J.A., see Tully, O. et al.
- Vaughan, S. and P. Smith
Estimation of the influence of a river sediment on the biological activity of oxytetracycline hydrochloride 141 (1996) 67
- Vaughan, S., R. Coyne and P. Smith
The critical importance of sample site in the determination of the frequency of oxytetracycline resistance in the effluent microflora of a fresh water fish farm 139 (1996) 47
- Vaughan, S., see Kerry, J. et al.
- Vaughan, S., see Pursell, L. et al.
- Vergara, A.M., see Toro, J.E. et al.
- Verlhac, V., J. Gabaudan, A. Obach, W. Schüep and R. Hole
Influence of dietary glucan and vitamin C on non-specific and specific immune responses of rainbow trout (*Oncorhynchus mykiss*) 143 (1996) 123
- Viana, M.T., L.M. López, Z. García-Esquivel and E. Mendez
The use of silage made from fish and abalone viscera as an ingredient in abalone feed . . 140 (1996) 87
- Viana, M.T., see Rivero, L.E. et al.
- Vijayakumaran, K., see Kaladharan, P. et al.
- Vila, Y., see Medina, A. et al.
- Volkman, J.K., see Brown, M.R. et al.
- Volkman, J.K., see Dunstan, G.A. et al.
- Volpelli, L.A., see Tibaldi, E. et al.
- Wada, K.T. and A. Komaru
Color and weight of pearls produced by grafting the mantle tissue from a selected population for white shell color of the Japanese pearl oyster *Pinctada fucata martensii* (Dunker) 142 (1996) 25
- Wakamatsu, Y., see Kinoshita, M. et al.
- Wang, J.-Q., H. Lui, H. Po and L. Fan
Influence of salinity on food consumption, growth and energy conversion efficiency of common carp (*Cyprinus carpio*) fingerlings. 148 (1997) 115

- Ward, J.E., see Miron, G. et al.
- Wax, C.L., see Tucker, C.S. et al.
- Webster, C.D., see Tidwell, J.H. et al.
- Weidenbach, R.P., see Qin, J. et al.
- Weintraub, N., see Friedlander, M. et al.
- Weismann, T., see Lahnsteiner, F. et al.
- Werlinger, C., see Alveal, K. et al.
- West, J.L., see Loch, D.D. et al.
- Weston, D.P., see Capone, D.G. et al.
- White, H.J., T. Hecht and B. Potgieter
The effect of four anaesthetics on *Haliotis midae* and their suitability for application in commercial abalone culture 140 (1996) 145
- Wikfors, G.H., G.W. Patterson, P. Gosh, R.A. Lewin, B.C. Smith and J.H. Alix
Growth of post-set oysters, *Crassostrea virginica*, on high-lipid strains of algal flagellates *Tetraselmis* spp. 143 (1996) 411
- Williams, S.T., see Benzie, J.A.H. et al.
- Wilson, J.A., O.R. Chaparro and R.J. Thompson
The importance of broodstock nutrition on the viability of larvae and spat in the Chilean oyster *Ostrea chilensis* 139 (1996) 63
- Wilson, R.P., see Serrini, G. et al.
- Withyachumnamkul, B., see Wongteerasupaya, C. et al.
- Wong, T.-M., see Tan, S.-H. et al.
- Wongteerasupaya, C., S. Wongwisansri, V. Boonsaeng, S. Panyim, P. Pratanpipat, G.L. Nash, B. Withyachumnamkul and T.W. Flegel
DNA fragment of *Penaeus monodon* baculovirus PmNOBII gives positive in situ hybridization with white-spot viral infections in six penaeid shrimp species 143 (1996) 23
- Wongwisansri, S., see Wongteerasupaya, C. et al.
- Wu, C.Y., see Qian, P.-Y. et al.
- Wu, M., see Qian, P.-Y. et al.
- Xie, Y.K., see Qian, P.-Y. et al.
- Yakupitiyage, A., see Dato-Cajegas, C.R.S. et al.
- Yamaguchi, M., see Nagai, K. et al.
- Yamasaki, M., see Taniguchi, N. et al.
- Yamashita, S., see Kinoshita, M. et al.
- Yan, J.P., see Nie, Z.Q. et al.
- Yi, Y., C.K. Lin and J.S. Diana
Influence of Nile tilapia (*Oreochromis niloticus*) stocking density in cages on their growth and yield in cages and in ponds containing the cages 146 (1996) 205
- Zambonino Infante, J.L., C.L. Cahu, A. Pérez, P. Quazuguel and M.M. Le Gall
Sea bass (*Dicentrarchus labrax*) larvae fed different *Artemia* rations: growth, pancreas enzymatic response and development of digestive functions 139 (1996) 129
- Zhang, Z., see Serrini, G. et al.
- Zohar, Y., see Mylonas, C.C. et al.
- Zuber, D., see Neori, A. et al.



Subject Index, Volumes 139-148

α -amylase

Digestibility of starch in *Penaeus vannamei*: in vivo and in vitro study on eight samples of various origin, 140 (1996) 361

Abalone

A review of the culture of tropical abalone with special reference to Thailand, 140 (1996) 159

Boundary layers and abalone postlarval culture: Preliminary studies, 140 (1996) 129

Comparative growth performance and digestive enzyme activity of juvenile South African abalone, *Haliotis midae*, fed on diatoms and a practical diet, 140 (1996) 75

Effect of dietary protein level on growth performance of South African abalone, *Haliotis midae*, fed fishmeal-based semi-purified diets, 140 (1996) 55

Effect of pH, water stability and toughness of artificial diets on the palatability for juvenile abalone *Haliotis fulgens*, 144 (1996) 353

Effect of recombinant vertebrate growth hormones on growth of adult abalone, *Haliotis kamtschatkana*, 140 (1996) 153

Genetic effects of artificial propagation: signals from wild and hatchery populations of red abalone in California, 143 (1996) 257

Growth and survival of the blue abalone *Haliotis fulgens* in barrels at Cedros Island, Baja California, with a review of abalone barrel culture, 140 (1996) 169

Infestation of *Haliotis rufescens* shells by a sabellid polychaete, 140 (1996) 139

Preliminary studies on increased survival and accelerated growth of overwintering juvenile abalone, *Haliotis discus hannai* Ito, 140 (1996) 177

Studies on the feeding attractants for fishes and shellfishes. XXVI. Probable feeding attractants in allspice *Pimenta officinalis* for black abalone *Haliotis discus*, 140 (1996) 99

The abalone market: Opportunities for cultured abalone, 140 (1996) 187

The composition and amino acid balance of abalone (*Haliotis rubra*) tissue, 140 (1996) 109

The effect of four anaesthetics on *Haliotis midae* and their suitability for application in commercial abalone culture, 140 (1996) 145

The suitability of selected protein sources for inclusion in formulated diets for the South African abalone, *Haliotis midae*, 140 (1996) 63

The use of silage made from fish and abalone viscera as an ingredient in abalone feed, 140 (1996) 87

Acanthopagrus latus

Induced spawning and larval rearing of captive yellowfin porgy, *Acanthopagrus latus* (Houttuyn), 143 (1996) 155

Acipenser

The effects of hypercapnia on the growth of juvenile white sturgeon, *Acipenser transmontanus*, 147 (1996) 293

Acipenser spp.

Effect of feeding strategy and carbohydrate source on carbohydrate utilization by white

sturgeon (*Acipenser transmontanus*) and hybrid tilapia (*Oreochromis niloticus* × *O. aureus*), 148 (1997) 201

Acipenser transmontanus

Rapid verification of meiotic gynogenesis and polyploidy in white sturgeon (*Acipenser transmontanus* Richardson), 147 (1996) 177

Activity pattern

Activity pattern of fish in rice fields, 145 (1996) 159

Aerial respiration

Tolerance and respiration of the prawn (*Penaeus japonicus*) under cold air conditions, 143 (1996) 205

Aerial tolerance

Tolerance and respiration of the prawn (*Penaeus japonicus*) under cold air conditions, 143 (1996) 205

Aeromonas salmonicida

Non-specific immune responses in families of Atlantic salmon, *Salmo salar*, exhibiting differential resistance to furunculosis, 146 (1996) 1

Rapid identification of *Aeromonas salmonicida* subspecies *salmonicida* by the polymerase chain reaction, 141 (1996) 13

Age

Influence of age on digestive enzyme activity in some freshwater teleosts, 148 (1996) 25

Season-, age-, and sex-related variation in the prevalence of bonamiasis in flat oysters (*Ostrea edulis* L.) on the south coast of Ireland, 144 (1996) 53

Weaning of hatchery-reared greenback flounder (*Rhombosolea tapirina* Günther) from live to artificial diets: Effects of age and duration of the changeover period, 145 (1996) 171

Ageing

Influence of rainbow trout thermal acclimation on sperm cryopreservation: relation to change in the lipid composition of the plasma membrane, 145 (1996) 281

Agonistic behavior

Induced spawning and larval rearing of captive yellowfin porgy, *Acanthopagrus latus* (Houttun), 143 (1996) 155

Algae

The suitability of selected protein sources for inclusion in formulated diets for the South African abalone, *Haliotis midae*, 140 (1996) 63

Algal diets

Evaluation of live microalgal diets for the seed culture of *Ruditapes decussatus* using physiological and biochemical parameters, 148 (1996) 11

Allozyme variation

Limitations in the genetic variation of hatchery produced batches of the giant clam, *Tridacna gigas*, 139 (1996) 225

Amino acid

Biochemical composition of new yeasts and bacteria evaluated as food for bivalve aquaculture, 143 (1996) 341

Identification of feed enhancers for juvenile largemouth bass *Micropterus salmoides*, 148 (1997) 191

The composition and amino acid balance of abalone (*Haliotis rubra*) tissue, 140 (1996) 109

The effect of dietary protein and lipid from squid and fish meals on egg quality of broodstock for gilthead seabream (*Sparus aurata*), 148 (1997) 233

Amino acid availability

Amino acid availability values for several protein sources for yellowtail (*Seriola quinqueradiata*), 146 (1996) 109

Amino acid composition

Effect of dietary protein level on spawning performance and amino acid composition of eggs of Nile tilapia, *Oreochromis niloticus*, 146 (1996) 121

Influence of protein content of broodstock diets on larval quality and performance in Nile tilapia, *Oreochromis niloticus* (L.), 146 (1996) 245

Ammonia

Ammonia removal from aquaculture water by means of fluidised technology, 139 (1996) 55

Comparison of nitrogenous losses in five teleost fish species, 141 (1996) 107

Nitrogenous excretion in *Macrobrachium rosenbergii* at different pH levels, 144 (1996) 155

Ammonia-N

Effects of temperature change rate on nitrogen effluxes of *Macrobrachium rosenbergii* (De-Man), 140 (1996) 373

Amorphous silica

Physical and chemical characteristics of sediments from prawn farms and mangrove habitats on the Clarence River, Australia, 146 (1996) 47

Amylase

Effect of ozone treatment on amylases in seawater, 141 (1996) 77

Sea bass (*Dicentrarchus labrax*) larvae fed different *Artemia* rations: growth, pancreas enzymatic response and development of digestive functions, 139 (1996) 129

Anaesthesia

Pharmacokinetics of benzocaine in rainbow trout (*Oncorhynchus mykiss*) after intraarterial dosing, 148 (1996) 39

Anaesthetics

The effect of four anaesthetics on *Haliotis midae* and their suitability for application in commercial abalone culture, 140 (1996) 145

Anarhichas lupus

Repeat sexual maturation of wolffish (*Anarhichas lupus* L.) broodstock, 139 (1996) 249

Anguilla japonica

Changes in fertilization and hatching rates with time after ovulation induced by 17, 20 β -dihydroxy-4-pregnen-3-one in the Japanese eel, *Anguilla japonica*, 139 (1996) 291

Diluent for cool storage of the Japanese eel (*Anguilla japonica*) spermatozoa, 142 (1996) 107

Anguillicola crassus

Effects of experimental infections with different doses of *Anguillicola crassus* (Nematoda, Dracunculoidae) on European eel (*Anguilla anguilla*), 141 (1996) 41

Annual

LHRHa and pimozide-induced spawning of Asian catfish *Clarias macrocephalus* (Günther) at different times during an annual reproductive cycle, 148 (1997) 323

Antarctic

Enrichment of the rotifer *Brachionus plicatilis* fed an Antarctic bacterium containing polyunsaturated fatty acids, 147 (1996) 115

Antibacterial activity

Antibacterial abilities of intestinal bacteria in freshwater cultured fish, 145 (1996) 195

Antibacterials

Antibacterial residues in marine sediments and invertebrates following chemotherapy in aquaculture, 145 (1996) 55

Antibiotics

Antibacterial residues in marine sediments and invertebrates following chemotherapy in aquaculture, 145 (1996) 55

Biofilm formation by *Vibrio harveyi* on surfaces, 140 (1996) 241

Antibodies

Antibody response in Atlantic salmon (*Salmo salar*) against *Vibrio anguillarum* and *Vibrio salmonicida* O-antigens: Heritabilities, genetic correlations and correlations with survival, 145 (1996) 77

Antifungal

Efficacy of formalin, hydrogen peroxide, and sodium chloride on fungal-infected rainbow trout eggs, 140 (1996) 323

Antiprotease

Non-specific immune responses in families of Atlantic salmon, *Salmo salar*, exhibiting differential resistance to furunculosis, 146 (1996) 1

Apparent SDA

Effect of feeding frequency, feeding level and temperature on energy metabolism in *Sparus aurata*, 148 (1997) 125

Aquaculture

A simple von Bertalanffy model for density-dependent growth in extensive aquaculture, with an application to common carp (*Cyprinus carpio*), 142 (1996) 191

Artificial propagation of the African catfish *Heterobranchus longifilis* (Siluroidei; Clariidae): Description of a simple technique to avoid sacrificing male broodfish for the obtaining of milt, 143 (1996) 215

Changes in the physico-chemical characteristics and lipid composition in sediments from productive aquaculture ponds after a short-term shrimp growth experiment, 144 (1996) 121

Long-term dynamics of blue mussel (*Mytilus edulis* L.) culture settlements (the White Sea), 147 (1996) 191

The abalone market: Opportunities for cultured abalone, 140 (1996) 187

Aquaculture diets

The use of enriched ^{15}N as an indicator of the assimilation of individual protein sources from compound diets for juvenile *Penaeus monodon*, 147 (1996) 249

Aquaculture effluent

Ammonia removal from aquaculture water by means of fluidised technology, 139 (1996) 55

Effects of water management practices on discharge of nutrients and organic matter from channel catfish (*Ictalurus punctatus*) ponds, 147 (1996) 57

Aquaculture-molluscs

The development of artificial diets for abalone: A review and future directions, 140 (1996) 5

Arachidonic acid

Decreased 20:4n-6/20:5n-3 ratio in sperm from cultured sea bass, *Dicentrarchus labrax*, broodstock compared with wild fish, 144 (1996) 189

Arctic charr

Deposition and metabolism of dietary canthaxanthin in different organs of Arctic charr (*Salvelinus alpinus* L.), 142 (1996) 99

Arginase

Comparison of nitrogenous losses in five teleost fish species, 141 (1996) 107

Artemia

Tetraselmis suecica cultured in different nutrient concentrations varies in nutritional value to *Artemia*, 143 (1996) 197

Adult *Artemia* as food for first feeding coho salmon (*Oncorhynchus kisutch*), 144 (1996) 217

Effects of live food and dietary digestive enzymes on the efficiency of microdiets for seabass (*Dicentrarchus labrax*) larvae, 148 (1997) 313

Estimation of the biomass production of *Artemia* with regard to its use in aquaculture: temperature and strain effects, 142 (1996) 171

Growth and survival of larval snakehead (*Channa striatus*) fed different diets, 148 (1997) 105

The use of silages prepared from fish neural tissues as enrichers for rotifers (*Brachionus plicatilis*) and *Artemia* in the nutrition of larval marine fish, 148 (1997) 213

Artemia enrichment

Two novel *Artemia* enrichment diets containing polar lipid, 144 (1996) 339

Artificial diet

Comparative growth performance and digestive enzyme activity of juvenile South African abalone, *Haliotis midae*, fed on diatoms and a practical diet, 140 (1996) 75

Effect of diet on the lipid composition of wild and cultured abalone, 140 (1996) 115

Effect of pH, water stability and toughness of artificial diets on the palatability for juvenile abalone *Haliotis fulgens*, 144 (1996) 353

Growth rate of the Philippine abalone, *Haliotis asinina* fed an artificial diet and macroalgae, 144 (1996) 81

The use of silage made from fish and abalone viscera as an ingredient in abalone feed, 140 (1996) 87

Weaning of metamorphosed winter flounder (*Pleuronectes americanus*) reared in the laboratory: comparison of two commercial artificial diets on growth, survival and conversion efficiency, 144 (1996) 251

Weaning of hatchery-reared greenback flounder (*Rhombosolea tapirina* Günther) from live to artificial diets: Effects of age and duration of the changeover period, 145 (1996) 171

Artificial feed

Studies on the feeding attractants for fishes and shellfishes. XXVI. Probable feeding attractants in allspice *Pimenta officinalis* for black abalone *Haliotis discus*, 140 (1996) 99

Artificial feeds and nutrition-molluscs

The development of artificial diets for abalone: A review and future directions, 140 (1996) 5

Artificial substrata

Settlement of larvae of the giant scallop, *Placopecten magellanicus* (Gmelin), on various artificial and natural substrata under hatchery-type conditions, 141 (1996) 201

Ascorbyl monophosphate

Ascorbic acid metabolism in fish: is there a maternal effect on the progeny?, 147 (1996) 215

Assimilation

Effects of live food and dietary digestive enzymes on the efficiency of microdiets for seabass (*Dicentrarchus labrax*) larvae, 148 (1997) 313

Astacus astacus

Signal crayfish, *Pacifastacus leniusculus*, as a vector for *Psorospermium haeckeli* to noble crayfish, *Astacus astacus*, 148 (1996) 1

Astaxanthin, pigmentation

Plasma carotenoid concentration indicates the availability of dietary astaxanthin for Atlantic salmon, *Salmo salar*, 146 (1996) 147

Atlantic halibut

Fat cell necrosis syndrome in Atlantic halibut, *Hippoglossus hippoglossus* L., 144 (1996) 65

Growth, development, and skin abnormalities of halibut (*Hippoglossus hippoglossus* L.) juve-

niles kept on different bottom substrates, 146 (1996) 17

Atlantic salmon

A comparative study of automatic feeding and self-feeding in juvenile Atlantic salmon (*Salmo salar*) fed diets of different energy levels, 145 (1996) 245

Differential patterns of feeding and resource accumulation in maturing and immature Atlantic salmon, *Salmo salar*, 142 (1996) 245

Effects of growth hormone treatment on oxygen consumption and sea water adaptability in Atlantic salmon parr and pre-smolts, 148 (1996) 49

Non-specific immune responses in families of Atlantic salmon, *Salmo salar*, exhibiting differential resistance to furunculosis, 146 (1996) 1

Selection experiments on Atlantic salmon ranching. II. Variation among release sites and strains for return rate, body weight and ratio of grilse to total return, 144 (1996) 277

The efficacy of hydrogen peroxide for the treatment of farmed Atlantic salmon, *Salmo salar* L. infested with sea lice (Copepoda: Caligidae), 148 (1997) 265

Atlantic salmon (*Salmo salar*)

Fish protein hydrolyzate in starter diets for Atlantic salmon (*Salmo salar*) fry, 145 (1996) 205

Food acquisition and growth of juvenile Atlantic salmon (*Salmo salar*) in relation to spatial distribution of food, 143 (1996) 277

Plasma carotenoid concentration indicates the availability of dietary astaxanthin for Atlantic salmon, *Salmo salar*, 146 (1996) 147

Attractants

Studies on the feeding attractants for fishes and shellfishes. XXVI. Probable feeding attractants in allspice *Pimenta officinalis* for black abalone *Haliotis discus*, 140 (1996) 99

Availability

Availability of phosphorus from feedstuffs fed to rainbow trout, *Oncorhynchus mykiss*, 142 (1996) 269

Ayu

Genetic and environmental variances of body size and morphological traits in communally reared clonal lines from gynogenetic diploid ayu, *Plecoglossus altivelis*, 140 (1996) 333

Azamethiphos

Field trials on the efficacy of the organophosphorus compound azamethiphos for the control of sea lice (Copepoda: Caligidae) infestations of farmed Atlantic salmon (*Salmo salar*), 140 (1996) 217

Bacteria

Biochemical composition of new yeasts and bacteria evaluated as food for bivalve aquaculture, 143 (1996) 341

Particulate material as an indicator of pearl-oyster excess in the Takapoto lagoon (Tuamotu, French Polynesia), 144 (1996) 133

Baculovirus PmNOBII

DNA fragment of *Penaeus monodon* baculovirus PmNOBII gives positive in situ hybridization with white-spot viral infections in six penaeid shrimp species, 143 (1996) 23

Barrels

Growth and survival of the blue abalone *Haliotis fulgens* in barrels at Cedros Island, Baja California, with a review of abalone barrel culture, 140 (1996) 169

Benthic macroinvertebrates

The effect of trout farm effluent on the taxa richness of benthic macroinvertebrates, 147 (1996) 37

Benzocaine

Pharmacokinetics of benzocaine in rainbow trout (*Oncorhynchus mykiss*) after intraarterial dosing, 148 (1996) 39

Betaine

Identification of feed enhancers for juvenile largemouth bass *Micropterus salmoides*, 148 (1997) 191

Binder

Use of seaweed meals from *Kappaphycus alvarezii* and *Gracilaria heteroclada* as binders in diets for juvenile shrimp *Penaeus monodon*, 143 (1996) 393

Bioactivity

Estimates of the significance of out-washing of oxytetracycline from sediments under Atlantic salmon sea-cages, 144 (1996) 17

Estimation of the influence of a river sediment on the biological activity of oxytetracycline hydrochloride, 141 (1996) 67

Bioavailability

Pharmacokinetic study of oxytetracycline in healthy and vibriosis-infected ayu (*Plecoglossus altivelis*), 143 (1996) 33

Biochemical composition

Changes in biochemical profile of *Tetraselmis gracilis* I. Comparison of two culture media, 148 (1997) 153

Effect of food fatty acid and sterol quality on *Pecten maximus* gonad composition and reproduction process, 143 (1996) 361

Biochemistry

Performance of diploid and triploid Manila clams (*Tapes philippinarum*, Adams and Reeve) at various levels of tidal exposure in the UK and in water from fish ponds at Eilat, Israel, 141 (1996) 159

Biodiversity

All-triploid Pacific oysters (*Crassostrea gigas* Thunberg) produced by mating tetraploids and diploids, 142 (1996) 149

Biofilm

Biofilm formation by *Vibrio harveyi* on surfaces, 140 (1996) 241

Boundary layers and abalone postlarval culture: Preliminary studies, 140 (1996) 129

Biofilter

Simulation model of recirculating mariculture with seaweed biofilter: development and experimental tests of the model, 143 (1996) 167

Biogeochemistry

Temporal changes in oxygen demand and bacterial sulfate reduction in inland shrimp ponds, 145 (1996) 141

Biological control

Fish as potential biocontrollers of *Gracilaria* (Rhodophyta) culture, 145 (1996) 113

Use of cleaner-wrasse (*Centrolabrus exoletus* (L.) and *Ctenolabrus rupestris* (L.)) to control infestations of *Caligus elongatus* Nordmann on farmed Atlantic salmon, 142 (1996) 11

Biological treatment

The potential for integrated biological treatment systems in recirculating fish culture—A review, 139 (1996) 181

Biomass

Estimation of the biomass production of *Artemia* with regard to its use in aquaculture: temperature and strain effects, 142 (1996) 171

Predicting salmon biomass remotely using a digital stereo-imaging technique, 146 (1996) 189

Bioreactor

Ammonia removal from aquaculture water by means of fluidised technology, 139 (1996) 55

Bivalve

Toxicity and LD₅₀ levels of the red tide dinoflagellate *Heterocapsa circularisquama* on juvenile pearl oysters, 144 (1996) 149

Blood

Effect of excreta, blood and vitellus contamination on fertilisation success of *Oncorhynchus mykiss*, 141 (1996) 173

Blood electrolytes

Drinking in Atlantic salmon psmolts (*Salmo salar* L.) and juvenile rainbow trout (*Oncorhynchus mykiss* Walbaum) in response to cortisol and sea water challenge, 141 (1996) 129

Body condition

Differential patterns of feeding and resource accumulation in maturing and immature Atlantic salmon, *Salmo salar*, 142 (1996) 245

Body size

Differential patterns of feeding and resource accumulation in maturing and immature Atlantic salmon, *Salmo salar*, 142 (1996) 245

Body weight

Genetic and environmental variation of body weight in rainbow trout (*Oncorhynchus mykiss*), 144 (1996) 71

The effect of the isopod parasite *Ceratothoa gaudichaudii* on the body weight of farmed *Salmo salar* in southern Chile, 143 (1996) 1

Bonamiasis

Season-, age-, and sex-related variation in the prevalence of bonamiasis in flat oysters (*Ostrea edulis* L.) on the south coast of Ireland, 144 (1996) 53

Bone mineralization

Efficacy of dicalcium and defluorinated rock phosphates as dietary phosphorus sources for channel catfish (*Ictalurus punctatus*), 147 (1996) 107

Bone zinc

Comparison of chelated zinc and zinc sulfate as zinc sources for growth and bone mineralization of channel catfish (*Ictalurus punctatus*) fed practical diets, 146 (1996) 237

Bottom substrate

Growth, development, and skin abnormalities of halibut (*Hippoglossus hippoglossus* L.) juveniles kept on different bottom substrates, 146 (1996) 17

Boundary layers

Boundary layers and abalone postlarval culture: Preliminary studies, 140 (1996) 129

Brachionus plicatilis

Enrichment of the rotifer *Brachionus plicatilis* fed an Antarctic bacterium containing polyunsaturated fatty acids, 147 (1996) 115

Breakpoint concentrations

The biological significance of breakpoint concentrations of oxytetracycline in media for the examination of marine sediment microflora, 145 (1996) 21

Breeding

Genetic effects of artificial propagation: signals from wild and hatchery populations of red abalone in California, 143 (1996) 257

Progress in a Sydney rock oyster, *Saccostrea commercialis* (Iredale and Roughley), breeding program, 144 (1996) 295

Broken eggs

Effect of excreta, blood and vitellus contamination on fertilisation success of *Oncorhynchus mykiss*, 141 (1996) 173

Brooding

The importance of broodstock nutrition on the viability of larvae and spat in the Chilean oyster *Ostrea chilensis*, 139 (1996) 63

Broodstock

Influence of protein content of broodstock diets on larval quality and performance in Nile tilapia, *Oreochromis niloticus* (L.), 146 (1996) 245

Repeat sexual maturation of wolffish (*Anarhichas lupus* L.) broodstock, 139 (1996) 249

Brown ring disease

Development of a colony-blot ELISA assay using monoclonal antibodies to identify *Vibrio* P1 responsible for "brown ring disease": in the clam *Tapes philippinarum*, 146 (1996) 171

Brown trout

Comparison of nitrogenous losses in five teleost fish species, 141 (1996) 107

Effects of egg size on offspring development and fitness in brown trout, *Salmo trutta* L., 147 (1996) 9

Mitochondrial DNA variation in wild and hatchery brown trout (*Salmo trutta* L.) populations from Spain, 141 (1996) 59

Bullfrog

Estimation of the protein requirement for bullfrog (*Rana catesbeiana*) tadpoles, and its effect on metamorphosis ratio, 141 (1996) 223

Cage

Growth and survival of the blue abalone *Haliotis fulgens* in barrels at Cedros Island, Baja California, with a review of abalone barrel culture, 140 (1996) 169

Influence of Nile tilapia (*Oreochromis niloticus*) stocking density in cages on their growth and yield in cages and in ponds containing the cages, 146 (1996) 205

Calcium

The effect of different combinations of dietary calcium and phosphorus on the growth of juvenile *Haliotis laevis*, 145 (1996) 267

Caligus elongatus

Field trials on the efficacy of the organophosphorus compound azamethiphos for the control of sea lice (Copepoda: Caligidae) infestations of farmed Atlantic salmon (*Salmo salar*), 140 (1996) 217

Cannibalism

Size and feed dependent cannibalism with juvenile snakehead *Channa striatus*, 144 (1996) 313

Canthaxanthin

Deposition and metabolism of dietary canthaxanthin in different organs of Arctic charr (*Salvelinus alpinus* L.), 142 (1996) 99

Carbohydrate

Digestibility of starch in *Panaeus vannamei*: in vivo and in vitro study on eight samples of various origin, 140 (1996) 361

Effect of feeding strategy and carbohydrate source on carbohydrate utilization by white sturgeon (*Acipenser transmontanus*) and hybrid tilapia (*Oreochromis niloticus* × *O. aureus*), 148 (1997) 201

Carnitine

The effect of dietary carnitine supplementation on growth of red sea bream (*Pagrus major*) fingerlings at two levels of dietary lysine, 147 (1996) 235

Carp

Apparent digestibility of tuna oil for common carp, *Cyprinus carpio* - effect of inclusion level and adaptation time, 148 (1997) 143

Carpospores

Spoore culture of the edible red seaweed, *Gracilaria parvispora* (Rhodophyta), 142 (1996) 59

Carrageenan

Limitations of carrageenan microbound diets for feeding white sturgeon, *Acipenser transmontanus*, larvae, 141 (1996) 245

Catfish

LHRHa and pimozone-induced spawning of Asian catfish *Clarias macrocephalus* (Günther) at different times during an annual reproductive cycle, 148 (1997) 323

Cell cultures

Attempts to initiate cell cultures from *Penaeus chinensis* tissues, 147 (1996) 151

Cephalopod molluscs

Parasites in commercially-exploited cephalopods (Mollusca, Cephalopoda) in Spain: an updated perspective, 142 (1996) 1

Ceratomyxa gaudichaudii

The effect of the isopod parasite *Ceratomyxa gaudichaudii* on the body weight of farmed *Salmo salar* in southern Chile, 143 (1996) 1

Channa striatus

Growth and survival of larval snakehead (*Channa striatus*) fed different diets, 148 (1997) 105

Size and feed dependent cannibalism with juvenile snakehead *Channa striatus*, 144 (1996) 313

Channel catfish

Effects of dietary lipid on the hematology of channel catfish, *Ictalurus punctatus*, 147 (1996) 225

Effects of water management practices on discharge of nutrients and organic matter from channel catfish (*Ictalurus punctatus*) ponds, 147 (1996) 57

Chanos chanos

Effect of dietary fatty acids on growth of milkfish *Chanos chanos* fry in brackish water, 144 (1996) 363

Chelated zinc

Comparison of chelated zinc and zinc sulfate as zinc sources for growth and bone mineralization of channel catfish (*Ictalurus punctatus*) fed practical diets, 146 (1996) 237

Chemical cues

Spat settlement of the giant scallop, *Placopecten magellanicus* (Gmelin, 1791), and other bivalve species on artificial filamentous collectors coated with chitinous material, 148 (1997) 277

Cherax

Factors influencing populations of the ectosymbiont *Diceratocephala boschmai* (Platyhelminthes; Temnocephalida), on the redclaw crayfish *Cherax quadricarinatus* maintained under laboratory conditions, 143 (1996) 233

Cherax quadricarinatus

Ration and spatial distribution of feed affect survival, growth, and competition in juvenile red-claw crayfish, *Cherax quadricarinatus*, reared in the laboratory, 148 (1997) 169

Chile

Spatial variation in response to selection for live weight and shell length from data on individually tagged Chilean native oysters (*Ostrea chilensis* Philippi, 1845), 146 (1996) 27

The effect of the isopod parasite *Ceratomyxa gaudichaudii* on the body weight of farmed *Salmo salar* in southern Chile, 143 (1996) 1

Chinook salmon

Tissue distribution and elimination of oxytetracycline in seawater chinook and coho salmon following medicated-feed treatment, 144 (1996) 27

Chitin

Spat settlement of the giant scallop, *Placopecten magellanicus* (Gmelin, 1791), and other bivalve species on artificial filamentous collectors coated with chitinous material, 148 (1997) 277

Chloramphenicol acetyltransferase

A stable line of transgenic medaka (*Oryzias latipes*) carrying the CAT gene, 143 (1996) 267

Chlorine

Biofilm formation by *Vibrio harveyi* on surfaces, 140 (1996) 241

Cholesterol

Influence of rainbow trout thermal acclimation on sperm cryopreservation: relation to change in the lipid composition of the plasma membrane, 145 (1996) 281

Chondracanthus chamissoi

Differences in the early stages of development of gametophytes and tetrasporophytes of *Chondracanthus chamissoi* (C.Ag.) Kützting from Puerto Aldea, northern Chile, 143 (1996) 91

Clam

Effect of *Perkinsus olseni* (Protozoa, Apicomplexa) on the weight of *Tridacna crocea* (Mollusca, Bivalvia) from Lizard Island, Great Barrier Reef, 141 (1996) 25

Clarence River

Physical and chemical characteristics of sediments from prawn farms and mangrove habitats on the Clarence River, Australia, 146 (1996) 47

Clarias gariepinus

Recruitment control of Nile tilapia, *Oreochromis niloticus*, by the African catfish, *Clarias gariepinus* (Burchell 1822), and the African snakehead, *Ophiocephalus obscurus*. I. A biological analysis, 146 (1996) 85

Climate

Performance of diploid and triploid Manila clams (*Tapes philippinarum*, Adams and Reeve) at various levels of tidal exposure in the UK and in water from fish ponds at Eilat, Israel, 141 (1996) 159

Cloned fish

Genetic and environmental variances of body size and morphological traits in communally reared clonal lines from gynogenetic diploid ayu, *Plecoglossus altivelis*, 140 (1996) 333

Clotting

Effects of dietary lipid on the hematology of channel catfish, *Ictalurus punctatus*, 147 (1996) 225

CO₂

The effects of hypercapnia on the growth of juvenile white sturgeon, *Acipenser transmontanus*, 147 (1996) 293

Coho salmon

Relationship between size, gill corticosteroid receptors, Na⁺-K⁺ ATPase activity and smolting in juvenile coho salmon (*Oncorhynchus kisutch*) in autumn and spring, 147 (1996) 127

Tissue distribution and elimination of oxytetracycline in seawater chinook and coho salmon following medicated-feed treatment, 144 (1996) 27

Collectors

Spat settlement of the giant scallop, *Placopecten magellanicus* (Gmelin, 1791), and

other bivalve species on artificial filamentous collectors coated with chitinous material, 148 (1997) 277

Colossoma

Effect of stocking ratio on semi-intensive polyculture of *Colossoma macropomum* and *Oreochromis niloticus* in Honduras, Central America, 143 (1996) 291

Common carp

Influence of salinity on food consumption, growth and energy conversion efficiency of common carp (*Cyprinus carpio*) fingerlings, 148 (1997) 115

Common environmental effect

Genetic and environmental variation of body weight in rainbow trout (*Oncorhynchus mykiss*), 144 (1996) 71

Complement

Non-specific immune responses in families of Atlantic salmon, *Salmo salar*, exhibiting differential resistance to furunculosis, 146 (1996) 1

Composition

Effect of dietary protein level on growth and carcass composition in Atlantic halibut (*Hippoglossus hippoglossus* L.), 145 (1996) 225

Conditioning

Ascorbic acid metabolism in fish: is there a maternal effect on the progeny?, 147 (1996) 215

Temperature and nutrition as factors in conditioning broodstock of the commercial scallop *Pecten fumatus* Reeve, 143 (1996) 75

Contamination

Effect of excreta, blood and vitellus contamination on fertilisation success of *Oncorhynchus mykiss*, 141 (1996) 173

Cool storage of spermatozoa

Diluent for cool storage of the Japanese eel (*Anguilla japonica*) spermatozoa, 142 (1996) 107

Copepods

Fish as potential biocontrollers of *Gracilaria* (Rhodophyta) culture, 145 (1996) 113

Correlation

Spatial distribution of oxytetracycline and elevated frequencies of oxytetracycline resistance in sediments beneath a marine salmon farm following oxytetracycline therapy, 145 (1996) 31

Cortical rods

A comparative study of the ovarian development in wild and pond-reared shrimp, *Penaeus kerathurus* (Forskål, 1775), 148 (1996) 63

Cortisol implants

Drinking in Atlantic salmon psmolts (*Salmo salar* L.) and juvenile rainbow trout (*Oncorhynchus mykiss* Walbaum) in response to cortisol and sea water challenge, 141 (1996) 129

Counting method

A photographic larval fish counting technique: comparison with other methods, statistical appraisal of the procedure and practical use, 141 (1996) 83

Crassostrea

The evaluation of two treatments to reduce mud worm (*Polydora hoplura* Claparède) infestation in commercially reared oysters (*Crassostrea gigas* Thunberg), 141 (1996) 31

Crassostrea belcheri

Effect of salinity on hatching, larval growth, survival and settling in the tropical oyster *Crassostrea belcheri* (Sowerby), 145 (1996) 129

Crassostrea gigas

All-triploid Pacific oysters (*Crassostrea gigas* Thunberg) produced by mating tetraploids and diploids, 142 (1996) 149

Nutritional value of a spray-dried freshwater alga, *Spongiococcum excentricum*, for Pacific oyster (*Crassostrea gigas*) spat, 146 (1996) 135

Nutritional value of diets that vary in fatty acid composition for larval Pacific oysters (*Crassostrea gigas*), 143 (1996) 379

Crayfish

Factors influencing populations of the ectosymbiont *Diceratocephala boschmai* (Platyhelminthes; Temnocephalida), on the redclaw crayfish *Cherax quadricarinatus* maintained under laboratory conditions, 143 (1996) 233

Ration and spatial distribution of feed affect survival, growth, and competition in juvenile red-claw crayfish, *Cherax quadricarinatus*, reared in the laboratory, 148 (1997) 169

Crayfish parasite

Signal crayfish, *Pacifastacus leniusculus*, as a vector for *Psorospermium haeckeli* to noble crayfish, *Astacus astacus*, 148 (1996) 1

Crude protein

The effects of dietary crude protein on growth of the Eurasian perch *Perca fluviatilis*, 144 (1996) 239

Crustaceans

In vitro embryogenesis of *Macrobrachium rosenbergii* larvae following in vivo fertilization, 147 (1996) 169

Cryopreservation

Cryopreservation of rainbow trout (*Oncorhynchus mykiss*) spermatozoa using programmable freezing, 143 (1996) 319

Cryopreservation of semen of the grayling (*Thymallus thymallus*) and the Danube salmon (*Hucho hucho*), 144 (1996) 265

Influence of rainbow trout thermal acclimation on sperm cryopreservation: relation to change in the lipid composition of the plasma membrane, 145 (1996) 281

Cryptic

Detectability of cryptic juvenile *Trochus niloticus* Linnaeus in stock enhancement experiments, 144 (1996) 91

Culture

A review of the culture of tropical abalone with special reference to Thailand, 140 (1996) 159

Aquaculture potential of the Suminoe oyster (*Crassostrea ariakensis*. Fugita 1913), 144 (1996) 321

Boundary layers and abalone postlarval culture: Preliminary studies, 140 (1996) 129

Growth and survival of the blue abalone *Haliotis fulgens* in barrels at Cedros Island, Baja California, with a review of abalone barrel culture, 140 (1996) 169

In vitro culture of embryonic cells from the freshwater prawn *Macrobrachium rosenbergii*, 143 (1996) 227

Preliminary studies on increased survival and accelerated growth of overwintering juvenile abalone, *Haliotis discus hannai* Ito, 140 (1996) 177

Shell and tissue growth of juvenile sea scallops (*Placopecten magellanicus*) in suspended and bottom culture in Lunenburg Bay, Nova Scotia, 142 (1996) 75

The effect of four anaesthetics on *Haliotis midae* and their suitability for application in commercial abalone culture, 140 (1996) 145

Culture media

Changes in biochemical profile of *Tetraselmis gracilis* I. Comparison of two culture media, 148 (1997) 153

Culture method

Development of an intensive culture system for sea bass (*Dicentrarchus labrax*) larvae in sea enclosures, 142 (1996) 43

Mass cultivation of the agar-producing alga *Gracilaria chilensis* (Rhodophyta) from spores, 148 (1997) 77

Spore culture of the edible red seaweed, *Gracilaria parvispora* (Rhodophyta), 142 (1996) 59

Culture ponds

Abundance and diversity of macrofauna (fish and decapod crustaceans) in *Penaeus vannamei* culture ponds in Western Mexico, 143 (1996) 61

Current velocity

Effect of stocking density, oxygen level, light regime and swimming velocity on the incidence of sexual maturation in adult Atlantic salmon (*Salmo salar*), 143 (1996) 43

Cyprinus carpio

Activity pattern of fish in rice fields, 145 (1996) 159

Influence of salinity on food consumption, growth and energy conversion efficiency of

common carp (*Cyprinus carpio*) fingerlings, 148 (1997) 115

Cytochalasin B

All-triploid Pacific oysters (*Crassostrea gigas* Thunberg) produced by mating tetraploids and diploids, 142 (1996) 149

Cytosolic peptidase

Sea bass (*Dicentrarchus labrax*) larvae fed different *Artemia* rations: growth, pancreas enzymatic response and development of digestive functions, 139 (1996) 129

Decapod crustaceans

Abundance and diversity of macrofauna (fish and decapod crustaceans) in *Penaeus vannamei* culture ponds in Western Mexico, 143 (1996) 61

Denitrification

The potential for integrated biological treatment systems in recirculating fish culture—A review, 139 (1996) 181

Density

Growth and metamorphosis of *Rana perezi* larvae in culture: effects of larval density, 142 (1996) 163

Long-term dynamics of blue mussel (*Mytilus edulis* L.) culture settlements (the White Sea), 147 (1996) 191

Density-dependence

A simple von Bertalanffy model for density-dependent growth in extensive aquaculture, with an application to common carp (*Cyprinus carpio*), 142 (1996) 191

Dentex dentex

Growth response of juvenile dentex (*Dentex dentex* L.) to varying protein level and protein to lipid ratio in practical diets, 139 (1996) 91

Detectability

Detectability of cryptic juvenile *Trochus niloticus* Linnaeus in stock enhancement experiments., 144 (1996) 91

Development

Formation of the diffuse pancreas and the development of digestive enzyme synthesis in larvae of the Japanese flounder *Paralichthys olivaceus*, 141 (1996) 267

In vitro embryogenesis of *Macrobrachium rosenbergii* larvae following in vivo fertilization, 147 (1996) 169

Developmental stages

Differences in the early stages of development of gametophytes and tetrasporophytes of *Chondracanthus chamissoi* (C.Ag.) Kützing from Puerto Aldea, northern Chile, 143 (1996) 91

DHA

Two novel *Artemia* enrichment diets containing polar lipid, 144 (1996) 339

DHA:EPA

Two novel *Artemia* enrichment diets containing polar lipid, 144 (1996) 339

Diatoms

Comparative growth performance and digestive enzyme activity of juvenile South African abalone, *Haliotis midae*, fed on diatoms and a practical diet, 140 (1996) 75

Physical and chemical characteristics of sediments from prawn farms and mangrove habitats on the Clarence River, Australia, 146 (1996) 47

Dicentrarchus labrax

A photographic larval fish counting technique: comparison with other methods, statistical appraisal of the procedure and practical use, 141 (1996) 83

Development of an intensive culture system for sea bass (*Dicentrarchus labrax*) larvae in sea enclosures, 142 (1996) 43

Investigation of fish encephalitis viruses (FEV) expression in marine fishes using DIG-labelled probes, 143 (1996) 113

Dichlorvos

Field trials on the efficacy of the organophosphorus compound azamethiphos for the control of sea lice (Copepoda: Caligidae) infestations of farmed Atlantic salmon (*Salmo salar*), 140 (1996) 217

Diet

Apparent digestibility of selected ingredients in red drum (*Sciaenops ocellatus*) diets, 141 (1996) 233

Comparison of fatty acid composition of muscle, liver, mature oocytes, and diets of wild and captive Macquarie perch, *Macquaria australasica*, broodfish, 144 (1996) 201

Effect of dietary protein level on growth performance of South African abalone, *Haliotis midae*, fed fishmeal-based semi-purified diets, 140 (1996) 55

Effect of food fatty acid and sterol quality on *Pecten maximus* gonad composition and reproduction process, 143 (1996) 361

Fat cell necrosis syndrome in Atlantic halibut, *Hippoglossus hippoglossus* L., 144 (1996) 65

Nursery production technology for Pacific threadfin (*Polydactylus sexfilis*), 139 (1996) 19

The composition and amino acid balance of abalone (*Haliotis rubra*) tissue, 140 (1996) 109

The effects of dietary crude protein on growth of the Eurasian perch *Perca fluviatilis*, 144 (1996) 239

The suitability of selected protein sources for inclusion in formulated diets for the South African abalone, *Haliotis midae*, 140 (1996) 63

The use of silage made from fish and abalone viscera as an ingredient in abalone feed, 140 (1996) 87

Dietary lipid

Effects of dietary lipid on the hematology of channel catfish, *Ictalurus punctatus*, 147 (1996) 225

Dietary protein

Effect of dietary protein level on spawning performance and amino acid composition of eggs of Nile tilapia, *Oreochromis niloticus*, 146 (1996) 121

Influence of protein content of broodstock diets on larval quality and performance in Nile tilapia, *Oreochromis niloticus* (L.), 146 (1996) 245

Dietary requirements

Growth response of juvenile dentex (*Dentex dentex* L.) to varying protein level and protein to lipid ratio in practical diets, 139 (1996) 91

Diet formulation

Fish protein hydrolyzate in starter diets for Atlantic salmon (*Salmo salar*) fry, 145 (1996) 205

Differential resistance

Non-specific immune responses in families of Atlantic salmon, *Salmo salar*, exhibiting differential resistance to furunculosis, 146 (1996) 1

Digestibility

Apparent digestibility of selected ingredients in red drum (*Sciaenops ocellatus*) diets, 141 (1996) 233

Apparent digestibility of tuna oil for common carp, *Cyprinus carpio* - effect of inclusion level and adaptation time, 148 (1997) 143

Determination of digestibility coefficients of various feedstuffs for red drum (*Sciaenops ocellatus*), 139 (1996) 303

Digestibility studies on fisheries by-product based diets for *Penaeus monodon*, 143 (1996) 331

Digestibility—shrimp

Digestibility of starch in *Penaeus vannamei*: in vivo and in vitro study on eight samples of various origin, 140 (1996) 361

Digestible energy

Comparison of two assay methods for determination of nutrient and energy digestibility in fish, 140 (1996) 343

Digestion

Comparative growth performance and digestive enzyme activity of juvenile South African abalone, *Haliotis midae*, fed on diatoms and a practical diet, 140 (1996) 75

Digestive enzyme

Effects of live food and dietary digestive enzymes on the efficiency of microdiets for seabass (*Dicentrarchus labrax*) larvae, 148 (1997) 313

Influence of age on digestive enzyme activity in some freshwater teleosts, 148 (1996) 25

Digestive gland enzymes

In vitro carbohydrate digestibility tests in the Indian white shrimp, *Penaeus indicus*, 139 (1996) 315

Diplodus puntazzo

Aspects of the reproductive biology of the sharpnout seabream *Diplodus puntazzo* (Cetti, 1777). I. Gametogenesis and gonadal cycle in captivity during the third year of life, 140 (1996) 281

Disease resistance

Susceptibility and humoral response of brown trout \times lake trout hybrids to infectious hematopoietic necrosis virus: a model for examining disease resistance mechanisms, 146 (1996) 179

Diseases and their control—fish

Bioavailability of oxytetracycline from medicated feed administered to Atlantic salmon (*Salmo salar* L.) in seawater, 143 (1996) 7

DNA

Application of fluorescence in situ hybridization (FISH) techniques to fish genetics: a review, 140 (1996) 197

mtDNA

Mitochondrial DNA variation in wild and hatchery brown trout (*Salmo trutta* L.) populations from Spain, 141 (1996) 59

DNA fingerprinting

Genetic and environmental variances of body size and morphological traits in communally reared clonal lines from gynogenetic diploid ayu, *Plecoglossus altivelis*, 140 (1996) 333

Docosahexaenoic acid

The use of silages prepared from fish neural tissues as enrichers for rotifers (*Brachionus plicatilis*) and *Artemia* in the nutrition of larval marine fish, 148 (1997) 213

Domestication

Application of controlled-release, GnRHa-delivery systems in commercial production of white bass \times striped bass hybrids (sunshine bass), using captive broodstocks, 140 (1996) 265

Dominance

Social interactions and the distribution of food among one-sea-winter Atlantic salmon (*Salmo salar*) in a sea-cage, 139 (1996) 1

Drinking

Drinking in Atlantic salmon psmolts (*Salmo salar* L.) and juvenile rainbow trout (*Oncorhynchus mykiss* Walbaum) in response to cortisol and sea water challenge, 141 (1996) 129

Early growth

Effects of egg size on offspring development and fitness in brown trout, *Salmo trutta* L., 147 (1996) 9

Echinoculture

Tagging sea urchins: a new technique for individual identification, 139 (1996) 271

Ecological farming

Integrated cultivation of the red alga *Kappaphycus alvarezii* and the pearl oyster *Pinctada martensi*, 147 (1996) 21

Ecology

Factors influencing populations of the ectosymbiont *Diceratocephala boschmai* (Platyhelminthes; Temnocephalida), on the redclaw crayfish *Cherax quadricarinatus* maintained under laboratory conditions, 143 (1996) 233

Economics

Economic viability and animal health regulation effects on a large scale trout hatchery, 143 (1996) 245

Modelling thermal environment of a recirculating aquaculture facility, 139 (1996) 11

Ectosymbiont

Factors influencing populations of the ectosymbiont *Diceratocephala boschmai* (Platyhelminthes; Temnocephalida), on the redclaw crayfish *Cherax quadricarinatus* maintained under laboratory conditions, 143 (1996) 233

Edwardsiella tarda

Enhanced resistance against *Edwardsiella tarda* infection in tilapia (*Oreochromis niloticus*) by administration of protein-bound polysaccharide, 143 (1996) 135

Eel

Effects of experimental infections with different doses of *Anguillicola crassus* (Nematoda, Dracunculoidae) on European eel (*Anguilla anguilla*), 141 (1996) 41

Effluents

Availability of phosphorus from feedstuffs fed to rainbow trout, *Oncorhynchus mykiss*, 142 (1996) 269

Seaweed biofilters as regulators of water quality in integrated fish-seaweed culture units, 141 (1996) 183

Egg quality

Application of controlled-release, GnRHa-delivery systems in commercial production of white bass \times striped bass hybrids (sunshine bass), using captive broodstocks, 140 (1996) 265

Repeat sexual maturation of wolffish (*Anarhichas lupus* L.) broodstock, 139 (1996) 249

The importance of broodstock nutrition on the viability of larvae and spat in the Chilean oyster *Ostrea chilensis*, 139 (1996) 63

Eggs

Biochemical composition of eggs from repeat and first-time spawning captive Atlantic halibut (*Hippoglossus hippoglossus*), 139 (1996) 139

Effect of dietary protein level on spawning performance and amino acid composition of eggs of Nile tilapia, *Oreochromis niloticus*, 146 (1996) 121

Egg size

Effects of egg size on offspring development and fitness in brown trout, *Salmo trutta* L., 147 (1996) 9

Elcosapentaenole acid

Decreased 20:4n-6/20:5n-3 ratio in sperm from cultured sea bass, *Dicentrarchus labrax*, broodstock compared with wild fish, 144 (1996) 189

The effect of dietary protein and lipid from squid and fish meals on egg quality of broodstock for gilthead seabream (*Sparus aurata*), 148 (1997) 233

Embryogenesis

In vitro embryogenesis of *Macrobrachium rosenbergii* larvae following in vivo fertilization, 147 (1996) 169

Embryonic cells

In vitro culture of embryonic cells from the freshwater prawn *Macrobrachium rosenbergii*, 143 (1996) 227

Energy metabolism

Effect of feeding frequency, feeding level and temperature on energy metabolism in *Spurus aurata*, 148 (1997) 125

Enhancement of spat collection

Direct observations of particle kinematics within a scallop (*Placopecten magellanicus*) spat collector by means of video endoscopy, 147 (1996) 71

Enriched stable isotopes

The use of enriched ^{15}N as an indicator of the assimilation of individual protein sources from compound diets for juvenile *Penaeus monodon*, 147 (1996) 249

Enrichment

The use of silages prepared from fish neural tissues as enrichers for rotifers (*Brachionus plicatilis*) and *Artemia* in the nutrition of larval marine fish, 148 (1997) 213

Enrichment conditions

Improvement of the nutritional value of rotifers by varying the type and concentration of oil and the enrichment period, 147 (1996) 93

Enterocytes

Enterocytes in the anterior intestine of *Onchorhynchus mykiss*: Cytological characteristics related to osmoregulation, 139 (1996) 109

Environment

Antibacterial residues in marine sediments and invertebrates following chemotherapy in aquaculture, 145 (1996) 55

Environmental conditions

Stereological studies on the gametogenic cycle of the scallop, *Pecten maximus*, in suspended culture in Ria de Arousa (Galicia, NW Spain), 142 (1996) 119

Environmental impact

Is sediment deposition the dominant fate of oxytetracycline used in marine salmonid farms: a review of available evidence, 146 (1996) 157

Effects of water management practices on discharge of nutrients and organic matter from channel catfish (*Ictalurus punctatus*) ponds, 147 (1996) 57

Spatial distribution of oxytetracycline and elevated frequencies of oxytetracycline resistance in sediments beneath a marine salmon farm following oxytetracycline therapy, 145 (1996) 31

The biological significance of breakpoint concentrations of oxytetracycline in media for the examination of marine sediment microflora, 145 (1996) 21

Environmental modelling

Is sediment deposition the dominant fate of oxytetracycline used in marine salmonid farms: a review of available evidence, 146 (1996) 157

Environmental variation

Reducing the impact of environmental variation in a growth rate improvement program for the Sydney rock oyster *Saccostrea commercialis*, 143 (1996) 145

Enzymes

Comparative growth performance and digestive enzyme activity of juvenile South African abalone, *Haliotis midae*, fed on diatoms and a practical diet, 140 (1996) 75

EPA/DHA

Improvement of the nutritional value of rotifers by varying the type and concentration of oil and the enrichment period, 147 (1996) 93

Epinephelus spp.

Optimum dietary protein level and protein to energy ratio for growth of grouper (*Epinephelus malabaricus*), 145 (1996) 259

EPT taxa richness

The effect of trout farm effluent on the taxa richness of benthic macroinvertebrates, 147 (1996) 37

Essential fatty acids

Growth of post-set oysters, *Crassostrea virginica*, on high-lipid strains of algal flagellates *Tetraselmis* spp., 143 (1996) 411

***E. suillus* larvae**

The effect of background color and rotifer density on rotifer intake, growth and survival of the grouper (*Epinephelus suillus*) larvae, 146 (1996) 217

Excretion

Comparison of nitrogenous losses in five teleost fish species, 141 (1996) 107

Exocrine pancreas

Formation of the diffuse pancreas and the development of digestive enzyme synthesis in larvae of the Japanese flounder *Paralichthys olivaceus*, 141 (1996) 267

Eyestalk ablation

Survival, growth and food conversion efficiency of *Panulirus ornatus* following eyestalk ablation, 146 (1996) 225

Faeces

Effect of excreta, blood and vitellus contamination on fertilisation success of *Oncorhynchus mykiss*, 141 (1996) 173

Farming

Mass cultivation of the agar-producing alga *Gracilaria chilensis* (Rhodophyta) from spores, 148 (1997) 77

Farming trials in villages

Survival and growth of juvenile fluted giant clams, *Tridacna squamosa*, in large-scale grow-out trials in the Solomon Islands, 148 (1997) 85

Fat cell necrosis syndrome

Fat cell necrosis syndrome in Atlantic halibut, *Hippoglossus hippoglossus* L., 144 (1996) 65

Fats

Growth response of juvenile dentex (*Dentex dentex* L.) to varying protein level and protein to lipid ratio in practical diets, 139 (1996) 91

Fats and fatty compounds

Influence of dietary $n-3$ highly unsaturated fatty acids levels on juvenile gilthead seabream (*Sparus aurata*) growth and tissue fatty acid composition, 142 (1996) 221

Qualitative requirements of essential fatty acids for juvenile *Penaeus monodon*, 147 (1996) 275

Fatty acid

Biochemical composition of eggs from repeat and first-time spawning captive Atlantic halibut (*Hippoglossus hippoglossus*), 139 (1996) 139

Biochemical composition of new yeasts and bacteria evaluated as food for bivalve aquaculture, 143 (1996) 341

Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. V. The role of polyunsaturated fatty acids of macroalgae in abalone nutrition, 139 (1996) 77

Comparison of fatty acid composition of muscle, liver, mature oocytes, and diets of wild and captive Macquarie perch, *Macquaria australasica*, broodfish, 144 (1996) 201

Effect of diet on the lipid composition of wild and cultured abalone, 140 (1996) 115

Effect of dietary fatty acids on growth of milkfish *Chanos chanos* fry in brackish water, 144 (1996) 363

Effect of food fatty acid and sterol quality on *Pecten maximus* gonad composition and reproduction process, 143 (1996) 361

Fatty acids of wild and cultured *Penaeus vannamei* larvae from Ecuador, 142 (1996) 259

Nutritional value of diets that vary in fatty acid composition for larval Pacific oysters (*Crassostrea gigas*), 143 (1996) 379

The effect of dietary protein and lipid from squid and fish meals on egg quality of broodstock for gilthead seabream (*Sparus aurata*), 148 (1997) 233

The effect of different levels and sources of dietary phosphatidylcholine on the growth, survival, stress resistance, and fatty acid composition of postlarval *Penaeus vannamei*, 147 (1996) 261

Fatty acids Ca salts

Growth, body composition and nutrient retention efficiency of growing sea bass (*Dicentrarchus labrax*), 142 (1996) 221

centrarchus labrax L.) fed fish oil or fatty acid
Ca salts, 139 (1996) 101

Feed

Comparison of two assay methods for determination of nutrient and energy digestibility in fish, 140 (1996) 343

Digestibility studies on fisheries by-product based diets for *Penaeus monodon*, 143 (1996) 331

Effect of dietary protein level on growth and carcass composition in Atlantic halibut (*Hippoglossus hippoglossus* L.), 145 (1996) 225

Studies on the feeding attractants for fishes and shellfishes. XXVI. Probable feeding attractants in allspice *Pimenta officinalis* for black abalone *Haliotis discus*, 140 (1996) 99

The use of silage made from fish and abalone viscera as an ingredient in abalone feed, 140 (1996) 87

Feed additives

Identification of feed enhancers for juvenile largemouth bass *Micropterus salmoides*, 148 (1997) 191

Feed conversion

Diel feeding activity and the effect of time-restricted self-feeding on growth and feed conversion in European sea bass, 139 (1996) 117

The use of self-feeders in rainbow trout (*Oncorhynchus mykiss*) production, 145 (1996) 1

Feed efficiency

Effect of dietary protein level on growth and carcass composition in Atlantic halibut (*Hippoglossus hippoglossus* L.), 145 (1996) 225

Feeding

Changes in the physico-chemical characteristics and lipid composition in sediments from productive aquaculture ponds after a short-term shrimp growth experiment, 144 (1996) 121

Differential patterns of feeding and resource accumulation in maturing and immature Atlantic salmon, *Salmo salar*, 142 (1996) 245

Effects of saponin on survival, growth, molting and feeding of *Penaeus japonicus* juveniles, 144 (1996) 165

Food acquisition and growth of juvenile Atlantic salmon (*Salmo salar*) in relation to spatial distribution of food, 143 (1996) 277

Influence of salinity on food consumption, growth and energy conversion efficiency of common carp (*Cyprinus carpio*) fingerlings, 148 (1997) 115

Feeding and nutrition

In vitro carbohydrate digestibility tests in the Indian white shrimp, *Penaeus indicus*, 139 (1996) 315

Feeding and nutrition, crustacean

Qualitative requirements of essential fatty acids for juvenile *Penaeus monodon*, 147 (1996) 275

Feeding and nutrition, finfish

Effect of dietary fatty acids on growth of milkfish *Chanos chanos* fry in brackish water, 144 (1996) 363

Feeding and nutrition, fish

A simple method for the measurement of daily feed intake of groups of fish in tanks, 139 (1996) 157

Effects of dietary protein level on second year growth and water quality for largemouth bass (*Micropterus salmoides*) raised in ponds, 145 (1996) 213

Growth response of juvenile dentex (*Dentex dentex* L.) to varying protein level and protein to lipid ratio in practical diets, 139 (1996) 91

Optimal dietary lipid level for growth of juvenile hybrid tilapia, *Oreochromis niloticus* × *Oreochromis aureus*, 143 (1996) 185

Optimum dietary protein level and protein to energy ratio for growth of grouper (*Epinephelus malabaricus*), 145 (1996) 259

The need for dietary mineral supplementation for Nile tilapia, *Oreochromis niloticus*, cultured in a semi-intensive system, 144 (1996) 227

Feeding and nutrition, fish feeding systems

The need for dietary mineral supplementation for Nile tilapia, *Oreochromis niloticus*, cultured in a semi-intensive system, 144 (1996) 227

Feeding and nutrition, larval rearing

The use of freeze-dried krill to feed train largemouth bass (*Micropterus salmoides*): feeds and training strategies, 148 (1997) 299

Feeding and nutrition, molluscs

Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. V. The role of polyunsaturated fatty acids of macroalgae in abalone nutrition, 139 (1996) 77

Effect of diet on the lipid composition of wild and cultured abalone, 140 (1996) 115

The effect of different combinations of dietary calcium and phosphorus on the growth of juvenile *Haliotis laevis*, 145 (1996) 267

Feeding and nutrition, new feeds

The use of freeze-dried krill to feed train largemouth bass (*Micropterus salmoides*): feeds and training strategies, 148 (1997) 299

Feeding and nutrition, plasma astaxanthin, availability

Plasma carotenoid concentration indicates the availability of dietary astaxanthin for Atlantic salmon, *Salmo salar*, 146 (1996) 147

Feeding behaviour

A comparative study of automatic feeding and self-feeding in juvenile Atlantic salmon (*Salmo salar*) fed diets of different energy levels, 145 (1996) 245

Social interactions and the distribution of food among one-sea-winter Atlantic salmon (*Salmo salar*) in a sea-cage, 139 (1996) 1

The use of self-feeders in rainbow trout (*Oncorhynchus mykiss*) production, 145 (1996) 1

Feeding frequency

Effect of feeding frequency, feeding level and temperature on energy metabolism in *Sparus aurata*, 148 (1997) 125

Feeding level

Effect of feeding frequency, feeding level and temperature on energy metabolism in *Sparus aurata*, 148 (1997) 125

Feeding rhythms

Feeding activity patterns of the Southern brown shrimp *Penaeus subtilis* under semi-intensive culture in NE Brazil, 144 (1996) 371

Feeding strategy

Effect of feeding strategy and carbohydrate source on carbohydrate utilization by white sturgeon (*Acipenser transmontanus*) and hybrid tilapia (*Oreochromis niloticus* × *O. aureus*), 148 (1997) 201

Feed intake

A comparative study of automatic feeding and self-feeding in juvenile Atlantic salmon (*Salmo salar*) fed diets of different energy levels, 145 (1996) 245

A simple method for the measurement of daily feed intake of groups of fish in tanks, 139 (1996) 157

Identification of feed enhancers for juvenile largemouth bass *Micropterus salmoides*, 148 (1997) 191

Feed ration

Size and feed dependent cannibalism with juvenile snakehead *Channa striatus*, 144 (1996) 313

Feedstuffs

Apparent digestibility of selected ingredients in red drum (*Sciaenops ocellatus*) diets, 141 (1996) 233

Determination of digestibility coefficients of various feedstuffs for red drum (*Sciaenops ocellatus*), 139 (1996) 303

Feed training

The use of freeze-dried krill to feed train largemouth bass (*Micropterus salmoides*): feeds and training strategies, 148 (1997) 299

Fertilizability

Influence of protein content of broodstock diets on larval quality and performance in Nile tilapia, *Oreochromis niloticus* (L.), 146 (1996) 245

Fertilization

Biochemical composition of eggs from repeat and first-time spawning captive Atlantic halibut (*Hippoglossus hippoglossus*), 139 (1996) 139

Changes in fertilization and hatching rates with time after ovulation induced by 17, 20 β -dihydroxy-4-pregnen-3-one in the Japanese eel, *Anguilla japonica*, 139 (1996) 291

Fingerlings

Influence of salinity on food consumption, growth and energy conversion efficiency of common carp (*Cyprinus carpio*) fingerlings, 148 (1997) 115

First-feeding salmonids

Adult *Artemia* as food for first feeding coho salmon (*Oncorhynchus kisutch*), 144 (1996) 217

Fish

A simple method for the measurement of daily feed intake of groups of fish in tanks, 139 (1996) 157

Abundance and diversity of macrofauna (fish and decapod crustaceans) in *Penaeus vannamei* culture ponds in Western Mexico, 143 (1996) 61

Comparison of two assay methods for determination of nutrient and energy digestibility in fish, 140 (1996) 343

Differential patterns of feeding and resource accumulation in maturing and immature Atlantic salmon, *Salmo salar*, 142 (1996) 245

Effects of growth hormone treatment on oxygen consumption and sea water adaptability in Atlantic salmon parr and pre-smolts, 148 (1996) 49

Relationships between the expression of maternal behaviour and ovarian development in the mouthbrooding cichlid fish *Oreochromis Niloticus*, 146 (1996) 261

Seaweed biofilters as regulators of water quality in integrated fish-seaweed culture units, 141 (1996) 183

Weaning of metamorphosed winter flounder (*Pleuronectes americanus*) reared in the labora-

tory: comparison of two commercial artificial diets on growth, survival and conversion efficiency, 144 (1996) 251

Fish diseases

Physiological characterization of *Saprolegnia parasitica* isolates from brown trout, 140 (1996) 247

Fish encephalitis virus

Investigation of fish encephalitis viruses (FEV) expression in marine fishes using DIG-labelled probes, 143 (1996) 113

Fish farming

Phosphorus fractionation and mobility in the food and faeces of hatchery reared rainbow trout (*Onchorhynchus mykiss*), 145 (1996) 183

Fish farms

Estimation of the influence of a river sediment on the biological activity of oxytetracycline hydrochloride, 141 (1996) 67

Is sediment deposition the dominant fate of oxytetracycline used in marine salmonid farms: a review of available evidence, 146 (1996) 157

The biological significance of breakpoint concentrations of oxytetracycline in media for the examination of marine sediment microflora, 145 (1996) 21

The critical importance of sample site in the determination of the frequency of oxytetracycline resistance in the effluent microflora of a fresh water fish farm, 139 (1996) 47

The importance of bacterial multiplication in the selection, by oxytetracycline-HCl, of oxytetracycline-resistant bacteria in marine sediment microcosms, 144 (1996) 103

Fish food

The critical importance of sample site in the determination of the frequency of oxytetracycline resistance in the effluent microflora of a fresh water fish farm, 139 (1996) 47

Fish larvae

A photographic larval fish counting technique: comparison with other methods, statistical appraisal of the procedure and practical use, 141 (1996) 83

Development of an intensive culture system for sea bass (*Dicentrarchus labrax*) larvae in sea enclosures, 142 (1996) 43

Fish larviculture

Growth and survival of larval snakehead (*Channa striatus*) fed different diets, 148 (1997) 105

Fish meal

Effect of dietary protein level on growth performance of South African abalone, *Haliotis midae*, fed fishmeal-based semi-purified diets, 140 (1996) 55

Identification of feed enhancers for juvenile largemouth bass *Micropterus salmoides*, 148 (1997) 191

Fish oil

Growth, body composition and nutrient retention efficiency of growing sea bass (*Dicentrarchus labrax* L.) fed fish oil or fatty acid Ca salts, 139 (1996) 101

Fish organs

Determination of some metals in *Clarias gariepinus* (Cuvier and Valenciennes), *Cyprinus carpio* (L.) and *Oreochromis niloticus* (L.) fishes in a polyculture fresh water pond and their environments, 147 (1996) 205

Fish ponds

Effects of water management practices on discharge of nutrients and organic matter from channel catfish (*Ictalurus punctatus*) ponds, 147 (1996) 57

Fish protein hydrolyzate

Fish protein hydrolyzate in starter diets for Atlantic salmon (*Salmo salar*) fry, 145 (1996) 205

Flexibacter columnaris

The relative susceptibility of fish to infections by *Flexibacter columnaris* and *Flexibacter maritimus*, 140 (1996) 259

Flexibacter maritimus

The relative susceptibility of fish to infections by *Flexibacter columnaris* and *Flexibacter maritimus*, 140 (1996) 259

Floating cage

Temperate freshwater fouling on floating net cages: method of evaluation, model and composition, 143 (1996) 303

Flounder

Formation of the diffuse pancreas and the development of digestive enzyme synthesis in larvae of the Japanese flounder *Paralichthys olivaceus*, 141 (1996) 267

Fluidised bed

Ammonia removal from aquaculture water by means of fluidised technology, 139 (1996) 55

Fluorescence

Application of fluorescence in situ hybridization (FISH) techniques to fish genetics: a review, 140 (1996) 197

Food-competition

Ration and spatial distribution of feed affect survival, growth, and competition in juvenile red-claw crayfish, *Cherax quadricarinatus*, reared in the laboratory, 148 (1997) 169

Food consumption

Influence of salinity on food consumption, growth and energy conversion efficiency of common carp (*Cyprinus carpio*) fingerlings, 148 (1997) 115

Formalin

Efficacy of formalin, hydrogen peroxide, and sodium chloride on fungal-infected rainbow trout eggs, 140 (1996) 323

Formulated feed

Growth and survival of larval snakehead (*Channa striatus*) fed different diets, 148 (1997) 105

Fouling

Temperate freshwater fouling on floating net cages: method of evaluation, model and composition, 143 (1996) 303

Founder effect

Allozyme heterozygosity, founder effect and fitness traits in a cultivated population of the European oyster, *Ostrea edulis*, 139 (1996) 203

Freshwater

Temperate freshwater fouling on floating net cages: method of evaluation, model and composition, 143 (1996) 303

The critical importance of sample site in the determination of the frequency of oxytetracycline resistance in the effluent microflora of a fresh water fish farm, 139 (1996) 47

Freshwater fish

Antibacterial abilities of intestinal bacteria in freshwater cultured fish, 145 (1996) 195

Freshwater teleost

Influence of age on digestive enzyme activity in some freshwater teleosts, 148 (1996) 25

Frog

Growth and metamorphosis of *Rana perezi* larvae in culture: effects of larval density, 142 (1996) 163

Fry competition

Effects of egg size on offspring development and fitness in brown trout, *Salmo trutta* L., 147 (1996) 9

Fungal disease

Physiological characterization of *Saprolegnia parasitica* isolates from brown trout, 140 (1996) 247

Furunculosis

Rapid identification of *Aeromonas salmonicida* subspecies *salmonicida* by the polymerase chain reaction, 141 (1996) 13

Gametogenesis

Aspects of the reproductive biology of the sharpnose seabream *Diplodus puntazzo* (Cetti, 1777). I. Gametogenesis and gonadal cycle in captivity during the third year of life, 140 (1996) 281

Performance of diploid and triploid Manila clams (*Tapes philippinarum*, Adams and Reeve) at various levels of tidal exposure in the UK and in water from fish ponds at Eilat, Israel, 141 (1996) 159

Stereological studies on the gametogenic cycle of the scallop, *Pecten maximus*, in suspended culture in Ria de Arousa (Galicia, NW Spain), 142 (1996) 119

Gametophytes

Differences in the early stages of development of gametophytes and tetrasporophytes of *Chondracanthus chamissoi* (C.Ag.) Kützting from Puerto Aldea, northern Chile, 143 (1996) 91

Gastropod

Hydrogen peroxide induced metamorphosis of queen conch, *Strombus gigas*: Tests at the commercial scale, 148 (1997) 247

GC-MS

Changes in the physico-chemical characteristics and lipid composition in sediments from productive aquaculture ponds after a short-term shrimp growth experiment, 144 (1996) 121

Genetic engineering

In vitro embryogenesis of *Macrobrachium rosenbergii* larvae following in vivo fertilization, 147 (1996) 169

Genetic marker

Rapid verification of meiotic gynogenesis and polyploidy in white sturgeon (*Acipenser transmontanus* Richardson), 147 (1996) 177

Genetics

Application of fluorescence in situ hybridization (FISH) techniques to fish genetics: a review, 140 (1996) 197

Genetic effects of artificial propagation: signals from wild and hatchery populations of red abalone in California, 143 (1996) 257

Genetic variation

Limitations in the genetic variation of hatchery produced batches of the giant clam, *Tridacna gigas*, 139 (1996) 225

GH

Effects of growth hormone treatment on oxygen consumption and sea water adaptability in Atlantic salmon parr and pre-smolts, 148 (1996) 49

Giant clams

Survival and growth of juvenile fluted giant clams, *Tridacna squamosa*, in large-scale grow-out trials in the Solomon Islands, 148 (1997) 85

Gill corticosteroid receptors

Relationship between size, gill corticosteroid receptors, $\text{Na}^+ - \text{K}^+$ ATPase activity and smolt-

- ing in juvenile coho salmon (*Oncorhynchus kisutch*) in autumn and spring, 147 (1996) 127
- Gill $\text{Na}^+ - \text{K}^+$ ATPase activity**
Relationship between size, gill corticosteroid receptors, $\text{Na}^+ - \text{K}^+$ ATPase activity and smolting in juvenile coho salmon (*Oncorhynchus kisutch*) in autumn and spring, 147 (1996) 127
- GIT**
Limitations of carrageenan microbound diets for feeding white sturgeon, *Acipenser transmontanus*, larvae, 141 (1996) 245
- Glucan**
Influence of dietary glucan and vitamin C on non-specific and specific immune responses of rainbow trout (*Oncorhynchus mykiss*), 143 (1996) 123
- GnRH**
Application of controlled-release, GnRH-a-delivery systems in commercial production of white bass \times striped bass hybrids (sunshine bass), using captive broodstocks, 140 (1996) 265
- Gonadal cycle**
Aspects of the reproductive biology of the sharpnose seabream *Diplodus puntazzo* (Cetti, 1777). I. Gametogenesis and gonadal cycle in captivity during the third year of life, 140 (1996) 281
- Gonadogenesis**
Sex differentiation and hormonal feminization in pejerrey *Odontesthes bonariensis*, 139 (1996) 31
- Gracilaria**
Fish as potential biocontrollers of *Gracilaria* (Rhodophyta) culture, 145 (1996) 113

Spore culture of the edible red seaweed, *Gracilaria parvispora* (Rhodophyta), 142 (1996) 59
- Gracilaria chilensis**
Mass cultivation of the agar-producing alga *Gracilaria chilensis* (Rhodophyta) from spores, 148 (1997) 77
- Gracilaria edulis**
Optimization of certain physical parameters for the mariculture of *Gracilaria edulis* (Gmelin) Silva in Minicoy lagoon (Laccadive Archipelago), 139 (1996) 265
- Gracilaria heteroclada**
Use of seaweed meals from *Kappaphycus alvarezii* and *Gracilaria heteroclada* as binders in diets for juvenile shrimp *Penaeus monodon*, 143 (1996) 393
- Grazing**
Fish as potential biocontrollers of *Gracilaria* (Rhodophyta) culture, 145 (1996) 113
- Greenback flounder**
Weaning of hatchery-reared greenback flounder (*Rhombosolea tapirina* Günther) from live to artificial diets: Effects of age and duration of the changeover period, 145 (1996) 171
- Greenback flounder (*Rhombosolea tapirina*)**
Effects of photoperiod, temperature and salinity on hatchery-reared larvae of the greenback flounder (*Rhombosolea tapirina* Günther, 1862), 144 (1996) 303
- Grooming**
Factors influencing populations of the ectosymbiont *Diceratocephala boschmai* (Platyhelminthes; Temnocephalida), on the redclaw crayfish *Cherax quadricarinatus* maintained under laboratory conditions, 143 (1996) 233
- Gross composition**
Effect of dietary protein level on growth and carcass composition in Atlantic halibut (*Hippoglossus hippoglossus* L.), 145 (1996) 225
- Grouper**
Optimum dietary protein level and protein to energy ratio for growth of grouper (*Epinephelus malabaricus*), 145 (1996) 259
- Growout culture**
Survival, growth and food conversion efficiency of *Panulirus ornatus* following eyestalk ablation, 146 (1996) 225
- Growth**
A comparative study of automatic feeding and self-feeding in juvenile Atlantic salmon (*Salmo salar*) fed diets of different energy levels, 145 (1996) 245

A simple von Bertalanffy model for density-dependent growth in extensive aquaculture, with

- an application to common carp (*Cyprinus carpio*), 142 (1996) 191
- Combined effects of water temperature and salinity on growth and feed utilization of juvenile Nile tilapia *Oreochromis niloticus* (Linnaeus), 146 (1996) 37
- Diel feeding activity and the effect of time-restricted self-feeding on growth and feed conversion in European sea bass, 139 (1996) 117
- Effect of dietary protein level on growth and carcass composition in Atlantic halibut (*Hippoglossus hippoglossus* L.), 145 (1996) 225
- Effect of dietary protein level on growth performance of South African abalone, *Haliotis midae*, fed fishmeal-based semi-purified diets, 140 (1996) 55
- Effect of recombinant vertebrate growth hormones on growth of adult abalone, *Haliotis kamschatkana*, 140 (1996) 153
- Effects of inbreeding on growth and reproductive traits in rainbow trout (*Oncorhynchus mykiss*), 142 (1996) 139
- Effects of saponin on survival, growth, molting and feeding of *Penaeus japonicus* juveniles, 144 (1996) 165
- Efficacy of dicalcium and defluorinated rock phosphates as dietary phosphorus sources for channel catfish (*Ictalurus punctatus*), 147 (1996) 107
- Food value of live yeasts and dry yeast-based diets fed to Sydney rock oyster *Saccostrea commercialis* spat, 145 (1996) 235
- Growth rate of the Philippine abalone, *Haliotis asinina* fed an artificial diet and macroalgae, 144 (1996) 81
- Growth, development, and skin abnormalities of halibut (*Hippoglossus hippoglossus* L.) juveniles kept on different bottom substrates, 146 (1996) 17
- Influence of salinity on food consumption, growth and energy conversion efficiency of common carp (*Cyprinus carpio*) fingerlings, 148 (1997) 115
- Long-term dynamics of blue mussel (*Mytilus edulis* L.) culture settlements (the White Sea), 147 (1996) 191
- On the use of self-thinning relationships in stocking experiments, 145 (1996) 91
- Preliminary studies on increased survival and accelerated growth of overwintering juvenile abalone, *Haliotis discus hannai* Ino, 140 (1996) 177
- Progress in a Sydney rock oyster, *Saccostrea commercialis* (Iredale and Roughley), breeding program, 144 (1996) 295
- Ration and spatial distribution of feed affect survival, growth, and competition in juvenile red-claw crayfish, *Cherax quadricarinatus*, reared in the laboratory, 148 (1997) 169
- Shell and tissue growth of juvenile sea scallops (*Placopecten magellanicus*) in suspended and bottom culture in Lunenburg Bay, Nova Scotia, 142 (1996) 75
- Survival and growth of juvenile fluted giant clams, *Tridacna squamosa*, in large-scale grow-out trials in the Solomon Islands, 148 (1997) 85
- The effect of dietary carnitine supplementation on growth of red sea bream (*Pagrus major*) fingerlings at two levels of dietary lysine, 147 (1996) 235
- The effects of dietary crude protein on growth of the Eurasian perch *Perca fluviatilis*, 144 (1996) 239
- The effects of hypercapnia on the growth of juvenile white sturgeon, *Acipenser transmontanus*, 147 (1996) 293
- The importance of broodstock nutrition on the viability of larvae and spat in the Chilean oyster *Ostrea chilensis*, 139 (1996) 63
- The suitability of selected protein sources for inclusion in formulated diets for the South African abalone, *Haliotis midae*, 140 (1996) 63
- The use of silage made from fish and abalone viscera as an ingredient in abalone feed, 140 (1996) 87

Use of seaweed meals from *Kappaphycus alvarezii* and *Gracilaria heteroclada* as binders in diets for juvenile shrimp *Penaeus monodon*, 143 (1996) 393

Weaning of metamorphosed winter flounder (*Pleuronectes americanus*) reared in the laboratory: comparison of two commercial artificial diets on growth, survival and conversion efficiency, 144 (1996) 251

Growth and survival

The effect of background color and rotifer density on rotifer intake, growth and survival of the grouper (*Epinephelus suillus*) larvae, 146 (1996) 217

Growth - crustacean

Qualitative requirements of essential fatty acids for juvenile *Penaeus monodon*, 147 (1996) 275

Growth efficiency

Effects of size on optimal temperature for growth and growth efficiency of immature Atlantic halibut (*Hippoglossus hippoglossus* L.), 142 (1996) 33

Growth-fish

Effects of dietary protein level on second year growth and water quality for largemouth bass (*Micropterus salmoides*) raised in ponds, 145 (1996) 213

Growth hormone

Effects of growth hormone treatment on oxygen consumption and sea water adaptability in Atlantic salmon parr and pre-smolts, 148 (1996) 49

Effect of recombinant vertebrate growth hormones on growth of adult abalone, *Haliotis kamtschatkana*, 140 (1996) 153

Growth rate

Allozyme heterozygosity, founder effect and fitness traits in a cultivated population of the European oyster, *Ostrea edulis*, 139 (1996) 203

Effects of size on optimal temperature for growth and growth efficiency of immature Atlantic halibut (*Hippoglossus hippoglossus* L.), 142 (1996) 33

Reducing the impact of environmental variation in a growth rate improvement program for the

Sydney rock oyster *Saccostrea commercialis*, 143 (1996) 145

Spatial variation in response to selection for live weight and shell length from data on individually tagged Chilean native oysters (*Ostrea chilensis* Philippi, 1845), 146 (1996) 27

The use of self-feeders in rainbow trout (*Oncorhynchus mykiss*) production, 145 (1996) 1

Growth traits

Genetic and environmental variances of body size and morphological traits in communally reared clonal lines from gynogenetic diploid ayu, *Plecoglossus altivelis*, 140 (1996) 333

Growth variability

Food acquisition and growth of juvenile Atlantic salmon (*Salmo salar*) in relation to spatial distribution of food, 143 (1996) 277

pH

Effect of pH, water stability and toughness of artificial diets on the palatability for juvenile abalone *Haliotis fulgens*, 144 (1996) 353

Nitrogenous excretion in *Macrobrachium rosenbergii* at different pH levels, 144 (1996) 155

Halibut

Effect of dietary protein level on growth and carcass composition in Atlantic halibut (*Hippoglossus hippoglossus* L.), 145 (1996) 225

Effects of size on optimal temperature for growth and growth efficiency of immature Atlantic halibut (*Hippoglossus hippoglossus* L.), 142 (1996) 33

Haliotis

Effect of diet on the lipid composition of wild and cultured abalone, 140 (1996) 115

Haliotis asinina

Growth rate of the Philippine abalone, *Haliotis asinina* fed an artificial diet and macroalgae, 144 (1996) 81

Haliotis discus hannai

Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. V. The role of

polyunsaturated fatty acids of macroalgae in abalone nutrition, 139 (1996) 77

Haliotis kamschatkana

Effect of recombinant vertebrate growth hormones on growth of adult abalone, *Haliotis kamschatkana*, 140 (1996) 153

Haliotis laevigata

The effect of different combinations of dietary calcium and phosphorus on the growth of juvenile *Haliotis laevigata*, 145 (1996) 267

Haliotis midae

Effect of dietary protein level on growth performance of South African abalone, *Haliotis midae*, fed fishmeal-based semi-purified diets, 140 (1996) 55

The suitability of selected protein sources for inclusion in formulated diets for the South African abalone, *Haliotis midae*, 140 (1996) 63

Haliotis rubra

The development of artificial diets for abalone: A review and future directions, 140 (1996) 5

Haliotis rufescens

Genetic effects of artificial propagation: signals from wild and hatchery populations of red abalone in California, 143 (1996) 257

Haliotis tuberculata

Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. V. The role of polyunsaturated fatty acids of macroalgae in abalone nutrition, 139 (1996) 77

Haplotype

Mitochondrial DNA variation in wild and hatchery brown trout (*Salmo trutta* L.) populations from Spain, 141 (1996) 59

Hatchability

Influence of protein content of broodstock diets on larval quality and performance in Nile tilapia, *Oreochromis niloticus* (L.), 146 (1996) 245

Hatchery

Economic viability and animal health regulation effects on a large scale trout hatchery, 143 (1996) 245

Growth and metamorphosis of *Rana perezi* larvae in culture: effects of larval density, 142 (1996) 163

Skeletal deformities in larval, juvenile and adult stages of cultured gilthead sea bream (*Sparus aurata* L.), 141 (1996) 1

Hatchery conditions

Settlement of larvae of the giant scallop, *Placopecten magellanicus* (Gmelin), on various artificial and natural substrata under hatchery-type conditions, 141 (1996) 201

Hatchery production

Limitations in the genetic variation of hatchery produced batches of the giant clam, *Tridacna gigas*, 139 (1996) 225

Hatching

Effect of salinity on hatching, larval growth, survival and settling in the tropical oyster *Crassostrea belcheri* (Sowerby), 145 (1996) 129

Hatching rates

Changes in fertilization and hatching rates with time after ovulation induced by 17, 20 β -dihydroxy-4-pregnen-3-one in the Japanese eel, *Anguilla japonica*, 139 (1996) 291

Hematology

Effects of dietary lipid on the hematology of channel catfish, *Ictalurus punctatus*, 147 (1996) 225

Hepatic D-amino acid oxidase

Dietary riboflavin requirement of fingerling channel catfish (*Ictalurus punctatus*), 139 (1996) 285

Heritability

Antibody response in Atlantic salmon (*Salmo salar*) against *Vibrio anguillarum* and *Vibrio salmonicida* O-antigens: Heritabilities, genetic correlations and correlations with survival, 145 (1996) 77

Genetic and environmental variances of body size and morphological traits in communally reared clonal lines from gynogenetic diploid ayu, *Plecoglossus altivelis*, 140 (1996) 333

Genetic and environmental variation of body weight in rainbow trout (*Oncorhynchus mykiss*), 144 (1996) 71

Spatial variation in response to selection for live weight and shell length from data on individually tagged Chilean native oysters (*Ostrea chilensis* Philippi, 1845), 146 (1996) 27

Heterobranchus longifilis

Artificial propagation of the African catfish *Heterobranchus longifilis* (Siluroidei; Clariidae): Description of a simple technique to avoid sacrificing male broodfish for the obtaining of milt, 143 (1996) 215

Heterocapsa circularisquama

Toxicity and LD₅₀ levels of the red tide dinoflagellate *Heterocapsa circularisquama* on juvenile pearl oysters, 144 (1996) 149

Heterozygosity

Allozyme heterozygosity, founder effect and fitness traits in a cultivated population of the European oyster, *Ostrea edulis*, 139 (1996) 203

Limitations in the genetic variation of hatchery produced batches of the giant clam, *Tridacna gigas*, 139 (1996) 225

Hippoglossus hippoglossus

Biochemical composition of eggs from repeat and first-time spawning captive Atlantic halibut (*Hippoglossus hippoglossus*), 139 (1996) 139

Effects of size on optimal temperature for growth and growth efficiency of immature Atlantic halibut (*Hippoglossus hippoglossus* L.), 142 (1996) 33

Growth, development, and skin abnormalities of halibut (*Hippoglossus hippoglossus* L.) juveniles kept on different bottom substrates, 146 (1996) 17

Histochemistry

Limitations of carrageenan microbound diets for feeding white sturgeon, *Acipenser transmontanus*, larvae, 141 (1996) 245

Histology

Limitations of carrageenan microbound diets for feeding white sturgeon, *Acipenser transmontanus*, larvae, 141 (1996) 245

Hormones

LHRHa and pimozone-induced spawning of Asian catfish *Clarias macrocephalus* (Günther)

at different times during an annual reproductive cycle, 148 (1997) 323

Household consumption

Fish culture in rainfed rice fields of northeast Thailand, 140 (1996) 295

Hucho hucho

Cryopreservation of semen of the grayling (*Thymallus thymallus*) and the Danube salmon (*Hucho hucho*), 144 (1996) 265

***n* - 3 HUFA**

Improvement of the nutritional value of rotifers by varying the type and concentration of oil and the enrichment period, 147 (1996) 93

Influence of dietary *n* - 3 highly unsaturated fatty acids levels on juvenile gilthead seabream (*Sparus aurata*) growth and tissue fatty acid composition, 142 (1996) 221

Hybridization

Application of fluorescence in situ hybridization (FISH) techniques to fish genetics: a review, 140 (1996) 197

DNA fragment of *Penaeus monodon* baculovirus PmNOBII gives positive in situ hybridization with white-spot viral infections in six penaeid shrimp species, 143 (1996) 23

Hybrid striped bass

Application of controlled-release, GnRHa-delivery systems in commercial production of white bass \times striped bass hybrids (sunshine bass), using captive broodstocks, 140 (1996) 265

Hydrodynamics

Direct observations of particle kinematics within a scallop (*Placopecten magellanicus*) spat collector by means of video endoscopy, 147 (1996) 71

Hydrogen peroxide

Efficacy of formalin, hydrogen peroxide, and sodium chloride on fungal-infected rainbow trout eggs, 140 (1996) 323

Hydrogen peroxide induced metamorphosis of queen conch, *Strombus gigas*: Tests at the commercial scale, 148 (1997) 247

The efficacy of hydrogen peroxide for the treatment of farmed Atlantic salmon, *Salmo salar* L. infested with sea lice (Copepoda: Caligidae), 148 (1997) 265

Hypercapnia

The effects of hypercapnia on the growth of juvenile white sturgeon, *Acipenser transmontanus*, 147 (1996) 293

Hypophysation

Comparison of fatty acid composition of muscle, liver, mature oocytes, and diets of wild and captive Macquarie perch, *Macquaria australasica*, broodfish, 144 (1996) 201

Ictalurus punctatus

Comparison of channel catfish, *Ictalurus punctatus*, and fathead minnow, *Pimephales promelas*, production and water quality among a polyculture and two monoculture systems, 144 (1996) 177

Comparison of chelated zinc and zinc sulfate as zinc sources for growth and bone mineralization of channel catfish (*Ictalurus punctatus*) fed practical diets, 146 (1996) 237

Dietary riboflavin requirement of fingerling channel catfish (*Ictalurus punctatus*), 139 (1996) 285

Effects of water management practices on discharge of nutrients and organic matter from channel catfish (*Ictalurus punctatus*) ponds, 147 (1996) 57

Efficacy of dicalcium and defluorinated rock phosphates as dietary phosphorus sources for channel catfish (*Ictalurus punctatus*), 147 (1996) 107

IHHNV

The use of an infectious hypodermal and hematopoietic necrosis virus gene probe serodiagnostic field kit for the screening of candidate specific pathogen-free *Penaeus vannamei* broodstock, 147 (1996) 1

IHN

Susceptibility and humoral response of brown trout \times lake trout hybrids to infectious hematopoietic necrosis virus: a model for examining disease resistance mechanisms, 146 (1996) 179

Image analysis

Predicting salmon biomass remotely using a digital stereo-imaging technique, 146 (1996) 189

Stereological studies on the gametogenic cycle of the scallop, *Pecten maximus*, in suspended culture in Ria de Arousa (Galicia, NW Spain), 142 (1996) 119

Immersion

Tissue location of *Vibrio* antigen delivered by immersion to tiger shrimp (*Penaeus monodon*), 145 (1996) 41

Immune responses

Non-specific immune responses in families of Atlantic salmon, *Salmo salar*, exhibiting differential resistance to furunculosis, 146 (1996) 1

Immunocytochemistry

Relationships between the expression of maternal behaviour and ovarian development in the mouthbrooding cichlid fish *Oreochromis niloticus*, 146 (1996) 261

Immunohistochemistry

Presence of trypsin in distinctive body segments of leptocephalus larvae of Anguilliformes, 142 (1996) 237

Immunology

Effects of experimental infections with different doses of *Anguillicola crassus* (Nematoda, Dracunculoidea) on European eel (*Anguilla anguilla*), 141 (1996) 41

Immunomodulation

Influence of dietary glucan and vitamin C on non-specific and specific immune responses of rainbow trout (*Oncorhynchus mykiss*), 143 (1996) 123

Immunostimulant

Enhanced resistance against *Edwardsiella tarda* infection in tilapia (*Oreochromis niloticus*) by administration of protein-bound polysaccharide, 143 (1996) 135

Inactivation

Effect of chemical and physical treatments on the inactivation of striped jack nervous necrosis virus (SJNNV), 143 (1996) 15

Inbreeding depression

Effects of inbreeding on growth and reproductive traits in rainbow trout (*Oncorhynchus mykiss*), 142 (1996) 139

Inclusion

Apparent digestibility of tuna oil for common carp, *Cyprinus carpio* - effect of inclusion level and adaptation time, 148 (1997) 143

Indicator

Apparent digestibility of selected ingredients in red drum (*Sciaenops ocellatus*) diets, 141 (1996) 233

Induced spawning

Application of controlled-release, GnRHa-delivery systems in commercial production of white bass \times striped bass hybrids (sunshine bass), using captive broodstocks, 140 (1996) 265

Induced spawning and larval rearing of captive yellowfin porgy, *Acanthopagrus latus* (Hout-tuyn), 143 (1996) 155

Infection

The relative susceptibility of fish to infections by *Flexibacter columnaris* and *Flexibacter maritimus*, 140 (1996) 259

Infestations

Infestation of *Haliotis rufescens* shells by a sabellid polychaete, 140 (1996) 139

Ingredients

Comparison of two assay methods for determination of nutrient and energy digestibility in fish, 140 (1996) 343

Inorganic zinc

Comparison of chelated zinc and zinc sulfate as zinc sources for growth and bone mineralization of channel catfish (*Ictalurus punctatus*) fed practical diets, 146 (1996) 237

In situ hybridization

Investigation of fish encephalitis viruses (FEV) expression in marine fishes using DIG-labelled probes, 143 (1996) 113

Integrated culture

Influence of Nile tilapia (*Oreochromis niloticus*) stocking density in cages on their growth

and yield in cages and in ponds containing the cages, 146 (1996) 205

Integrated farming

Activity pattern of fish in rice fields, 145 (1996) 159

Integrated pest management

Activity pattern of fish in rice fields, 145 (1996) 159

Interspecific hybrid

Susceptibility and humoral response of brown trout \times lake trout hybrids to infectious hematopoietic necrosis virus: a model for examining disease resistance mechanisms, 146 (1996) 179

Intestinal bacteria

Antibacterial abilities of intestinal bacteria in freshwater cultured fish, 145 (1996) 195

Intestinal swelling

Induced spawning and larval rearing of captive yellowfin porgy, *Acanthopagrus latus* (Hout-tuyn), 143 (1996) 155

Intestine

Enterocytes in the anterior intestine of *Oncorhynchus mykiss*: Cytological characteristics related to osmoregulation, 139 (1996) 109

Invertebrates

In vitro embryogenesis of *Macrobrachium rosenbergii* larvae following in vivo fertilization, 147 (1996) 169

Japanese pearl oyster

Color and weight of pearls produced by grafting the mantle tissue from a selected population for white shell color of the Japanese pearl oyster *Pinctada fucata martensii* (Dunker), 142 (1996) 25

Juvenile

Comparative growth performance and digestive enzyme activity of juvenile South African abalone, *Haliotis midae*, fed on diatoms and a practical diet, 140 (1996) 75

Skeletal deformities in larval, juvenile and adult stages of cultured gilthead sea bream (*Sparus aurata* L.), 141 (1996) 1

Survival and growth of juvenile fluted giant clams, *Tridacna squamosa*, in large-scale grow-out trials in the Solomon Islands, 148 (1997) 85

Weaning of metamorphosed winter flounder (*Pleuronectes americanus*) reared in the laboratory: comparison of two commercial artificial diets on growth, survival and conversion efficiency, 144 (1996) 251

Juvenile scallops

Shell and tissue growth of juvenile sea scallops (*Placopecten magellanicus*) in suspended and bottom culture in Lunenburg Bay, Nova Scotia, 142 (1996) 75

Juvenile *Trochus niloticus*

Detectability of cryptic juvenile *Trochus niloticus* Linnaeus in stock enhancement experiments, 144 (1996) 91

Kaolin

Nutritional value of a spray-dried freshwater alga, *Spongiococcum excentricum*, for Pacific oyster (*Crassostrea gigas*) spat, 146 (1996) 135

Kappaphycus alvarezii

Use of seaweed meals from *Kappaphycus alvarezii* and *Gracilaria heteroclada* as binders in diets for juvenile shrimp *Penaeus monodon*, 143 (1996) 393

Kinetics

Estimates of the significance of out-washing of oxytetracycline from sediments under Atlantic salmon sea-cages, 144 (1996) 17

Krill meal

Effects of initial weight and genetic strain on feed training largemouth bass *Micropterus salmoides* using ground fish flesh and freeze-dried krill as starter diets, 148 (1997) 179

Largemouth bass

Effects of initial weight and genetic strain on feed training largemouth bass *Micropterus salmoides* using ground fish flesh and freeze-dried krill as starter diets, 148 (1997) 179

Identification of feed enhancers for juvenile largemouth bass *Micropterus salmoides*, 148 (1997) 191

The use of freeze-dried krill to feed train largemouth bass (*Micropterus salmoides*): feeds and training strategies, 148 (1997) 299

Larva

Aquaculture potential of the Suminoe oyster (*Crassostrea ariakensis*. Fugita 1913), 144 (1996) 321

Effects of live food and dietary digestive enzymes on the efficiency of microdiets for seabass (*Dicentrarchus labrax*) larvae, 148 (1997) 313

Fatty acids of wild and cultured *Penaeus vannamei* larvae from Ecuador, 142 (1996) 259

Formation of the diffuse pancreas and the development of digestive enzyme synthesis in larvae of the Japanese flounder *Paralichthys olivaceus*, 141 (1996) 267

Growth and metamorphosis of *Rana perezi* larvae in culture: effects of larval density, 142 (1996) 163

Hydrogen peroxide induced metamorphosis of queen conch, *Strombus gigas*: Tests at the commercial scale, 148 (1997) 247

Limitations of carrageenan microbound diets for feeding white sturgeon, *Acipenser transmontanus*, larvae, 141 (1996) 245

Settlement of larvae of the giant scallop, *Placopecten magellanicus* (Gmelin), on various artificial and natural substrata under hatchery-type conditions, 141 (1996) 201

Skeletal deformities in larval, juvenile and adult stages of cultured gilthead sea bream (*Sparus aurata* L.), 141 (1996) 1

The importance of broodstock nutrition on the viability of larvae and spat in the Chilean oyster *Ostrea chilensis*, 139 (1996) 63

Weaning of hatchery-reared greenback flounder (*Rhombosolea tapirina* Günther) from live to artificial diets: Effects of age and duration of the changeover period, 145 (1996) 171

Larval development

Ontogeny of the lymphoid organs in the turbot *Scophthalmus maximus*: a light and electron microscope study, 144 (1996) 1

Larval growth

Effect of salinity on hatching, larval growth, survival and settling in the tropical oyster *Crassostrea belcheri* (Sowerby), 145 (1996) 129

Larval performance

Influence of protein content of broodstock diets on larval quality and performance in Nile tilapia, *Oreochromis niloticus* (L.), 146 (1996) 245

Larval rearing

Effects of initial weight and genetic strain on feed training largemouth bass *Micropterus salmoides* using ground fish flesh and freeze dried krill as starter diets, 148 (1997) 179

Latitude

A standardized comparison of semi-intensive pond culture of freshwater prawns *Macrobrachium rosenbergii* at different latitudes: production increases associated with lower water temperatures, 141 (1996) 145

Lepeophtheirus salmonis

Field trials on the efficacy of the organophosphorus compound azamethiphos for the control of sea lice (Copepoda: Caligidae) infestations of farmed Atlantic salmon (*Salmo salar*), 140 (1996) 217

The efficacy of hydrogen peroxide for the treatment of farmed Atlantic salmon, *Salmo salar* L. infested with sea lice (Copepoda: Caligidae), 148 (1997) 265

Leptocephali

Presence of trypsin in distinctive body segments of leptocephalus larvae of Anguilliformes, 142 (1996) 237

Lethal effect

Toxicity and LD₅₀ levels of the red tide dinoflagellate *Heterocapsa circularisquama* on juvenile pearl oysters, 144 (1996) 149

Light

Nutritional value of diets that vary in fatty acid composition for larval Pacific oysters (*Crassostrea gigas*), 143 (1996) 379

Lipid

Apparent digestibility of tuna oil for common carp, *Cyprinus carpio* - effect of inclusion level and adaptation time, 148 (1997) 143

Biochemical composition of eggs from repeat and first-time spawning captive Atlantic halibut (*Hippoglossus hippoglossus*), 139 (1996) 139

Nutritional value of diets that vary in fatty acid composition for larval Pacific oysters (*Crassostrea gigas*), 143 (1996) 379

Optimal dietary lipid level for growth of juvenile hybrid tilapia, *Oreochromis niloticus* × *Oreochromis aureus*, 143 (1996) 185

The use of silages prepared from fish neural tissues as enrichers for rotifers (*Brachionus plicatilis*) and *Artemia* in the nutrition of larval marine fish, 148 (1997) 213

Lipid emulsions

Improvement of the nutritional value of rotifers by varying the type and concentration of oil and the enrichment period, 147 (1996) 93

Lipid peroxidation

Fat cell necrosis syndrome in Atlantic halibut, *Hippoglossus hippoglossus* L., 144 (1996) 65

Lipogenesis

Effect of feeding strategy and carbohydrate source on carbohydrate utilization by white sturgeon (*Acipenser transmontanus*) and hybrid tilapia (*Oreochromis niloticus* × *O. aureus*), 148 (1997) 201

Liposomes

Two novel *Artemia* enrichment diets containing polar lipid, 144 (1996) 339

Live food

Adult *Artemia* as food for first feeding coho salmon (*Oncorhynchus kisutch*), 144 (1996) 217

Liver

Comparison of fatty acid composition of muscle, liver, mature oocytes, and diets of wild and captive Macquarie perch, *Macquaria australasica*, broodfish, 144 (1996) 201

Lordosis

Skeletal deformities in larval, juvenile and adult stages of cultured gilthead sea bream (*Sparus aurata* L.), 141 (1996) 1

Low-cost inputs

The use of napier grass (*Pennisetum purpureum*) and maize (*Zea mays*) bran as low-cost tilapia aquaculture inputs, 146 (1996) 101

LT fish meal

Fish protein hydrolyzate in starter diets for Atlantic salmon (*Salmo salar*) fry, 145 (1996) 205

Lymphoid organs

Ontogeny of the lymphoid organs in the turbot *Scophthalmus maximus*: a light and electron microscope study, 144 (1996) 1

Lysine

The effect of dietary carnitine supplementation on growth of red sea bream (*Pagrus major*) fingerlings at two levels of dietary lysine, 147 (1996) 235

Machrobium rosenbergii

Effects of temperature change rate on nitrogen effluxes of *Macrobrachium rosenbergii* (DeMan), 140 (1996) 373

Macrobrachium rosenbergii

In vitro culture of embryonic cells from the freshwater prawn *Macrobrachium rosenbergii*, 143 (1996) 227

Macquarie perch

Comparison of fatty acid composition of muscle, liver, mature oocytes, and diets of wild and captive Macquarie perch, *Macquaria australasica*, broodfish, 144 (1996) 201

Macroalgae

Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. V. The role of polyunsaturated fatty acids of macroalgae in abalone nutrition, 139 (1996) 77

Growth rate of the Philippine abalone, *Haliotis asinina* fed an artificial diet and macroalgae, 144 (1996) 81

Macrobrachium rosenbergii

A standardized comparison of semi-intensive pond culture of freshwater prawns *Macrobrachium rosenbergii* at different latitudes: production increases associated with lower water temperatures, 141 (1996) 145

Effects of temperature on oxygen consumption and nitrogenous excretion of juvenile *Macrobrachium rosenbergii*, 145 (1996) 295

In vitro embryogenesis of *Macrobrachium rosenbergii* larvae following in vivo fertilization, 147 (1996) 169

Nitrogenous excretion in *Macrobrachium rosenbergii* at different pH levels, 144 (1996) 155

Maize bran

The use of napier grass (*Pennisetum purpureum*) and maize (*Zea mays*) bran as low-cost tilapia aquaculture inputs, 146 (1996) 101

Management

Mass cultivation of the agar-producing alga *Gracilaria chilensis* (Rhodophyta) from spores, 148 (1997) 77

Mangrove

Physical and chemical characteristics of sediments from prawn farms and mangrove habitats on the Clarence River, Australia, 146 (1996) 47

Marginal environment

Fish culture in rainfed rice fields of northeast Thailand, 140 (1996) 295

Mariculture

Mass cultivation of the agar-producing alga *Gracilaria chilensis* (Rhodophyta) from spores, 148 (1997) 77

Optimization of certain physical parameters for the mariculture of *Gracilaria edulis* (Gmelin) Silva in Minicoy lagoon (Laccadive Archipelago), 139 (1996) 265

The evaluation of two treatments to reduce mud worm (*Polydora hoplura* Claparède) infestation in commercially reared oysters (*Crassostrea gigas* Thunberg), 141 (1996) 31

Marine

Is sediment deposition the dominant fate of oxytetracycline used in marine salmonid farms: a review of available evidence, 146 (1996) 157

Marine fish farms

Estimates of the significance of out-washing of oxytetracycline from sediments under Atlantic salmon sea-cages, 144 (1996) 17

Marine fish larvae

Effects of photoperiod, temperature and salinity on hatchery-reared larvae of the greenback flounder (*Rhombosolea tapirina* Günther, 1862), 144 (1996) 303

Marine salmon farm

Spatial distribution of oxytetracycline and elevated frequencies of oxytetracycline resistance in sediments beneath a marine salmon farm following oxytetracycline therapy, 145 (1996) 31

Marine sediments

The importance of bacterial multiplication in the selection, by oxytetracycline-HCl, of oxytetracycline-resistant bacteria in marine sediment microcosms, 144 (1996) 103

Market

The abalone market: Opportunities for cultured abalone, 140 (1996) 187

Maturation

Differential patterns of feeding and resource accumulation in maturing and immature Atlantic salmon, *Salmo salar*, 142 (1996) 245

Sea bass (*Dicentrarchus labrax*) larvae fed different *Artemia* rations: growth, pancreas enzymatic response and development of digestive functions, 139 (1996) 129

Mature oocytes

Comparison of fatty acid composition of muscle, liver, mature oocytes, and diets of wild and captive Macquarie perch, *Macquaria australasica*, broodfish, 144 (1996) 201

Medaka

A stable line of transgenic medaka (*Oryzias latipes*) carrying the CAT gene, 143 (1996) 267

Media

Attempts to initiate cell cultures from *Penaeus chinensis* tissues, 147 (1996) 151

Media supplements

Attempts to initiate cell cultures from *Penaeus chinensis* tissues, 147 (1996) 151

Medicated feed

Tissue distribution and elimination of oxytetracycline in seawater chinook and coho salmon following medicated-feed treatment, 144 (1996) 27

Meiotic gynogenesis

Rapid verification of meiotic gynogenesis and polyploidy in white sturgeon (*Acipenser transmontanus* Richardson), 147 (1996) 177

Metabolic processes

The importance of bacterial multiplication in the selection, by oxytetracycline-HCl, of oxytetracycline-resistant bacteria in marine sediment microcosms, 144 (1996) 103

Metabolism

Deposition and metabolism of dietary canthaxanthin in different organs of Arctic charr (*Salvelinus alpinus* L.), 142 (1996) 99

Metallothionein

A stable line of transgenic medaka (*Oryzias latipes*) carrying the CAT gene, 143 (1996) 267

Metals

Determination of some metals in *Clarias gariepinus* (Cuvier and Valenciennes), *Cyprinus carpio* (L.) and *Oreochromis niloticus* (L.) fishes in a polyculture fresh water pond and their environments, 147 (1996) 205

Metamorphosis

Estimation of the protein requirement for bullfrog (*Rana catesbeiana*) tadpoles, and its effect on metamorphosis ratio, 141 (1996) 223

Hydrogen peroxide induced metamorphosis of queen conch, *Strombus gigas*: Tests at the commercial scale, 148 (1997) 247

Methionine requirement

Methionine requirement of juvenile tiger shrimp *Penaeus monodon* Fabricius, 143 (1996) 403

Method

Comparison of two assay methods for determination of nutrient and energy digestibility in fish, 140 (1996) 343

Microbound diets

Limitations of carrageenan microbound diets for feeding white sturgeon, *Acipenser transmontanus*, larvae, 141 (1996) 245

Microcosms

The importance of bacterial multiplication in the selection, by oxytetracycline-HCl, of oxytetracycline-resistant bacteria in marine sediment microcosms, 144 (1996) 103

Microdiet

Effects of live food and dietary digestive enzymes on the efficiency of microdiets for seabass (*Dicentrarchus labrax*) larvae, 148 (1997) 313

Microenvironment

Integrated cultivation of the red alga *Kappaphycus alvarezii* and the pearl oyster *Pinctada martensi*, 147 (1996) 21

Micropterus salmoides

Effects of dietary protein level on second year growth and water quality for largemouth bass (*Micropterus salmoides*) raised in ponds, 145 (1996) 213

Milt diluent

Diluent for cool storage of the Japanese eel (*Anguilla japonica*) spermatozoa, 142 (1996) 107

Mineral nutrition

Comparison of chelated zinc and zinc sulfate as zinc sources for growth and bone mineralization of channel catfish (*Ictalurus punctatus*) fed practical diets, 146 (1996) 237

Mizuhopecten yessoensis

Mortality of late juvenile and adult stages of the scallop *Mizuhopecten yessoensis* (Jay), 141 (1996) 97

Model

A simple von Bertalanffy model for density-dependent growth in extensive aquaculture, with an application to common carp (*Cyprinus carpio*), 142 (1996) 191

Long-term dynamics of blue mussel (*Mytilus edulis* L.) culture settlements (the White Sea), 147 (1996) 191

Simulation model of recirculating mariculture with seaweed biofilter: development and experimental tests of the model, 143 (1996) 167

Model prediction

Size and feed dependent cannibalism with juvenile snakehead *Channa striatus*, 144 (1996) 313

Molluscan aquaculture

Growth of post-set oysters, *Crassostrea virginica*, on high-lipid strains of algal flagellates *Tetraselmis* spp., 143 (1996) 411

Mollusc shell

Mortality of late juvenile and adult stages of the scallop *Mizuhopecten yessoensis* (Jay), 141 (1996) 97

Molting

Effects of saponin on survival, growth, molting and feeding of *Penaeus japonicus* juveniles, 144 (1996) 165

Moronidae

Application of controlled-release, GnRHa-delivery systems in commercial production of white bass \times striped bass hybrids (sunshine bass), using captive broodstocks, 140 (1996) 265

Morphological traits

Genetic and environmental variances of body size and morphological traits in communally reared clonal lines from gynogenetic diploid ayu, *Plecoglossus altivelis*, 140 (1996) 333

Mortality

Mortality of late juvenile and adult stages of the scallop *Mizuhopecten yessoensis* (Jay), 141 (1996) 97

Motility

Cryopreservation of rainbow trout (*Oncorhynchus mykiss*) spermatozoa using programmable freezing, 143 (1996) 319

Muscle

Comparison of fatty acid composition of muscle, liver, mature oocytes, and diets of wild and captive Macquarie perch, *Macquaria australasica*, broodfish, 144 (1996) 201

Mussel

On the use of self-thinning relationships in stocking experiments, 145 (1996) 91

Mytilus edulis

Long-term dynamics of blue mussel (*Mytilus edulis* L.) culture settlements (the White Sea), 147 (1996) 191

¹⁵N

The use of enriched ¹⁵N as an indicator of the assimilation of individual protein sources from compound diets for juvenile *Penaeus monodon*, 147 (1996) 249

NAC solubility

Efficacy of dicalcium and defluorinated rock phosphates as dietary phosphorus sources for channel catfish (*Ictalurus punctatus*), 147 (1996) 107

Napier grass

The use of napier grass (*Pennisetum purpureum*) and maize (*Zea mays*) bran as low-cost tilapia aquaculture inputs, 146 (1996) 101

Nauplii

Tetraselmis suecica cultured in different nutrient concentrations varies in nutritional value to *Artemia*, 143 (1996) 197

Nematode

Effects of experimental infections with different doses of *Anguillicola crassus* (Nematoda, Dracunculoidea) on European eel (*Anguilla anguilla*), 141 (1996) 41

Nets

Temperate freshwater fouling on floating net cages: method of evaluation, model and composition, 143 (1996) 303

New feeds

Effects of initial weight and genetic strain on feed training largemouth bass *Micropterus salmoides* using ground fish flesh and freeze dried krill as starter diets, 148 (1997) 179

Nile tilapia

Influence of Nile tilapia (*Oreochromis niloticus*) stocking density in cages on their growth and yield in cages and in ponds containing the cages, 146 (1996) 205

Nitrification

The potential for integrated biological treatment systems in recirculating fish culture—A review, 139 (1996) 181

Nitrogen efflux

Effects of temperature change rate on nitrogen effluxes of *Macrobrachium rosenbergii* (DeMan), 140 (1996) 373

Nitrogenous excretion

Effects of temperature on oxygen consumption and nitrogenous excretion of juvenile *Macrobrachium rosenbergii*, 145 (1996) 295

Nitrogenous excretion in *Macrobrachium rosenbergii* at different pH levels, 144 (1996) 155

Nitrogen release and uptake

Integrated cultivation of the red alga *Kappaphycus alvarezii* and the pearl oyster *Pinctada martensi*, 147 (1996) 21

Noble crayfish

Signal crayfish, *Pacifastacus leniusculus*, as a vector for *Psorospermium haeckeli* to noble crayfish, *Astacus astacus*, 148 (1996) 1

Non-additive genetic effect

Genetic and environmental variation of body weight in rainbow trout (*Oncorhynchus mykiss*), 144 (1996) 71

Nonspecific immune system

Enhanced resistance against *Edwardsiella tarda* infection in tilapia (*Oreochromis niloticus*) by administration of protein-bound polysaccharide, 143 (1996) 135

Northeast Thailand

Fish culture in rainfed rice fields of northeast Thailand, 140 (1996) 295

Notochord

Skeletal deformities in larval, juvenile and adult stages of cultured gilthead sea bream (*Sparus aurata* L.), 141 (1996) 1

Nucleotides

Identification of feed enhancers for juvenile largemouth bass *Micropterus salmoides*, 148 (1997) 191

Nutrient availability

Determination of digestibility coefficients of various feedstuffs for red drum (*Sciaenops ocellatus*), 139 (1996) 303

Nutrient concentrations

Tetraselmis suecica cultured in different nutrient concentrations varies in nutritional value to *Artemia*, 143 (1996) 197

Nutrients

Physical and chemical characteristics of sediments from prawn farms and mangrove habitats on the Clarence River, Australia, 146 (1996) 47

Seaweed biofilters as regulators of water quality in integrated fish-seaweed culture units, 141 (1996) 183

Nutrition

Availability of phosphorus from feedstuffs fed to rainbow trout, *Oncorhynchus mykiss*, 142 (1996) 269

Biochemical composition of new yeasts and bacteria evaluated as food for bivalve aquaculture, 143 (1996) 341

Evaluation of live microalgal diets for the seed culture of *Ruditapes decussatus* using physiological and biochemical parameters, 148 (1996) 11

Growth of post-set oysters, *Crassostrea virginica*, on high-lipid strains of algal flagellates *Tetraselmis* spp., 143 (1996) 411

Influence of dietary $n-3$ highly unsaturated fatty acids levels on juvenile gilthead seabream (*Sparus aurata*) growth and tissue fatty acid composition, 142 (1996) 221

Influence of dietary glucan and vitamin C on non-specific and specific immune responses of rainbow trout (*Oncorhynchus mykiss*), 143 (1996) 123

Nutritional value of a spray-dried freshwater alga, *Spongiococcum excentricum*, for Pacific oyster (*Crassostrea gigas*) spat, 146 (1996) 135

Temperature and nutrition as factors in conditioning broodstock of the commercial scallop *Pecten fumatus* Reeve, 143 (1996) 75

The composition and amino acid balance of abalone (*Haliotis rubra*) tissue, 140 (1996) 109

The effect of dietary protein and lipid from squid and fish meals on egg quality of broodstock for gilthead seabream (*Sparus aurata*), 148 (1997) 233

The effect of different levels and sources of dietary phosphatidylcholine on the growth, survival, stress resistance, and fatty acid composition of postlarval *Penaeus vannamei*, 147 (1996) 261

Nutritional restriction

Sea bass (*Dicentrarchus labrax*) larvae fed different *Artemia* rations: growth, pancreas enzymatic response and development of digestive functions, 139 (1996) 129

O-antigens

Antibody response in Atlantic salmon (*Salmo salar*) against *Vibrio anguillarum* and *Vibrio salmonicida* O-antigens: Heritabilities, genetic correlations and correlations with survival, 145 (1996) 77

Odontesthes bonariensis

Sex differentiation and hormonal feminization in pejerrey *Odontesthes bonariensis*, 139 (1996) 31

Off-season

LHRHa and pimozide-induced spawning of Asian catfish *Clarias macrocephalus* (Gunther) at different times during an annual reproductive cycle, 148 (1997) 323

O. karongae

The use of napier grass (*Pennisetum purpureum*) and maize (*Zea mays*) bran as low-cost tilapia aquaculture inputs, 146 (1996) 101

Oligotrophy

Particulate material as an indicator of pearl-oyster excess in the Takapoto lagoon (Tuamotu, French Polynesia), 144 (1996) 133

Oncorhynchus mykiss

Cryopreservation of rainbow trout (*Oncorhynchus mykiss*) spermatozoa using programmable freezing, 143 (1996) 319

- Effects of inbreeding on growth and reproductive traits in rainbow trout (*Oncorhynchus mykiss*), 142 (1996) 139
- Genetic and environmental variation of body weight in rainbow trout (*Oncorhynchus mykiss*), 144 (1996) 71
- Pharmacokinetics of benzocaine in rainbow trout (*Oncorhynchus mykiss*) after intraarterial dosing, 148 (1996) 39
- Oocyte atresia**
Stereological studies on the gametogenic cycle of the scallop, *Pecten maximus*, in suspended culture in Ria de Arousa (Galicia, NW Spain), 142 (1996) 119
- Oocytes**
A comparative study of the ovarian development in wild and pond-reared shrimp, *Penaeus kerathurus* (Forsk  ll, 1775), 148 (1996) 63
- Ophiocephalus obscurus***
Recruitment control of Nile tilapia, *Oreochromis niloticus*, by the African catfish, *Clarias gariepinus* (Burchell 1822), and the African snakehead, *Ophiocephalus obscurus*. I. A biological analysis, 146 (1996) 85
- Optimal temperature**
Effects of size on optimal temperature for growth and growth efficiency of immature Atlantic halibut (*Hippoglossus hippoglossus* L.), 142 (1996) 33
- Optimum parameters**
Optimization of certain physical parameters for the mariculture of *Gracilaria edulis* (Gmelin) Silva in Minicoy lagoon (Laccadive Archipelago), 139 (1996) 265
- Oreochromis mossambicus***
Acute and chronic toxicity of tannic acid and spent bark of cinchona to tilapia *Oreochromis mossambicus*, 145 (1996) 119
- Oreochromis niloticus***
Activity pattern of fish in rice fields, 145 (1996) 159
- Combined effects of water temperature and salinity on growth and feed utilization of juvenile Nile tilapia *Oreochromis niloticus* (Linnaeus), 146 (1996) 37
- Influence of Nile tilapia (*Oreochromis niloticus*) stocking density in cages on their growth and yield in cages and in ponds containing the cages, 146 (1996) 205
- Recruitment control of Nile tilapia, *Oreochromis niloticus*, by the African catfish, *Clarias gariepinus* (Burchell 1822), and the African snakehead, *Ophiocephalus obscurus*. I. A biological analysis, 146 (1996) 85
- Relationships between the expression of maternal behaviour and ovarian development in the mouthbrooding cichlid fish *Oreochromis niloticus*, 146 (1996) 261
- The need for dietary mineral supplementation for Nile tilapia, *Oreochromis niloticus*, cultured in a semi-intensive system, 144 (1996) 227
- Oreochromis* spp.**
Effect of feeding strategy and carbohydrate source on carbohydrate utilization by white sturgeon (*Acipenser transmontanus*) and hybrid tilapia (*Oreochromis niloticus* \times *O. aureus*), 148 (1997) 201
- Optimal dietary lipid level for growth of juvenile hybrid tilapia, *Oreochromis niloticus* \times *Oreochromis aureus*, 143 (1996) 185
- Organic loading**
The effect of trout farm effluent on the taxa richness of benthic macroinvertebrates, 147 (1996) 37
- Organophosphate**
Field trials on the efficacy of the organophosphorus compound azamethiphos for the control of sea lice (Copepoda: Caligidae) infestations of farmed Atlantic salmon (*Salmo salar*), 140 (1996) 217
- O. shiranus***
The use of napier grass (*Pennisetum purpureum*) and maize (*Zea mays*) bran as low-cost tilapia aquaculture inputs, 146 (1996) 101
- Osmoregulation**
Enterocytes in the anterior intestine of *Oncorhynchus mykiss*: Cytological characteristics related to osmoregulation, 139 (1996) 109

Ostrea chilensis

Spatial variation in response to selection for live weight and shell length from data on individually tagged Chilean native oysters (*Ostrea chilensis* Philippi, 1845), 146 (1996) 27

Ostrea edulis

Allozyme heterozygosity, founder effect and fitness traits in a cultivated population of the European oyster, *Ostrea edulis*, 139 (1996) 203

Season-, age-, and sex-related variation in the prevalence of bonamiasis in flat oysters (*Ostrea edulis* L.) on the south coast of Ireland, 144 (1996) 53

Ovarian development

A comparative study of the ovarian development in wild and pond-reared shrimp, *Penaeus kerathurus* (Forskål, 1775), 148 (1996) 63

Ovarian histology

A comparative study of the ovarian development in wild and pond-reared shrimp, *Penaeus kerathurus* (Forskål, 1775), 148 (1996) 63

Ovarian steroids

Effect of holding temperature on ovulation, egg fertility, plasma levels of reproductive hormones and in vitro ovarian steroidogenesis in the rainbow trout *Oncorhynchus mykiss*, 146 (1996) 277

Ovary

Relationships between the expression of maternal behaviour and ovarian development in the mouthbrooding cichlid fish *Oreochromis niloticus*, 146 (1996) 261

Oxygen

Effect of stocking density, oxygen level, light regime and swimming velocity on the incidence of sexual maturation in adult Atlantic salmon (*Salmo salar*), 143 (1996) 43

Oxygen consumption

Effects of growth hormone treatment on oxygen consumption and sea water adaptability in Atlantic salmon parr and pre-smolts, 148 (1996) 49

Effects of temperature on oxygen consumption and nitrogenous excretion of juvenile *Macrobrachium rosenbergii*, 145 (1996) 295

Oxytetracycline

Bioavailability of oxytetracycline from medicated feed administered to Atlantic salmon (*Salmo salar* L.) in seawater, 143 (1996) 7

Estimates of the significance of out-washing of oxytetracycline from sediments under Atlantic salmon sea-cages, 144 (1996) 17

Is sediment deposition the dominant fate of oxytetracycline used in marine salmonid farms: a review of available evidence, 146 (1996) 157

Pharmacokinetic study of oxytetracycline in healthy and vibriosis-infected ayu (*Plecoglossus altivelis*), 143 (1996) 33

Tissue distribution and elimination of oxytetracycline in seawater chinook and coho salmon following medicated-feed treatment, 144 (1996) 27

Tissue distribution and residue depletion of oxytetracycline in sea bream (*Sparus aurata*) and sea bass (*Dicentrarchus labrax*) after oral administration, 147 (1996) 159

Oxytetracycline concentration

Spatial distribution of oxytetracycline and elevated frequencies of oxytetracycline resistance in sediments beneath a marine salmon farm following oxytetracycline therapy, 145 (1996) 31

Oxytetracycline HCl

Estimation of the influence of a river sediment on the biological activity of oxytetracycline hydrochloride, 141 (1996) 67

The importance of bacterial multiplication in the selection, by oxytetracycline-HCl, of oxytetracycline-resistant bacteria in marine sediment microcosms, 144 (1996) 103

Oxytetracycline resistance

Spatial distribution of oxytetracycline and elevated frequencies of oxytetracycline resistance in sediments beneath a marine salmon farm following oxytetracycline therapy, 145 (1996) 31

The biological significance of breakpoint concentrations of oxytetracycline in media for the examination of marine sediment microflora, 145 (1996) 21

The critical importance of sample site in the determination of the frequency of oxytetracycline resistance in the effluent microflora of a fresh water fish farm, 139 (1996) 47

Oxytetracycline therapy

Spatial distribution of oxytetracycline and elevated frequencies of oxytetracycline resistance in sediments beneath a marine salmon farm following oxytetracycline therapy, 145 (1996) 31

Oyster

Aquaculture potential of the Suminoe oyster (*Crassostrea ariakensis*, Fugita 1913), 144 (1996) 321

Food value of live yeasts and dry yeast-based diets fed to Sydney rock oyster *Saccostrea commercialis* spat, 145 (1996) 235

Nutritional value of a spray-dried freshwater alga, *Spongiococcum excentricum*, for Pacific oyster (*Crassostrea gigas*) spat, 146 (1996) 135

Progress in a Sydney rock oyster, *Saccostrea commercialis* (Iredale and Roughley), breeding program, 144 (1996) 295

Reducing the impact of environmental variation in a growth rate improvement program for the Sydney rock oyster *Saccostrea commercialis*, 143 (1996) 145

The evaluation of two treatments to reduce mud worm (*Polydora hoplura* Claparède) infestation in commercially reared oysters (*Crassostrea gigas* Thunberg), 141 (1996) 31

The importance of broodstock nutrition on the viability of larvae and spat in the Chilean oyster *Ostrea chilensis*, 139 (1996) 63

Ozone

Effect of chemical and physical treatments on the inactivation of striped jack nervous necrosis virus (SJNNV), 143 (1996) 15

Effect of ozone treatment on amylases in seawater, 141 (1996) 77

Pacifastacus leniusculus

Signal crayfish, *Pacifastacus leniusculus*, as a vector for *Psorospermium haeckeli* to noble crayfish, *Astacus astacus*, 148 (1996) 1

Palatability

Effect of pH, water stability and toughness of artificial diets on the palatability for juvenile abalone *Haliotis fulgens*, 144 (1996) 353

Pancreatin

Effects of live food and dietary digestive enzymes on the efficiency of microdiets for seabass (*Dicentrarchus labrax*) larvae, 148 (1997) 313

Panulirus ornatus

Survival, growth and food conversion efficiency of *Panulirus ornatus* following eyestalk ablation, 146 (1996) 225

Paper chromatography

In vitro carbohydrate digestibility tests in the Indian white shrimp, *Penaeus indicus*, 139 (1996) 315

Parasite

Effects of experimental infections with different doses of *Anguillicola crassus* (Nematoda, Dracunculoidae) on European eel (*Anguilla anguilla*), 141 (1996) 41

Parasites in commercially-exploited cephalopods (Mollusca, Cephalopoda) in Spain: an updated perspective, 142 (1996) 1

The effect of the isopod parasite *Ceratothoa gaudichaudii* on the body weight of farmed *Salmo salar* in southern Chile, 143 (1996) 1

Parental care

Relationships between the expression of maternal behaviour and ovarian development in the mouthbrooding cichlid fish *Oreochromis niloticus*, 146 (1996) 261

Partial gonadectomy

Artificial propagation of the African catfish *Heterobranchus longifilis* (Siluroidei; Clariidae): Description of a simple technique to avoid sacrificing male broodfish for the obtaining of milt, 143 (1996) 215

Particles

Direct observations of particle kinematics within a scallop (*Placopecten magellanicus*) spat collector by means of video endoscopy, 147 (1996) 71

Pathobiology

Effects of experimental infections with different doses of *Anguillicola crassus* (Nematoda, Dracunculioidea) on European eel (*Anguilla anguilla*), 141 (1996) 41

PCR

Rapid identification of *Aeromonas salmonicida* subspecies *salmonicida* by the polymerase chain reaction, 141 (1996) 13

Pearl color

Color and weight of pearls produced by grafting the mantle tissue from a selected population for white shell color of the Japanese pearl oyster *Pinctada fucata martensii* (Dunker), 142 (1996) 25

Pearl oyster

An evaluation of some relaxants for use with pearl oysters, 144 (1996) 39

Toxicity and LD₅₀ levels of the red tide dinoflagellate *Heterocapsa circularisquama* on juvenile pearl oysters, 144 (1996) 149

Pearl oyster *Pinctada martensi*

Integrated cultivation of the red alga *Kappaphycus alvarezii* and the pearl oyster *Pinctada martensi*, 147 (1996) 21

Pearl weight

Color and weight of pearls produced by grafting the mantle tissue from a selected population for white shell color of the Japanese pearl oyster *Pinctada fucata martensii* (Dunker), 142 (1996) 25

Pecten fumatus

Temperature and nutrition as factors in conditioning broodstock of the commercial scallop *Pecten fumatus* Reeve, 143 (1996) 75

Pecten maximus

Stereological studies on the gametogenic cycle of the scallop, *Pecten maximus*, in suspended culture in Ria de Arousa (Galicia, NW Spain), 142 (1996) 119

Pejerrey

Sex differentiation and hormonal feminization in pejerrey *Odontesthes bonariensis*, 139 (1996) 31

Penaeid nutrition

Feeding activity patterns of the Southern brown shrimp *Penaeus subtilis* under semi-intensive culture in NE Brazil, 144 (1996) 371

Penaeus chinensis

Attempts to initiate cell cultures from *Penaeus chinensis* tissues, 147 (1996) 151

Penaeus indicus

In vitro carbohydrate digestibility tests in the Indian white shrimp, *Penaeus indicus*, 139 (1996) 315

Penaeus japonicus

Changes in the physico-chemical characteristics and lipid composition in sediments from productive aquaculture ponds after a short-term shrimp growth experiment, 144 (1996) 121

Effects of saponin on survival, growth, molting and feeding of *Penaeus japonicus* juveniles, 144 (1996) 165

Tolerance and respiration of the prawn (*Penaeus japonicus*) under cold air conditions, 143 (1996) 205

Penaeus kerathurus

A comparative study of the ovarian development in wild and pond-reared shrimp, *Penaeus kerathurus* (Forskål, 1775), 148 (1996) 63

Penaeus monodon

DNA fragment of *Penaeus monodon* baculovirus PmNOBII gives positive in situ hybridization with white-spot viral infections in six penaeid shrimp species, 143 (1996) 23

Digestibility studies on fisheries by-product based diets for *Penaeus monodon*, 143 (1996) 331

Physical and chemical characteristics of sediments from prawn farms and mangrove habitats on the Clarence River, Australia, 146 (1996) 47

Qualitative requirements of essential fatty acids for juvenile *Penaeus monodon*, 147 (1996) 275

Tissue location of *Vibrio* antigen delivered by immersion to tiger shrimp (*Penaeus monodon*), 145 (1996) 41

Use of seaweed meals from *Kappaphycus alvarezii* and *Gracilaria heteroclada* as binders in diets for juvenile shrimp *Penaeus monodon*, 143 (1996) 393

***Penaeus monodon* Fabricius**

Methionine requirement of juvenile tiger shrimp *Penaeus monodon* Fabricius, 143 (1996) 403

Penaeus subtilis

Feeding activity patterns of the Southern brown shrimp *Penaeus subtilis* under semi-intensive culture in NE Brazil, 144 (1996) 371

Penaeus vannamei

Abundance and diversity of macrofauna (fish and decapod crustaceans) in *Penaeus vannamei* culture ponds in Western Mexico, 143 (1996) 61

Digestibility of starch in *Penaeus vannamei*: in vivo and in vitro study on eight samples of various origin, 140 (1996) 361

Evaluation of a fluorescent elastomer internal tag in juvenile and adult shrimp *Penaeus vannamei*, 139 (1996) 243

Fatty acids of wild and cultured *Penaeus vannamei* larvae from Ecuador, 142 (1996) 259

The effect of different levels and sources of dietary phosphatidylcholine on the growth, survival, stress resistance, and fatty acid composition of postlarval *Penaeus vannamei*, 147 (1996) 261

The use of an infectious hypodermal and hematopoietic necrosis virus gene probe serodiagnostic field kit for the screening of candidate specific pathogen-free *Penaeus vannamei* broodstock, 147 (1996) 1

Perca fluviatilis

The effects of dietary crude protein on growth of the Eurasian perch *Perca fluviatilis*, 144 (1996) 239

Perch

The effects of dietary crude protein on growth of the Eurasian perch *Perca fluviatilis*, 144 (1996) 239

Perkinsus

Effect of *Perkinsus olseni* (Protozoa, Apicomplexa) on the weight of *Tridacna crocea* (Mollusca, Bivalvia) from Lizard Island, Great Barrier Reef, 141 (1996) 25

Pharmacokinetics

Bioavailability of oxytetracycline from medicated feed administered to Atlantic salmon (*Salmo salar* L.) in seawater, 143 (1996) 7

Pharmacokinetic study of oxytetracycline in healthy and vibriosis-infected ayu (*Plecoglossus altivelis*), 143 (1996) 33

Pharmacokinetics of benzocaine in rainbow trout (*Oncorhynchus mykiss*) after intraarterial dosing, 148 (1996) 39

Phase ratio

Differences in the early stages of development of gametophytes and tetrasporophytes of *Chondracanthus chamissoi* (C.Ag.) Kützting from Puerto Aldea, northern Chile, 143 (1996) 91

Phospholipid

The effect of different levels and sources of dietary phosphatidylcholine on the growth, survival, stress resistance, and fatty acid composition of postlarval *Penaeus vannamei*, 147 (1996) 261

Phosphorus

Availability of phosphorus from feedstuffs fed to rainbow trout, *Oncorhynchus mykiss*, 142 (1996) 269

Phosphorus fertilization strategy in fish ponds based on sediment phosphorus saturation level, 142 (1996) 207

The effect of different combinations of dietary calcium and phosphorus on the growth of juvenile *Halotis laevigata*, 145 (1996) 267

The need for dietary mineral supplementation for Nile tilapia, *Oreochromis niloticus*, cultured in a semi-intensive system, 144 (1996) 227

Phosphorus enrichment

Phosphorus fractionation and mobility in the food and faeces of hatchery reared rainbow trout (*Oncorhynchus mykiss*), 145 (1996) 183

Phosphorus utilization

Efficacy of dicalcium and defluorinated rock phosphates as dietary phosphorus sources for channel catfish (*Ictalurus punctatus*), 147 (1996) 107

Photoperiod

Effect of stocking density, oxygen level, light regime and swimming velocity on the incidence of sexual maturation in adult Atlantic salmon (*Salmo salar*), 143 (1996) 43

Effects of photoperiod, temperature and salinity on hatchery-reared larvae of the greenback flounder (*Rhombosolea tapirina* Günther, 1862), 144 (1996) 303

Physiological adaptation

Physiological characterization of *Saprolegnia parasitica* isolates from brown trout, 140 (1996) 247

Phytoplankton

Nutritional value of diets that vary in fatty acid composition for larval Pacific oysters (*Crassostrea gigas*), 143 (1996) 379

Picoplankton

Particulate material as an indicator of pearl-oyster excess in the Takapoto lagoon (Tuamotu, French Polynesia), 144 (1996) 133

Pigmentation

Growth, development, and skin abnormalities of halibut (*Hippoglossus hippoglossus* L.) juveniles kept on different bottom substrates, 146 (1996) 17

Pimephales promelas

Comparison of channel catfish, *Ictalurus punctatus*, and fathead minnow, *Pimephales promelas*, production and water quality among a polyculture and two monoculture systems, 144 (1996) 177

Pinctada albina

An evaluation of some relaxants for use with pearl oysters, 144 (1996) 39

Pinctada fucata martensii

Color and weight of pearls produced by grafting the mantle tissue from a selected population for white shell color of the Japanese pearl oyster *Pinctada fucata martensii* (Dunker), 142 (1996) 25

Pinctada margaritifera

Particulate material as an indicator of pearl-oyster excess in the Takapoto lagoon (Tuamotu, French Polynesia), 144 (1996) 133

PIT tag

Tagging sea urchins: a new technique for individual identification, 139 (1996) 271

Placopecten

Spat settlement of the giant scallop, *Placopecten magellanicus* (Gmelin, 1791), and other bivalve species on artificial filamentous collectors coated with chitinous material, 148 (1997) 277

Placopecten magellanicus

Direct observations of particle kinematics within a scallop (*Placopecten magellanicus*) spat collector by means of video endoscopy, 147 (1996) 71

Settlement of larvae of the giant scallop, *Placopecten magellanicus* (Gmelin), on various artificial and natural substrata under hatchery-type conditions, 141 (1996) 201

Shell and tissue growth of juvenile sea scallops (*Placopecten magellanicus*) in suspended and bottom culture in Lunenburg Bay, Nova Scotia, 142 (1996) 75

Plankton

Comparison of channel catfish, *Ictalurus punctatus*, and fathead minnow, *Pimephales promelas*, production and water quality among a polyculture and two monoculture systems, 144 (1996) 177

Plasma cortisol

Relationship between size, gill corticosteroid receptors, Na⁺-K⁺ ATPase activity and smolting in juvenile coho salmon (*Oncorhynchus kisutch*) in autumn and spring, 147 (1996) 127

Plasma membrane

Influence of rainbow trout thermal acclimation on sperm cryopreservation: relation to change in the lipid composition of the plasma membrane, 145 (1996) 281

Plecoglossus altivelis

Genetic and environmental variances of body size and morphological traits in communally

reared clonal lines from gynogenetic diploid ayu, *Plecoglossus altivelis*, 140 (1996) 333

Pharmacokinetic study of oxytetracycline in healthy and vibriosis-infected ayu (*Plecoglossus altivelis*), 143 (1996) 33

Pleuronectes americanus

Weaning of metamorphosed winter flounder (*Pleuronectes americanus*) reared in the laboratory: comparison of two commercial artificial diets on growth, survival and conversion efficiency, 144 (1996) 251

Polar lipid

Two novel *Artemia* enrichment diets containing polar lipid, 144 (1996) 339

Pollution

Phosphorus fractionation and mobility in the food and faeces of hatchery reared rainbow trout (*Onchorhynchus mykiss*), 145 (1996) 183

Polychaete

Infestation of *Haliotis rufescens* shells by a sabellid polychaete, 140 (1996) 139

Polyculture

Comparison of channel catfish, *Ictalurus punctatus*, and fathead minnow, *Pimephales promelas*, production and water quality among a polyculture and two monoculture systems, 144 (1996) 177

Effect of stocking ratio on semi-intensive polyculture of *Colossoma macropomum* and *Oreochromis niloticus* in Honduras, Central America, 143 (1996) 291

Recruitment control of Nile tilapia, *Oreochromis niloticus*, by the African catfish, *Clarias gariepinus* (Burchell 1822), and the African snakehead, *Ophiocephalus obscurus*. I. A biological analysis, 146 (1996) 85

Polydactylus sexfilis

Nursery production technology for Pacific threadfin (*Polydactylus sexfilis*), 139 (1996) 19

Polydora

The evaluation of two treatments to reduce mud worm (*Polydora hoplura* Claparède) infestation in commercially reared oysters (*Crassostrea gigas* Thunberg), 141 (1996) 31

Polyplod gigantism

All-triploid Pacific oysters (*Crassostrea gigas* Thunberg) produced by mating tetraploids and diploids, 142 (1996) 149

Polyploidy

Rapid verification of meiotic gynogenesis and polyploidy in white sturgeon (*Acipenser transmontanus* Richardson), 147 (1996) 177

Polyunsaturated fatty acid

Decreased 20:4n-6/20:5n-3 ratio in sperm from cultured sea bass, *Dicentrarchus labrax*, broodstock compared with wild fish, 144 (1996) 189

Enrichment of the rotifer *Brachionus plicatilis* fed an Antarctic bacterium containing polyunsaturated fatty acids, 147 (1996) 115

Pond

Influence of Nile tilapia (*Oreochromis niloticus*) stocking density in cages on their growth and yield in cages and in ponds containing the cages, 146 (1996) 205

Pond culture

A standardized comparison of semi-intensive pond culture of freshwater prawns *Macrobrachium rosenbergii* at different latitudes: production increases associated with lower water temperatures, 141 (1996) 145

Pond fertilization

Phosphorus fertilization strategy in fish ponds based on sediment phosphorus saturation level, 142 (1996) 207

Pond-reared shrimp

A comparative study of the ovarian development in wild and pond-reared shrimp, *Penaeus kerathurus* (Forskål, 1775), 148 (1996) 63

Pond water

Determination of some metals in *Clarias gariepinus* (Cuvier and Valenciennes), *Cyprinus carpio* (L.) and *Oreochromis niloticus* (L.) fishes in a polyculture fresh water pond and their environments, 147 (1996) 205

Population

Factors influencing populations of the ectosymbiont *Dicercatocephala boschmai* (Platyhelminthes; Temnocephalida), on the redclaw

crayfish *Cherax quadricarinatus* maintained under laboratory conditions, 143 (1996) 233

Population control

All-triploid Pacific oysters (*Crassostrea gigas* Thunberg) produced by mating tetraploids and diploids, 142 (1996) 149

Population enhancement

Detectability of cryptic juvenile *Trochus niloticus* Linnaeus in stock enhancement experiments., 144 (1996) 91

Postlarvae

Boundary layers and abalone postlarval culture: Preliminary studies, 140 (1996) 129

Prawn farming

Physical and chemical characteristics of sediments from prawn farms and mangrove habitats on the Clarence River, Australia, 146 (1996) 47

Prawn husbandry

In vitro embryogenesis of *Macrobrachium rosenbergii* larvae following in vivo fertilization, 147 (1996) 169

Prawns

In vitro embryogenesis of *Macrobrachium rosenbergii* larvae following in vivo fertilization, 147 (1996) 169

The use of enriched ^{15}N as an indicator of the assimilation of individual protein sources from compound diets for juvenile *Penaeus monodon*, 147 (1996) 249

Precision

A photographic larval fish counting technique: comparison with other methods, statistical appraisal of the procedure and practical use, 141 (1996) 83

Prophylaxis

Enhanced resistance against *Edwardsiella tarda* infection in tilapia (*Oreochromis niloticus*) by administration of protein-bound polysaccharide, 143 (1996) 135

Protein

Effect of dietary protein level on growth performance of South African abalone, *Haliotis midae*, fed fishmeal-based semi-purified diets, 140 (1996) 55

Growth response of juvenile dentex (*Dentex dentex* L.) to varying protein level and protein to lipid ratio in practical diets, 139 (1996) 91

Optimum dietary protein level and protein to energy ratio for growth of grouper (*Epinephelus malabaricus*), 145 (1996) 259

The composition and amino acid balance of abalone (*Haliotis rubra*) tissue, 140 (1996) 109

The suitability of selected protein sources for inclusion in formulated diets for the South African abalone, *Haliotis midae*, 140 (1996) 63

The use of silage made from fish and abalone viscera as an ingredient in abalone feed, 140 (1996) 87

Protein-bound polysaccharide

Enhanced resistance against *Edwardsiella tarda* infection in tilapia (*Oreochromis niloticus*) by administration of protein-bound polysaccharide, 143 (1996) 135

Protein digestibility

Amino acid availability values for several protein sources for yellowtail (*Seriola quinqueradiata*), 146 (1996) 109

Protein energy ratio

Optimum dietary protein level and protein to energy ratio for growth of grouper (*Epinephelus malabaricus*), 145 (1996) 259

Protein requirement

Estimation of the protein requirement for bullfrog (*Rana catesbeiana*) tadpoles, and its effect on metamorphosis ratio, 141 (1996) 223

Psorospermium haeckeli

Signal crayfish, *Pacifastacus leniusculus*, as a vector for *Psorospermium haeckeli* to noble crayfish, *Astacus astacus*, 148 (1996) 1

Queen conch

Hydrogen peroxide induced metamorphosis of queen conch, *Strombus gigas*: Tests at the commercial scale, 148 (1997) 247

Radiolabeled

Ascorbic acid metabolism in fish: is there a maternal effect on the progeny?, 147 (1996) 215

Rainbow trout

Ascorbic acid metabolism in fish: is there a maternal effect on the progeny?, 147 (1996) 215

Comparison of nitrogenous losses in five teleost fish species, 141 (1996) 107

Effect of holding temperature on ovulation, egg fertility, plasma levels of reproductive hormones and in vitro ovarian steroidogenesis in the rainbow trout *Oncorhynchus mykiss*, 146 (1996) 277

Effects of inbreeding on growth and reproductive traits in rainbow trout (*Oncorhynchus mykiss*), 142 (1996) 139

Enterocytes in the anterior intestine of *Oncorhynchus mykiss*: Cytological characteristics related to osmoregulation, 139 (1996) 109

Genetic and environmental variation of body weight in rainbow trout (*Oncorhynchus mykiss*), 144 (1996) 71

Influence of dietary glucan and vitamin C on non-specific and specific immune responses of rainbow trout (*Oncorhynchus mykiss*), 143 (1996) 123

Influence of rainbow trout thermal acclimation on sperm cryopreservation: relation to change in the lipid composition of the plasma membrane, 145 (1996) 281

The use of self-feeders in rainbow trout (*Oncorhynchus mykiss*) production, 145 (1996) 1

Rainfed

Fish culture in rainfed rice fields of northeast Thailand, 140 (1996) 295

Rana

Growth and metamorphosis of *Rana perezi* larvae in culture: effects of larval density, 142 (1996) 163

Rana catesbeiana

Estimation of the protein requirement for bullfrog (*Rana catesbeiana*) tadpoles, and its effect on metamorphosis ratio, 141 (1996) 223

Ranching

Selection experiments on Atlantic salmon ranching. II. Variation among release sites and strains for return rate, body weight and ratio of grilse to total return, 144 (1996) 277

Randam amplification of polymorphic DNA (RAPD)

Physiological characterization of *Saprolegnia parasitica* isolates from brown trout, 140 (1996) 247

RAPD

Rapid identification of *Aeromonas salmonicida* subspecies *salmonicida* by the polymerase chain reaction, 141 (1996) 13

Rapid verification of meiotic gynogenesis and polyploidy in white sturgeon (*Acipenser transmontanus* Richardson), 147 (1996) 177

Rapid diagnosis

Rapid identification of *Aeromonas salmonicida* subspecies *salmonicida* by the polymerase chain reaction, 141 (1996) 13

Rate of inbreeding

Effects of inbreeding on growth and reproductive traits in rainbow trout (*Oncorhynchus mykiss*), 142 (1996) 139

Digestibility of starch in *Penaeus vannamei*: in vivo and in vitro study on eight samples of various origin, 140 (1996) 361

Rearing trials

Nursery production technology for Pacific threadfin (*Polydactylus sexfilis*), 139 (1996) 19

Recirculating

Seaweed biofilters as regulators of water quality in integrated fish-seaweed culture units, 141 (1996) 183

Simulation model of recirculating mariculture with seaweed biofilter: development and experimental tests of the model, 143 (1996) 167

Recirculating fish culture systems

The potential for integrated biological treatment systems in recirculating fish culture—A review, 139 (1996) 181

Recruitment control

Recruitment control of Nile tilapia, *Oreochromis niloticus*, by the African catfish, *Clarias gariepinus* (Burchell 1822), and the African snakehead, *Ophiocephalus obscurus*. I. A biological analysis, 146 (1996) 85

Red alga *Kappaphycus alvarezii*

Integrated cultivation of the red alga *Kappaphycus alvarezii* and the pearl oyster *Pinctada martensi*, 147 (1996) 21

Red drum

Apparent digestibility of selected ingredients in red drum (*Sciaenops ocellatus*) diets, 141 (1996) 233

Red sea bream

The effect of dietary carnitine supplementation on growth of red sea bream (*Pagrus major*) fingerlings at two levels of dietary lysine, 147 (1996) 235

Red tide

Toxicity and LD₅₀ levels of the red tide dinoflagellate *Heterocapsa circularisquama* on juvenile pearl oysters, 144 (1996) 149

Regulations

Economic viability and animal health regulation effects on a large scale trout hatchery, 143 (1996) 245

Relaxants

An evaluation of some relaxants for use with pearl oysters, 144 (1996) 39

Release site

Selection experiments on Atlantic salmon ranching. II. Variation among release sites and strains for return rate, body weight and ratio of grilse to total return, 144 (1996) 277

Reproduction

Effect of holding temperature on ovulation, egg fertility, plasma levels of reproductive hormones and in vitro ovarian steroidogenesis in the rainbow trout *Oncorhynchus mykiss*, 146 (1996) 277

Effects of inbreeding on growth and reproductive traits in rainbow trout (*Oncorhynchus mykiss*), 142 (1996) 139

LHRHa and pimozone-induced spawning of Asian catfish *Clarias macrocephalus* (Gunther) at different times during an annual reproductive cycle, 148 (1997) 323

The effect of dietary protein and lipid from squid and fish meals on egg quality of broodstock for gilthead seabream (*Sparus aurata*), 148 (1997) 233

Reproductive allocation

Effects of egg size on offspring development and fitness in brown trout, *Salmo trutta* L., 147 (1996) 9

Reproductive biology

Aspects of the reproductive biology of the sharpnose seabream *Diplodus puntazzo* (Cetti, 1777). I. Gametogenesis and gonadal cycle in captivity during the third year of life, 140 (1996) 281

Resistance frequency

The importance of bacterial multiplication in the selection, by oxytetracycline-HCl, of oxytetracycline-resistant bacteria in marine sediment microcosms, 144 (1996) 103

Resistance mechanisms

The biological significance of breakpoint concentrations of oxytetracycline in media for the examination of marine sediment microflora, 145 (1996) 21

Restoration

Genetic effects of artificial propagation: signals from wild and hatchery populations of red abalone in California, 143 (1996) 257

RFLPs

Mitochondrial DNA variation in wild and hatchery brown trout (*Salmo trutta* L.) populations from Spain, 141 (1996) 59

Rhombosolea tapirina

Weaning of hatchery-reared greenback flounder (*Rhombosolea tapirina* Günther) from live to artificial diets: Effects of age and duration of the changeover period, 145 (1996) 171

Riboflavin

Dietary riboflavin requirement of fingerling channel catfish (*Ictalurus punctatus*), 139 (1996) 285

Rice

Activity pattern of fish in rice fields, 145 (1996) 159

Rice-fish

Fish culture in rainfed rice fields of northeast Thailand, 140 (1996) 295

Rotifer density

The effect of background color and rotifer density on rotifer intake, growth and survival of the grouper (*Epinephelus suillus*) larvae, 146 (1996) 217

Rotifers

Improvement of the nutritional value of rotifers by varying the type and concentration of oil and the enrichment period, 147 (1996) 93

The use of silages prepared from fish neural tissues as enrichers for rotifers (*Brachionus plicatilis*) and *Artemia* in the nutrition of larval marine fish, 148 (1997) 213

Ruditapes decussatus

Evaluation of live microalgal diets for the seed culture of *Ruditapes decussatus* using physiological and biochemical parameters, 148 (1996) 11

Salinity

Combined effects of water temperature and salinity on growth and feed utilization of juvenile Nile tilapia *Oreochromis niloticus* (Linnaeus), 146 (1996) 37

Effect of salinity on hatching, larval growth, survival and settling in the tropical oyster *Crassostrea belcheri* (Sowerby), 145 (1996) 129

Effects of photoperiod, temperature and salinity on hatchery-reared larvae of the greenback flounder (*Rhombosolea tapirina* Günther, 1862), 144 (1996) 303

Influence of salinity on food consumption, growth and energy conversion efficiency of common carp (*Cyprinus carpio*) fingerlings, 148 (1997) 115

Salmon

Effect of stocking density, oxygen level, light regime and swimming velocity on the incidence of sexual maturation in adult Atlantic salmon (*Salmo salar*), 143 (1996) 43

Predicting salmon biomass remotely using a digital stereo-imaging technique, 146 (1996) 189

Rapid identification of *Aeromonas salmonicida* subspecies *salmonicida* by the polymerase chain reaction, 141 (1996) 13

Salmon farms

Use of cleaner-wrasse (*Centrolabrus exoletus* (L.) and *Ctenolabrus rupestris* (L.)) to control infestations of *Caligus elongatus* Nordmann on farmed Atlantic salmon, 142 (1996) 11

Salmonids

Drinking in Atlantic salmon psmolts (*Salmo salar* L.) and juvenile rainbow trout (*Oncorhynchus mykiss* Walbaum) in response to cortisol and sea water challenge, 141 (1996) 129

Salmo salar

Antibody response in Atlantic salmon (*Salmo salar*) against *Vibrio anguillarum* and *Vibrio salmonicida* O-antigens: Heritabilities, genetic correlations and correlations with survival, 145 (1996) 77

Bioavailability of oxytetracycline from medicated feed administered to Atlantic salmon (*Salmo salar* L.) in seawater, 143 (1996) 7

Predicting salmon biomass remotely using a digital stereo-imaging technique, 146 (1996) 189

Social interactions and the distribution of food among one-sea-winter Atlantic salmon (*Salmo salar*) in a sea-cage, 139 (1996) 1

The effect of the isopod parasite *Ceratothoa gaudichaudii* on the body weight of farmed *Salmo salar* in southern Chile, 143 (1996) 1

The efficacy of hydrogen peroxide for the treatment of farmed Atlantic salmon, *Salmo salar* L. infested with sea lice (Copepoda: Caligidae), 148 (1997) 265

Salvelinus alpinus

Deposition and metabolism of dietary canthaxanthin in different organs of Arctic charr (*Salvelinus alpinus* L.), 142 (1996) 99

Sampling

The critical importance of sample site in the determination of the frequency of oxytetracycline resistance in the effluent microflora of a fresh water fish farm, 139 (1996) 47

Sanitiser

Biofilm formation by *Vibrio harveyi* on surfaces, 140 (1996) 241

Saponin

Effects of saponin on survival, growth, molting and feeding of *Penaeus japonicus* juveniles, 144 (1996) 165

Saprolegnia

Physiological characterization of *Saprolegnia parasitica* isolates from brown trout, 140 (1996) 247

Saprolegniasis

Physiological characterization of *Saprolegnia parasitica* isolates from brown trout, 140 (1996) 247

Scallop

On the use of self-thinning relationships in stocking experiments, 145 (1996) 91

Settlement of larvae of the giant scallop, *Placopecten magellanicus* (Gmelin), on various artificial and natural substrata under hatchery-type conditions, 141 (1996) 201

Spat settlement of the giant scallop, *Placopecten magellanicus* (Gmelin, 1791), and other bivalve species on artificial filamentous collectors coated with chitinous material, 148 (1997) 277

Scallop aquaculture

Direct observations of particle kinematics within a scallop (*Placopecten magellanicus*) spat collector by means of video endoscopy, 147 (1996) 71

Scallop cultivation

Mortality of late juvenile and adult stages of the scallop *Mizuhopecten yessoensis* (Jay), 141 (1996) 97

Sciaenops ocellatus

Apparent digestibility of selected ingredients in red drum (*Sciaenops ocellatus*) diets, 141 (1996) 233

Determination of digestibility coefficients of various feedstuffs for red drum (*Sciaenops ocellatus*), 139 (1996) 303

Scophthalmus maximus

Ontogeny of the lymphoid organs in the turbot *Scophthalmus maximus*: a light and electron microscope study, 144 (1996) 1

Sea bass

Comparison of nitrogenous losses in five teleost fish species, 141 (1996) 107

Diel feeding activity and the effect of time-restricted self-feeding on growth and feed conversion in European sea bass, 139 (1996) 117

Effects of live food and dietary digestive enzymes on the efficiency of microdiets for seabass (*Dicentrarchus labrax*) larvae, 148 (1997) 313

Growth, body composition and nutrient retention efficiency of growing sea bass (*Dicentrarchus labrax* L.) fed fish oil or fatty acid Ca salts, 139 (1996) 101

Tissue distribution and residue depletion of oxytetracycline in sea bream (*Sparus aurata*) and sea bass (*Dicentrarchus labrax*) after oral administration, 147 (1996) 159

Sea bass larvae

Sea bass (*Dicentrarchus labrax*) larvae fed different *Artemia* rations: growth, pancreas enzymatic response and development of digestive functions, 139 (1996) 129

Sea bass sperm

Decreased 20:4n - 6/20:5n - 3 ratio in sperm from cultured sea bass, *Dicentrarchus labrax*, broodstock compared with wild fish, 144 (1996) 189

Sea bream

Comparison of nitrogenous losses in five teleost fish species, 141 (1996) 107

Tissue distribution and residue depletion of oxytetracycline in sea bream (*Sparus aurata*) and sea bass (*Dicentrarchus labrax*) after oral administration, 147 (1996) 159

The effect of dietary protein and lipid from squid and fish meals on egg quality of brood-

stock for gilthead seabream (*Sparus aurata*), 148 (1997) 233

Sea enclosures

Development of an intensive culture system for sea bass (*Dicentrarchus labrax*) larvae in sea enclosures, 142 (1996) 43

Sea lice

Field trials on the efficacy of the organophosphorus compound azamethiphos for the control of sea lice (Copepoda: Caligidae) infestations of farmed Atlantic salmon (*Salmo salar*), 140 (1996) 217

The efficacy of hydrogen peroxide for the treatment of farmed Atlantic salmon, *Salmo salar* L. infested with sea lice (Copepoda: Caligidae), 148 (1997) 265

Sea lice (Caligidae)

Use of cleaner-wrasse (*Centrolabrus exoletus* (L.) and *Ctenolabrus rupestris* (L.)) to control infestations of *Caligus elongatus* Nordmann on farmed Atlantic salmon, 142 (1996) 11

Season

Season-, age-, and sex-related variation in the prevalence of bonamiasis in flat oysters (*Ostrea edulis* L.) on the south coast of Ireland, 144 (1996) 53

Sea urchin

Tagging sea urchins: a new technique for individual identification, 139 (1996) 271

Sea water adaptation

Effects of growth hormone treatment on oxygen consumption and sea water adaptability in Atlantic salmon parr and pre-smolts, 148 (1996) 49

Seaweed

Simulation model of recirculating mariculture with seaweed biofilter: development and experimental tests of the model, 143 (1996) 167

Seaweed-biofilters

Seaweed biofilters as regulators of water quality in integrated fish-seaweed culture units, 141 (1996) 183

Secondary production

Estimation of the biomass production of *Artemia* with regard to its use in aquaculture: temperature and strain effects, 142 (1996) 171

Sediment

Estimates of the significance of out-washing of oxytetracycline from sediments under Atlantic salmon sea-cages, 144 (1996) 17

Estimation of the influence of a river sediment on the biological activity of oxytetracycline hydrochloride, 141 (1996) 67

Is sediment deposition the dominant fate of oxytetracycline used in marine salmonid farms: a review of available evidence, 146 (1996) 157

Phosphorus fertilization strategy in fish ponds based on sediment phosphorus saturation level, 142 (1996) 207

Physical and chemical characteristics of sediments from prawn farms and mangrove habitats on the Clarence River, Australia, 146 (1996) 47

Sedimentary lipids

Changes in the physico-chemical characteristics and lipid composition in sediments from productive aquaculture ponds after a short-term shrimp growth experiment, 144 (1996) 121

Sediment oxygen demand

Temporal changes in oxygen demand and bacterial sulfate reduction in inland shrimp ponds, 145 (1996) 141

Seed

Evaluation of live microalgal diets for the seed culture of *Ruditapes decussatus* using physiological and biochemical parameters, 148 (1996) 11

Selection

Progress in a Sydney rock oyster, *Saccostrea commercialis* (Iredale and Roughley), breeding program, 144 (1996) 295

Selection pressure

The critical importance of sample site in the determination of the frequency of oxytetracycline resistance in the effluent microflora of a fresh water fish farm, 139 (1996) 47

Selective breeding

Color and weight of pearls produced by grafting the mantle tissue from a selected population for white shell color of the Japanese pearl oyster *Pinctada fucata martensii* (Dunker), 142 (1996) 25

Self-feeders

The use of self-feeders in rainbow trout (*Oncorhynchus mykiss*) production, 145 (1996) 1

Self-feeding

A comparative study of automatic feeding and self-feeding in juvenile Atlantic salmon (*Salmo salar*) fed diets of different energy levels, 145 (1996) 245

Diel feeding activity and the effect of time-restricted self-feeding on growth and feed conversion in European sea bass, 139 (1996) 117

Self-thinning

On the use of self-thinning relationships in stocking experiments, 145 (1996) 91

Semen

Cryopreservation of semen of the grayling (*Thymallus thymallus*) and the Danube salmon (*Hucho hucho*), 144 (1996) 265

Serodiagnostic kit

The use of an infectious hypodermal and hematopoietic necrosis virus gene probe serodiagnostic field kit for the screening of candidate specific pathogen-free *Penaeus vannamei* broodstock, 147 (1996) 1

Settlement

Settlement of larvae of the giant scallop, *Placopecten magellanicus* (Gmelin), on various artificial and natural substrata under hatchery-type conditions, 141 (1996) 201

Spat settlement of the giant scallop, *Placopecten magellanicus* (Gmelin, 1791), and other bivalve species on artificial filamentous collectors coated with chitinous material, 148 (1997) 277

Settling

Effect of salinity on hatching, larval growth, survival and settling in the tropical oyster *Crassostrea belcheri* (Sowerby), 145 (1996) 129

Sex

Season-, age-, and sex-related variation in the prevalence of bonamiasis in flat oysters (*Ostrea edulis* L.) on the south coast of Ireland, 144 (1996) 53

Sex determination

Improved method of determining the sex of the marine topshell, *Trochus niloticus* (Mollusca: Gastropoda) for spawning, 139 (1996) 329

Sex differentiation

Sex differentiation and hormonal feminization in pejerrey *Odontesthes bonariensis*, 139 (1996) 31

Sex inversion

Sex differentiation and hormonal feminization in pejerrey *Odontesthes bonariensis*, 139 (1996) 31

Sex reversal

Sex differentiation and hormonal feminization in pejerrey *Odontesthes bonariensis*, 139 (1996) 31

Sexual maturation

Effect of stocking density, oxygen level, light regime and swimming velocity on the incidence of sexual maturation in adult Atlantic salmon (*Salmo salar*), 143 (1996) 43

Sharpsnout sea bream

Aspects of the reproductive biology of the sharpsnout seabream *Diplodus puntazzo* (Cetti, 1777). I. Gametogenesis and gonadal cycle in captivity during the third year of life, 140 (1996) 281

Shell

Infestation of *Halotis rufescens* shells by a sabellid polychaete, 140 (1996) 139

Shrimp

DNA fragment of *Penaeus monodon* baculovirus PmNOBII gives positive in situ hybridization with white-spot viral infections in six penaeid shrimp species, 143 (1996) 23

Physical and chemical characteristics of sediments from prawn farms and mangrove habitats on the Clarence River, Australia, 146 (1996) 47

Shrimp farming

In vitro embryogenesis of *Macrobrachium rosenbergii* larvae following in vivo fertilization, 147 (1996) 169

Shrimp production

Temporal changes in oxygen demand and bacterial sulfate reduction in inland shrimp ponds, 145 (1996) 141

Signal crayfish

Signal crayfish, *Pacifastacus leniusculus*, as a vector for *Psorospermium haeckeli* to noble crayfish, *Astacus astacus*, 148 (1996) 1

Silage

The use of silages prepared from fish neural tissues as enrichers for rotifers (*Brachionus plicatilis*) and *Artemia* in the nutrition of larval marine fish, 148 (1997) 213

Simulation

Economic viability and animal health regulation effects on a large scale trout hatchery, 143 (1996) 245

Simulation model of recirculating mariculture with seaweed biofilter: development and experimental tests of the model, 143 (1996) 167

SJNNV

Effect of chemical and physical treatments on the inactivation of striped jack nervous necrosis virus (SJNNV), 143 (1996) 15

Skeletal malformation

Induced spawning and larval rearing of captive yellowfin porgy, *Acanthopagrus latus* (Houttuyn), 143 (1996) 155

Skeletal deformities in larval, juvenile and adult stages of cultured gilthead sea bream (*Sparus aurata* L.), 141 (1996) 1

Skin lesions

Growth, development, and skin abnormalities of halibut (*Hippoglossus hippoglossus* L.) juveniles kept on different bottom substrates, 146 (1996) 17

Sludge removal

The potential for integrated biological treatment systems in recirculating fish culture—A review, 139 (1996) 181

Smolting

Relationship between size, gill corticosteroid receptors, Na^+-K^+ ATPase activity and smolting in juvenile coho salmon (*Oncorhynchus kisutch*) in autumn and spring, 147 (1996) 127

Sodium chloride

Efficacy of formalin, hydrogen peroxide, and sodium chloride on fungal-infected rainbow trout eggs, 140 (1996) 323

Soil sediments

Determination of some metals in *Clarias gariepinus* (Cuvier and Valenciennes), *Cyprinus carpio* (L.) and *Oreochromis niloticus* (L.) fishes in a polyculture fresh water pond and their environments, 147 (1996) 205

Somatotropin

Effects of growth hormone treatment on oxygen consumption and sea water adaptability in Atlantic salmon parr and pre-smolts, 148 (1996) 49

Soybean lecithin

The effect of different levels and sources of dietary phosphatidylcholine on the growth, survival, stress resistance, and fatty acid composition of postlarval *Penaeus vannamei*, 147 (1996) 261

Soybean meal

Identification of feed enhancers for juvenile largemouth bass *Micropterus salmoides*, 148 (1997) 191

Spain

Parasites in commercially-exploited cephalopods (Mollusca, Cephalopoda) in Spain: an updated perspective, 142 (1996) 1

Sparus aurata

Effect of feeding frequency, feeding level and temperature on energy metabolism in *Sparus aurata*, 148 (1997) 125

Influence of dietary $n-3$ highly unsaturated fatty acids levels on juvenile gilthead seabream (*Sparus aurata*) growth and tissue fatty acid composition, 142 (1996) 221

Simulation model of recirculating mariculture with seaweed biofilter: development and experimental tests of the model, 143 (1996) 167

Skeletal deformities in larval, juvenile and adult stages of cultured gilthead sea bream (*Sparus aurata* L.), 141 (1996) 1

Spat

Aquaculture potential of the Suminoe oyster (*Crassostrea ariakensis*, Fugita 1913), 144 (1996) 321

Food value of live yeasts and dry yeast-based diets fed to Sydney rock oyster *Saccostrea commercialis* spat, 145 (1996) 235

The importance of broodstock nutrition on the viability of larvae and spat in the Chilean oyster *Ostrea chilensis*, 139 (1996) 63

Spat collection

Settlement of larvae of the giant scallop, *Placopecten magellanicus* (Gmelin), on various artificial and natural substrata under hatchery-type conditions, 141 (1996) 201

Spat collector

Direct observations of particle kinematics within a scallop (*Placopecten magellanicus*) spat collector by means of video endoscopy, 147 (1996) 71

Spawning

Effect of dietary protein level on spawning performance and amino acid composition of eggs of Nile tilapia, *Oreochromis niloticus*, 146 (1996) 121

Effect of food fatty acid and sterol quality on *Pecten maximus* gonad composition and reproduction process, 143 (1996) 361

Improved method of determining the sex of the marine topshell, *Trochus niloticus* (Mollusca: Gastropoda) for spawning, 139 (1996) 329

LHRHa and pimozide-induced spawning of Asian catfish *Clarias macrocephalus* (Gunther) at different times during an annual reproductive cycle, 148 (1997) 323

Spermatozoa

Cryopreservation of rainbow trout (*Oncorhynchus mykiss*) spermatozoa using programmable freezing, 143 (1996) 319

Influence of rainbow trout thermal acclimation on sperm cryopreservation: relation to change

in the lipid composition of the plasma membrane, 145 (1996) 281

Sperm motility

Diluent for cool storage of the Japanese eel (*Anguilla japonica*) spermatozoa, 142 (1996) 107

SPF

The use of an infectious hypodermal and hematopoietic necrosis virus gene probe serodiagnostic field kit for the screening of candidate specific pathogen-free *Penaeus vannamei* broodstock, 147 (1996) 1

Spices

Studies on the feeding attractants for fishes and shellfishes. XXVI. Probable feeding attractants in allspice *Pimenta officinalis* for black abalone *Haliotis discus*, 140 (1996) 99

Spinal deviation

Skeletal deformities in larval, juvenile and adult stages of cultured gilthead sea bream (*Sparus aurata* L.), 141 (1996) 1

Spiny lobster

Survival, growth and food conversion efficiency of *Panulirus ornatus* following eyestalk ablation, 146 (1996) 225

Spongiococcus excentricum

Nutritional value of a spray-dried freshwater alga, *Spongiococcus excentricum*, for Pacific oyster (*Crassostrea gigas*) spat, 146 (1996) 135

Spore germination

Differences in the early stages of development of gametophytes and tetrasporophytes of *Chondracanthus chamissoi* (C.Ag.) Kützting from Puerto Aldea, northern Chile, 143 (1996) 91

Spore release

Differences in the early stages of development of gametophytes and tetrasporophytes of *Chondracanthus chamissoi* (C.Ag.) Kützting from Puerto Aldea, northern Chile, 143 (1996) 91

Spore settlement

Differences in the early stages of development of gametophytes and tetrasporophytes of *Chondracanthus chamissoi* (C.Ag.) Kützting from Puerto Aldea, northern Chile, 143 (1996) 91

Spore suspension

Differences in the early stages of development of gametophytes and tetrasporophytes of *Chondracanthus chamissoi* (C.Ag.) Kützting from Puerto Aldea, northern Chile, 143 (1996) 91

Spray-dried alga

Nutritional value of a spray-dried freshwater alga, *Spongiococcum excentricum*, for Pacific oyster (*Crassostrea gigas*) spat, 146 (1996) 135

Starch

Digestibility of starch in *Penaeus vannamei*: in vivo and in vitro study on eight samples of various origin, 140 (1996) 361

Starter diet

Fish protein hydrolyzate in starter diets for Atlantic salmon (*Salmo salar*) fry, 145 (1996) 205

Starvation

Limitations of carrageenan microbound diets for feeding white sturgeon, *Acipenser transmontanus*, larvae, 141 (1996) 245

Stereology

Stereological studies on the gametogenic cycle of the scallop, *Pecten maximus*, in suspended culture in Ria de Arousa (Galicia, NW Spain), 142 (1996) 119

Stereo-vision

Predicting salmon biomass remotely using a digital stereo-imaging technique, 146 (1996) 189

Sterol

Changes in the physico-chemical characteristics and lipid composition in sediments from productive aquaculture ponds after a short-term shrimp growth experiment, 144 (1996) 121

Effect of diet on the lipid composition of wild and cultured abalone, 140 (1996) 115

Effect of food fatty acid and sterol quality on *Pecten maximus* gonad composition and reproduction process, 143 (1996) 361

Growth of post-set oysters, *Crassostrea virginica*, on high-lipid strains of algal flagellates *Tetraselmis* spp., 143 (1996) 411

Stocking density

Effect of stocking density, oxygen level, light regime and swimming velocity on the incidence of sexual maturation in adult Atlantic salmon (*Salmo salar*), 143 (1996) 43

Modelling thermal environment of a recirculating aquaculture facility, 139 (1996) 11

On the use of self-thinning relationships in stocking experiments, 145 (1996) 91

Strain

Selection experiments on Atlantic salmon ranching. II. Variation among release sites and strains for return rate, body weight and ratio of gilse to total return, 144 (1996) 277

Striped jack

Effect of chemical and physical treatments on the inactivation of striped jack nervous necrosis virus (SJNNV), 143 (1996) 15

Strombus gigas

Hydrogen peroxide induced metamorphosis of queen conch, *Strombus gigas*: Tests at the commercial scale, 148 (1997) 247

Strongylocentrotus droebachiensis

Tagging sea urchins: a new technique for individual identification, 139 (1996) 271

Sturgeon

Limitations of carrageenan microbound diets for feeding white sturgeon, *Acipenser transmontanus*, larvae, 141 (1996) 245

The effects of hypercapnia on the growth of juvenile white sturgeon, *Acipenser transmontanus*, 147 (1996) 293

Subsistence

Fish culture in rainfed rice fields of northeast Thailand, 140 (1996) 295

Substrate

Biofilm formation by *Vibrio harveyi* on surfaces, 140 (1996) 241

Sugar

Biochemical composition of new yeasts and bacteria evaluated as food for bivalve aquaculture, 143 (1996) 341

Sulfate reducing bacteria

Temporal changes in oxygen demand and bacterial sulfate reduction in inland shrimp ponds, 145 (1996) 141

Sulfate reduction

Temporal changes in oxygen demand and bacterial sulfate reduction in inland shrimp ponds, 145 (1996) 141

Suminoe

Aquaculture potential of the Suminoe oyster (*Crassostrea ariakensis*. Fugita 1913), 144 (1996) 321

Survival

Detectability of cryptic juvenile *Trochus niloticus* Linnaeus in stock enhancement experiments., 144 (1996) 91

Effects of saponin on survival, growth, molting and feeding of *Penaeus japonicus* juveniles, 144 (1996) 165

Preliminary studies on increased survival and accelerated growth of overwintering juvenile abalone, *Haliotis discus hannai* Ino, 140 (1996) 177

Ration and spatial distribution of feed affect survival, growth, and competition in juvenile red-claw crayfish, *Cherax quadricarinatus*, reared in the laboratory, 148 (1997) 169

Survival and growth of juvenile fluted giant clams, *Tridacna squamosa*, in large-scale grow-out trials in the Solomon Islands, 148 (1997) 85

The importance of broodstock nutrition on the viability of larvae and spat in the Chilean oyster *Ostrea chilensis*, 139 (1996) 63

Use of seaweed meals from *Kappaphycus alvarezii* and *Gracilaria heteroclada* as binders in diets for juvenile shrimp *Penaeus monodon*, 143 (1996) 393

Weaning of metamorphosed winter flounder (*Pleuronectes americanus*) reared in the laboratory: comparison of two commercial artificial diets on growth, survival and conversion efficiency, 144 (1996) 251

Suspended culture

Stereological studies on the gametogenic cycle of the scallop, *Pecten maximus*, in suspended culture in Ria de Arousa (Galicia, NW Spain), 142 (1996) 119

Suspended material

Particulate material as an indicator of pearl-oyster excess in the Takapoto lagoon (Tuamotu, French Polynesia), 144 (1996) 133

Sustainable-mariculture

Seaweed biofilters as regulators of water quality in integrated fish-seaweed culture units, 141 (1996) 183

Swimbladder

Skeletal deformities in larval, juvenile and adult stages of cultured gilthead sea bream (*Sparus aurata* L.), 141 (1996) 1

Swimming performance

Effects of egg size on offspring development and fitness in brown trout, *Salmo trutta* L., 147 (1996) 9

System design

Preliminary studies on increased survival and accelerated growth of overwintering juvenile abalone, *Haliotis discus hannai* Ino, 140 (1996) 177

Tadpoles

Estimation of the protein requirement for bullfrog (*Rana catesbeiana*) tadpoles, and its effect on metamorphosis ratio, 141 (1996) 223

Tagging

Tagging sea urchins: a new technique for individual identification, 139 (1996) 271

Tagging—internal tag

Evaluation of a fluorescent elastomer internal tag in juvenile and adult shrimp *Penaeus vannamei*, 139 (1996) 243

Takapoto

Particulate material as an indicator of pearl-oyster excess in the Takapoto lagoon (Tuamotu, French Polynesia), 144 (1996) 133

Tannic acid

Acute and chronic toxicity of tannic acid and spent bark of cinchona to tilapia *Oreochromis mossambicus*, 145 (1996) 119

Tan tanks

The effect of background color and rotifer density on rotifer intake, growth and survival of the grouper (*Epinephelus suillus*) larvae, 146 (1996) 217

Tapes philippinarum

Development of a colony-blot ELISA assay using monoclonal antibodies to identify *Vibrio* P1 responsible for "brown ring disease": in the clam *Tapes philippinarum*, 146 (1996) 171

Performance of diploid and triploid Manila clams (*Tapes philippinarum*, Adams and Reeve) at various levels of tidal exposure in the UK and in water from fish ponds at Eilat, Israel, 141 (1996) 159

Techniques, culture methods

Effects of initial weight and genetic strain on feed training largemouth bass *Micropterus salmoides* using ground fish flesh and freeze dried krill as starter diets, 148 (1997) 179

The use of freeze-dried krill to feed train largemouth bass (*Micropterus salmoides*): feeds and training strategies, 148 (1997) 299

Techniques, feeding and nutrition

A simple method for the measurement of daily feed intake of groups of fish in tanks, 139 (1996) 157

Effects of initial weight and genetic strain on feed training largemouth bass *Micropterus salmoides* using ground fish flesh and freeze dried krill as starter diets, 148 (1997) 179

The use of freeze-dried krill to feed train largemouth bass (*Micropterus salmoides*): feeds and training strategies, 148 (1997) 299

Temnocephalidae

Factors influencing populations of the ectosymbiont *Diceratocephala boschmai* (Platyhelminthes; Temnocephalida), on the redclaw crayfish *Cherax quadricarinatus* maintained under laboratory conditions, 143 (1996) 233

Temperature

A standardized comparison of semi-intensive pond culture of freshwater prawns *Macrobrachium rosenbergii* at different latitudes: production increases associated with lower water temperatures, 141 (1996) 145

Combined effects of water temperature and salinity on growth and feed utilization of juvenile Nile tilapia *Oreochromis niloticus* (Linnaeus), 146 (1996) 37

Effect of feeding frequency, feeding level and temperature on energy metabolism in *Sparus aurata*, 148 (1997) 125

Effect of holding temperature on ovulation, egg fertility, plasma levels of reproductive hormones and in vitro ovarian steroidogenesis in the rainbow trout *Oncorhynchus mykiss*, 146 (1996) 277

Effects of photoperiod, temperature and salinity on hatchery-reared larvae of the greenback flounder (*Rhombosolea tapirina* Günther, 1862), 144 (1996) 303

Effects of temperature on oxygen consumption and nitrogenous excretion of juvenile *Macrobrachium rosenbergii*, 145 (1996) 295

Estimation of the biomass production of *Artemia* with regard to its use in aquaculture: temperature and strain effects, 142 (1996) 171

Modelling thermal environment of a recirculating aquaculture facility, 139 (1996) 11

Preliminary studies on increased survival and accelerated growth of overwintering juvenile abalone, *Haliotis discus hannai* Ito, 140 (1996) 177

Repeat sexual maturation of wolffish (*Anarhichas lupus* L.) broodstock, 139 (1996) 249

Temperature and nutrition as factors in conditioning broodstock of the commercial scallop *Pecten fumatus* Reeve, 143 (1996) 75

Temperature change

Effects of temperature change rate on nitrogen effluxes of *Macrobrachium rosenbergii* (DeMan), 140 (1996) 373

Tetraploidy

All-triploid Pacific oysters (*Crassostrea gigas* Thunberg) produced by mating tetraploids and diploids, 142 (1996) 149

Tetraselmis gracilis

Changes in biochemical profile of *Tetraselmis gracilis* I. Comparison of two culture media, 148 (1997) 153

Tetraselmis suecica

Tetraselmis suecica cultured in different nutrient concentrations varies in nutritional value to *Artemia*, 143 (1996) 197

Tetraspores

Spore culture of the edible red seaweed, *Gracilaria parvispora* (Rhodophyta), 142 (1996) 59

Tetrasporophytes

Differences in the early stages of development of gametophytes and tetrasporophytes of *Chondracanthus chamosoi* (C.Ag.) Kützinger from Puerto Aldea, northern Chile, 143 (1996) 91

Thailand

A review of the culture of tropical abalone with special reference to Thailand, 140 (1996) 159

Thermal acclimation

Influence of rainbow trout thermal acclimation on sperm cryopreservation: relation to change in the lipid composition of the plasma membrane, 145 (1996) 281

Thrombocytes

Effects of dietary lipid on the hematology of channel catfish, *Ictalurus punctatus*, 147 (1996) 225

Thymallus thymallus

Cryopreservation of semen of the grayling (*Thymallus thymallus*) and the Danube salmon (*Hucho hucho*), 144 (1996) 265

Tiger shrimp

Methionine requirement of juvenile tiger shrimp *Penaeus monodon* Fabricius, 143 (1996) 403

Tissue location of *Vibrio* antigen delivered by immersion to tiger shrimp (*Penaeus monodon*), 145 (1996) 41

Tilapia

Combined effects of water temperature and salinity on growth and feed utilization of juvenile Nile tilapia *Oreochromis niloticus* (Linnaeus), 146 (1996) 37

Effect of dietary protein level on spawning performance and amino acid composition of eggs of Nile tilapia, *Oreochromis niloticus*, 146 (1996) 121

Effect of stocking ratio on semi-intensive polyculture of *Colossoma macropomum* and *Oreochromis niloticus* in Honduras, Central America, 143 (1996) 291

Influence of protein content of broodstock diets on larval quality and performance in Nile tilapia, *Oreochromis niloticus* (L.), 146 (1996) 245

Phosphorus fertilization strategy in fish ponds based on sediment phosphorus saturation level, 142 (1996) 207

Time

Apparent digestibility of tuna oil for common carp, *Cyprinus carpio* - effect of inclusion level and adaptation time, 148 (1997) 143

Tissue

Attempts to initiate cell cultures from *Penaeus chinensis* tissues, 147 (1996) 151

Tissue location

Tissue location of *Vibrio* antigen delivered by immersion to tiger shrimp (*Penaeus monodon*), 145 (1996) 41

Tissue residues

Tissue distribution and residue depletion of oxytetracycline in sea bream (*Sparus aurata*) and sea bass (*Dicentrarchus labrax*) after oral administration, 147 (1996) 159

Total residual oxidant

Effect of ozone treatment on amylases in seawater, 141 (1996) 77

Toughness

Effect of pH, water stability and toughness of artificial diets on the palatability for juvenile abalone *Haliotis fulgens*, 144 (1996) 353

Toxicity

Acute and chronic toxicity of tannic acid and spent bark of cinchona to tilapia *Oreochromis mossambicus*, 145 (1996) 119

Trade

The abalone market: Opportunities for cultured abalone, 140 (1996) 187

Transgenesis

A stable line of transgenic medaka (*Oryzias latipes*) carrying the CAT gene, 143 (1996) 267

Trap ponds

Fish culture in rainfed rice fields of northeast Thailand, 140 (1996) 295

Treatment

The evaluation of two treatments to reduce mud worm (*Polydora hoplura* Claparède) infestation in commercially reared oysters (*Crassostrea gigas* Thunberg), 141 (1996) 31

T. rendalli

The use of napier grass (*Pennisetum purpureum*) and maize (*Zea mays*) bran as low-cost tilapia aquaculture inputs, 146 (1996) 101

Tridacna crocea

Effect of *Perkinsus olseni* (Protozoa, Apicomplexa) on the weight of *Tridacna crocea* (Mollusca, Bivalvia) from Lizard Island, Great Barrier Reef, 141 (1996) 25

Tridacna gigas

Limitations in the genetic variation of hatchery produced batches of the giant clam, *Tridacna gigas*, 139 (1996) 225

Tridacna squamosa

Survival and growth of juvenile fluted giant clams, *Tridacna squamosa*, in large-scale grow-out trials in the Solomon Islands, 148 (1997) 85

Triploidy

All-triploid Pacific oysters (*Crassostrea gigas* Thunberg) produced by mating tetraploids and diploids, 142 (1996) 149

Performance of diploid and triploid Manila clams (*Tapes philippinarum*, Adams and Reeve) at various levels of tidal exposure in the UK and in water from fish ponds at Eilat, Israel, 141 (1996) 159

Trochus niloticus

Improved method of determining the sex of the marine topshell, *Trochus niloticus* (Mollusca: Gastropoda) for spawning, 139 (1996) 329

Trophic chain

Tetraselmis suecica cultured in different nutrient concentrations varies in nutritional value to *Artemia*, 143 (1996) 197

Tropical

A review of the culture of tropical abalone with special reference to Thailand, 140 (1996) 159

Effect of stocking ratio on semi-intensive polyculture of *Colossoma macropomum* and *Oreochromis niloticus* in Honduras, Central America, 143 (1996) 291

Trout

Availability of phosphorus from feedstuffs fed to rainbow trout, *Oncorhynchus mykiss*, 142 (1996) 269

Economic viability and animal health regulation effects on a large scale trout hatchery, 143 (1996) 245

Effect of excreta, blood and vitellus contamination on fertilisation success of *Oncorhynchus mykiss*, 141 (1996) 173

Trout farm effluent

The effect of trout farm effluent on the taxonomic richness of benthic macroinvertebrates, 147 (1996) 37

Trypsin

Presence of trypsin in distinctive body segments of leptocephalus larvae of Anguilliformes, 142 (1996) 237

Sea bass (*Dicentrarchus labrax*) larvae fed different *Artemia* rations: growth, pancreas enzymatic response and development of digestive functions, 139 (1996) 129

Trypsinogen

Formation of the diffuse pancreas and the development of digestive enzyme synthesis in larvae of the Japanese flounder *Paralichthys olivaceus*, 141 (1996) 267

Tuna orbital oil

Two novel *Artemia* enrichment diets containing polar lipid, 144 (1996) 339

Turbot

Comparison of nitrogenous losses in five teleost fish species, 141 (1996) 107

Ulva

Fish as potential biocontrollers of *Gracilaria* (Rhodophyta) culture, 145 (1996) 113

Urea

Comparison of nitrogenous losses in five teleost fish species, 141 (1996) 107

Nitrogenous excretion in *Macrobrachium rosenbergii* at different pH levels, 144 (1996) 155

Urine

Effect of excreta, blood and vitellus contamination on fertilisation success of *Oncorhynchus mykiss*, 141 (1996) 173

UV radiation

Fat cell necrosis syndrome in Atlantic halibut, *Hippoglossus hippoglossus* L., 144 (1996) 65

Variation

Season-, age-, and sex-related variation in the prevalence of bonamiasis in flat oysters (*Ostrea edulis* L.) on the south coast of Ireland, 144 (1996) 53

Viability

Allozyme heterozygosity, founder effect and fitness traits in a cultivated population of the European oyster, *Ostrea edulis*, 139 (1996) 203

Vibrio anguillarum

Antibody response in Atlantic salmon (*Salmo salar*) against *Vibrio anguillarum* and *Vibrio salmonicida* O-antigens: Heritabilities, genetic correlations and correlations with survival, 145 (1996) 77

Pharmacokinetic study of oxytetracycline in healthy and vibriosis-infected ayu (*Plecoglossus altivelis*), 143 (1996) 33

Vibrio antigen

Tissue location of *Vibrio* antigen delivered by immersion to tiger shrimp (*Penaeus monodon*), 145 (1996) 41

Vibrio harveyi

Biofilm formation by *Vibrio harveyi* on surfaces, 140 (1996) 241

Vibrio P1

Development of a colony-blot ELISA assay using monoclonal antibodies to identify *Vibrio* P1 responsible for "brown ring disease": in the clam *Tapes philippinarum*, 146 (1996) 171

Vibrio salmonicida

Antibody response in Atlantic salmon (*Salmo salar*) against *Vibrio anguillarum* and *Vibrio salmonicida* O-antigens: Heritabilities, genetic correlations and correlations with survival, 145 (1996) 77

Visible implant

Evaluation of a fluorescent elastomer internal tag in juvenile and adult shrimp *Penaeus vannamei*, 139 (1996) 243

Vitamin C

Ascorbic acid metabolism in fish: is there a maternal effect on the progeny?, 147 (1996) 215

Influence of dietary glucan and vitamin C on non-specific and specific immune responses of rainbow trout (*Oncorhynchus mykiss*), 143 (1996) 123

Vitellogenesis

A comparative study of the ovarian development in wild and pond-reared shrimp, *Penaeus kerathurus* (Forsk  l, 1775), 148 (1996) 63

Relationships between the expression of maternal behaviour and ovarian development in the mouthbrooding cichlid fish *Oreochromis niloticus*, 146 (1996) 261

VNN

Effect of chemical and physical treatments on the inactivation of striped jack nervous necrosis virus (SJNNV), 143 (1996) 15

Wastewater

Modelling thermal environment of a recirculating aquaculture facility, 139 (1996) 11

Water

Estimates of the significance of out-washing of oxytetracycline from sediments under Atlantic salmon sea-cages, 144 (1996) 17

Water chemistry

Comparison of channel catfish, *Ictalurus punctatus*, and fathead minnow, *Pimephales promelas*, production and water quality among a polyculture and two monoculture systems, 144 (1996) 177

Water quality

Effect of ozone treatment on amylases in seawater, 141 (1996) 77

Effects of water management practices on discharge of nutrients and organic matter from channel catfish (*Ictalurus punctatus*) ponds, 147 (1996) 57

Seaweed biofilters as regulators of water quality in integrated fish-seaweed culture units, 141 (1996) 183

The potential for integrated biological treatment systems in recirculating fish culture—A review, 139 (1996) 181

Weaning

Weaning of hatchery-reared greenback flounder (*Rhombosolea tapirina* Günther) from live to artificial diets: Effects of age and duration of the changeover period, 145 (1996) 171

Weaning of metamorphosed winter flounder (*Pleuronectes americanus*) reared in the laboratory: comparison of two commercial artificial diets on growth, survival and conversion efficiency, 144 (1996) 251

Weight

Effect of *Perkinsus olseni* (Protozoa, Apicomplexa) on the weight of *Tridacna crocea* (Mollusca, Bivalvia) from Lizard Island, Great Barrier Reef, 141 (1996) 25

Western Mexico

Abundance and diversity of macrofauna (fish and decapod crustaceans) in *Penaeus vannamei* culture ponds in Western Mexico, 143 (1996) 61

White bass

Application of controlled-release, GnRHa-delivery systems in commercial production of white bass \times striped bass hybrids (sunshine bass), using captive broodstocks, 140 (1996) 265

White-spot virus

DNA fragment of *Penaeus monodon* baculovirus PmNOBII gives positive in situ hybridization with white-spot viral infections in six penaeid shrimp species, 143 (1996) 23

White sturgeon

Rapid verification of meiotic gynogenesis and polyploidy in white sturgeon (*Acipenser transmontanus* Richardson), 147 (1996) 177

Wild-cultured

Fatty acids of wild and cultured *Penaeus vannamei* larvae from Ecuador, 142 (1996) 259

Wild fish

Fish culture in rainfed rice fields of northeast Thailand, 140 (1996) 295

Wrasse (Labridae)

Use of cleaner-wrasse (*Centrolabrus exoletus* (L.) and *Ctenolabrus rupestris* (L.)) to control infestations of *Caligus elongatus* Nordmann on farmed Atlantic salmon, 142 (1996) 11

X-ray

Skeletal deformities in larval, juvenile and adult stages of cultured gilthead sea bream (*Sparus aurata* L.), 141 (1996) 1

Yeast

Biochemical composition of new yeasts and bacteria evaluated as food for bivalve aquaculture, 143 (1996) 341

Food value of live yeasts and dry yeast-based diets fed to Sydney rock oyster *Saccostrea commercialis* spat, 145 (1996) 235

Yellowtail

Amino acid availability values for several protein sources for yellowtail (*Seriola quinqueradiata*), 146 (1996) 109